

Industrial/Institutional LED Luminaires



PRICE LIST w.e.f. 1st March 2016



Havells State of the art Luminaire Plant, Neemrana



Neemrana Lighting Plant



Japanese Flexible CNC controlled steel fabrication process



Italian Robotised Box Bending Machines



Powder Coating Paint Shop



ISO-9001
Certified



ISO-14001
Certified



OHSAS-18001
Certified



ISO-50001
Certified



INTRODUCTION OF HAVELLS

Havells India Limited is a \$1.4 Billion leading Fast Moving Electrical Goods (FMEG) Company with a strong global footprint. Havells enjoys enviable market dominance across a wide spectrum of products, including Industrial & Domestic Circuit Protection Devices, Cables & Wires, Motors, Pumps, Fans, Modular Switches, Home Appliances, Electric Water Heaters, Power Capacitors, CFL Lamps, Luminaires for Domestic, Commercial and industrial Applications.

Havells in 2007 created history by acquiring world's renowned lighting company Sylvania thus registering itself amongst top 4 lighting companies in the world. Today, Havells owns some of the most prestigious global brands like Havells, Crabtree, Sylvania, Concord, Luminance and Standard. Its global network constitutes of 6500 professionals across 91 branches & representative offices in over 50 countries. Its 11 state-of-the-art manufacturing plants in India located at Haridwar, Baddi, Noida, Sahibabad, Faridabad, Alwar, Neemrana and 7 world class manufacturing plants located in Europe, Latin America, Africa & China are manufacturing globally acclaimed products, synonymous with excellence and precision in the electrical industry.

A 20000 strong global distribution network continuously strives to set new benchmarks in prompt delivery and service to customers – powering their smiles like none other electrical brand in the country. Further to this the company pioneered the concept of exclusive brand showroom in the electrical industry with 'Havells Galaxy'. Today over 250 plus Havells Galaxies across the country are helping customers, both domestic and commercial, to choose from a wide variety of products for different applications. Havells became the first FMEG Company to offer door step service via its initiative 'Havells Connect'. Thanks to the quality of products and quicker service, it has minimum customer complaints and highest customer satisfaction.

Havells alongwith its brands, have earned the distinction of being the preferred choice of electrical products for discerning individuals and industrial consumers both in India and abroad. Havells offers same quality products for both Indian and international markets. Havells products & processes have acquired a number of International quality certifications, like BASEC, CSA, KEMA, CB, CE, ASTA, CPA, SEMKO, SIRIUM (Malaysia), SPRING (Singapore), TSE Turkey), SNI (Indonesia) and EDD (Bahrain) – thus complying with stringent quality norms at even the most testing markets, worldwide. It is committed to keep powering the world with its state-of-the-art innovations and energyefficient solutions. Currently 70% of its product offering is energy efficient.

Social and environmental responsibility has been at the forefront of Havells operating philosophy and as a result the company consistently contributes to socially responsible activities. For instance, the company is providing mid-day meal across 666 government schools in Alwar district, covering 50000 students per day. Besides this company has acquired land for constructing a larger kitchen with all the modern facilities to serve freshly cooked food to 50000 students in the area. The group company, QRG Healthcare runs a 140 bed hospital in Faridabad and will soon launch another 450 bed hospital in Faridabad by end of the year. In the past, the company has generously contributed to the society during various national calamities like the Bihar Flood, Tsunami and Kargil National Relief Fund etc.

The essence of Havells' success lies in the expertise of its fine team of professionals, strong relationships with associates and the ability to adapt quickly and efficiently, coupled with the vision to always think ahead.



LUMINAIRES

INNOVATION AND HAVELLS LUMINAIRES

At Havells we have always believed that Light is the Fourth Dimension of Architecture. However, apart from necessary or required lighting, there are a host of possibilities of creating architecture with light. Light can divide and structure rooms. Light can guide and direct. Light can emphasize and present architecture. We intend our luminaires to be a perfect tool in design with light. We understand that Every space of architecture demands a treatment with specific Light applications. This has been the hallmark of every Product that finally comes out of our Factory. Our Luminaires are not merely a tool for illumination but goes further. Our Excellence is in every step of Manufacturing from Opto Electronics to LED technology and thus Finally Integrating the same in our state of the art plants. The Result-a Product our customers can rely on Aspects of Safety, Performance and Reliability.

We present our latest Offerings that have come out after feedback received from Clients Customers and Designers alike. Office Lighting paradigms have been redefined with advent of open Plan Offices, We are proud to present our range encompassing the same. Industry have found a focus with Make in India Campaign, Our latest state of the art range covering Industry lighting major and specific Requirements is presented, Street Lights we understand should not only be a social Security but be intelligent to be in Tune with latest Technology, We have Programmable Controlled and Solar street as well Light solution in Landscape range has been given a facelift and new Products have been introduced in sync with market dynamics and Needs.

People and the environmental footprint are central to our approach and form the basis of our sustainability policy We combine our innovation and know-how with an extensive experience of creating lighting solutions that make people feel good, visually, biologically and emotionally. We believe in responsibility and sustainability – for our customers, employees and future generations.

In addition to product strength, superior customer service has long been a hallmark of Havells From product specification and selection through delivery and beyond, our people are committed to making it easy for you to get the products and the information you need, when you need them.

GENERAL CONDITIONS OF BUSINESS

1. Prices are in Indian ₹.
2. All prices are subject to Havells general terms & conditions of business.
3. Prices are inclusive of excise duty as per prevailing rate at the time of supply. Any statutory variation will be to purchaser's account.
4. MRP indicates maximum retail price. Product can't sold above MRP. Taxes & local levies as applicable is inclusive.
5. Prices of all LED luminaires in this price list are for standard luminaires.
6. Goods are despatched by us on Purchaser's risk. All claims for loss, damage or shortage will be filed by the Purchasers directly with the carriers.
7. Warranty voids for LED fixtures including drivers, if individual points of installations are not provided with proper earthing.
8. As far as possible orders should be placed in case lot multiples.
9. All orders shall be placed in writing.
10. Disputes, if any are subject to Delhi jurisdiction only.
11. This Price List supersedes all our previous Price Lists.
12. Prices are subject to change without notice.
13. Continuous design improvement is a routine practice at Havells. Data provided may change without any prior intimation. Customers are advised to reconfirm the data or product dimensions before purchase with our local offices.
14. Company reserves the right to issue amendments, which may arise due to any errors in the price list.

Content

Commercial Lighting	2	-	6
Industrial Lightitng	7	-	9
Area Lighting	10	-	10
Landscape Lighting	11	-	11
Road Lighting	12	-	14
Solar Street Lighting	15	-	15

INTEGRA

Ascend design, energy efficient compact glare free LED down-lighter with integrated driver.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
10W LED 3000K	LHEBJNP5OZ1W010	Diffused	1175/-	12
10W LED 4000K	LHEBJNP6IZ1W010	Diffused	1175/-	12
10W LED 6000K	LHEBJNP7IZ1W010	Diffused	1175/-	12
15W LED 3000K	LHEBJNP5OZ1W015	Diffused	1575/-	08
15W LED 4000K	LHEBJNP6OZ1W015	Diffused	1575/-	08
15W LED 6000K	LHEBJNP7OZ1W015	Diffused	1575/-	08
24W LED 3000K	LHEBJNP5PZ1W024	Diffused	2875/-	06
24W LED 4000K	LHEBJNP6PZ1W024	Diffused	2875/-	06
24W LED 6000K	LHEBJNP7PZ1W024	Diffused	2875/-	06

Ceiling cutout Ø 90 mm, height 90 mm for 10W, Ceiling cutout Ø 138 mm, height 90 mm for 15W, Ceiling cutout Ø 175 mm, height 92 mm for 24W.

**ENDURA DL 7N/10N**

Recess mounted pressure die-cast aluminium luminaire in powder coated white finish in round profile with optimized heat sink for efficient heat dissipation and separate replaceable electronic driver.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
7W LED 3000K	LHEBJNP5PZ1W007	Diffused	1100/-	12
7W LED 4000K	LHEBJNP6PZ1W007	Diffused	1100/-	12
7W LED 6000K	LHEBJNP7PZ1W007	Diffused	1100/-	12
10W LED 4000K	LHEBJNP6PZ1W010	Diffused	1350/-	12
10W LED 6000K	LHEBJNP7IN1W010	Diffused	1350/-	12

Ceiling cutout Ø 100 mm, height 53 mm.

**ENDURA DL 12/15/18 NEO**

Recess mounted pressure die-cast aluminium luminaire in powder coated white finish in round profile with optimized heat sink for efficient heat dissipation and separate replaceable electronic driver.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
12W LED 3000K	LHEJNP5CPZ1W012	Diffused	1750/-	12
12W LED 4000K	LHEJNP6CPZ1W012	Diffused	1750/-	12
12W LED 6000K	LHEJNP7CPZ1W012	Diffused	1750/-	12
15W LED 3000K	LHEBJNP5IN1W015	Diffused	1880/-	12
15W LED 4000K	LHEBJNP6IN1W015	Diffused	1880/-	12
15W LED 6000K	LHEBJNP7IN1W015	Diffused	1880/-	12
18W LED 3000K	LHEBJNP5PZ1W018	Diffused	1995/-	12
18W LED 4000K	LHEBJNP6PZ1W018	Diffused	1995/-	12
18W LED 6000K	LHEBJNP7IN1W018	Diffused	1995/-	12

Ceiling cutout Ø 155 mm, height 45 mm.

**Endura DL 21N/25N**

Recess mounted LED downlighter elegantly designed pressure die-cast Al. heat sink for efficient heat dissipation and separate replaceable electronic driver.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
21W LED 4000K	LHEBJNP6IZ1W021	Diffused	2995/-	08
21W LED 6000K	LHEBJNP7IZ1W021	Diffused	2995/-	08
25W LED 4000K	LHEBJNP6IZ1W025	Diffused	3495/-	08
25W LED 6000K	LHEBJNP7IZ1W025	Diffused	3495/-	08

Ceiling cutout Ø 180 mm, height 68 mm.



SPARKLE

Environmental friendly, new generation, energy saving, recess mounted downlighter with high power COB LED as light source & clear glass and separate replaceable electronic driver.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
10W LED 3000K	LHEBLUPDUE1W010	35° spread	2050/-	06
10W LED 6000K	LHEBLUPFUE1W010	35° spread	2050/-	06
20W LED 6000K	LHEBLUPDIE1W020	35° spread	2950/-	06
20W LED 6000K	LHEBLUPFIE1W020	35° spread	2950/-	06
30W LED 3000K	LHEBLUPDIE1W030	35° spread	4700/-	06
30W LED 6000K	LHEBLUPFIE1W030	35° spread	4700/-	06
40W LED 3000K	LHEBLUPDIE1W040	35° spread	6700/-	06
40W LED 6000K	LHEBLUPFIE1W040	35° spread	6700/-	06

Ceiling cutout Ø 100 mm, height 68 mm for 10W, Ceiling cutout Ø 118 mm, height 70 mm for 20W, Ceiling cutout Ø 172 mm, height 103 mm for 30W, Ceiling cutout Ø 198 mm, height 120 mm for 40W.




ENDURA DL 7 SQUARE

Recess mounted square downlighter with al. extrusion square ring & MS powder coated white housing and separate replaceable electronic driver.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
7W LED 4000K	LHEWEBP6PL1W007	Diffused	1395/-	12
7W LED 6000K	LHEWEBP7PL1W007	Diffused	1395/-	12

Ceiling cutout 124x124 mm, height 45mm.



ENDURA DL 15 SQUARE

Recess mounted square downlighter with al. extrusion square ring & MS powder coated white housing and separate replaceable electronic driver.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
15W LED 4000K	LHEWEBP6PL1W015	Diffused	2095/-	12
15W LED 6000K	LHEWEBP7PL1W015	Diffused	2095/-	12

Ceiling cutout 174x174 mm, height 45mm.



ENDURA DL NEO SQUARE SLIM

18W LED edge-lit luminaire suitable for armstrong/grid ceiling complete with separate electronic driver.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
18W LED 6000K	LHEBJNP7IZ1W018	Diffused	2195/-	01

Fixture size 200x200 mm.



INTEGRA (SURFACE)

Slim, energy efficient, glare free, round LED down-lighter Ideally suited for low ceiling area.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
15W LED 3000K	LHEAAGP5PL1W015	General Spread	1875/-	12
15W LED 4000K	LHEAAGP6PL1W015	General Spread	1875/-	12
15W LED 6000K	LHEAAGP7PL1W015	General Spread	1875/-	12



ENDURA DL SURFACE

Surface mounted LED downlighter in powder coated white finish with integrated electronic driver.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
15W LED 4000K	LHEAAGP6IA2W012	General Spread	2295/-	10
15W LED 6000K	LHEAAGP7IA2W012	General Spread	2295/-	10
21W LED 6000K	LHEAAGP7IA1W018	General Spread	2795/-	10



NOVASTAR NEO 5W

Energy efficient 5W LED spotlight for low ceiling height applications. An alternative for MR16 halogen lamp.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
5W LED 3000K	LHEEAYPAIH1W005	40° spread	695/-	20
5W LED 4000K	LHEEAYPDIH1W005	40° spread	695/-	20
5W LED 6000K	LHEEAYPFIH1W005	40° spread	695/-	20

Suitable for Havells recommended MR16 luminaire.

**NOVASTAR NEO 7W**

Energy efficient 7W LED spotlight for low ceiling height applications. An alternative for MR16 halogen lamp.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
7W LED 3000K	LHEEAYPAPH1W007	40° spread	895/-	30
7W LED 4000K	LHEEAYPDPH1W007	40° spread	895/-	30
7W LED 6000K	LHEEAYPFIH1W007	40° spread	895/-	30

Suitable for Havells recommended MR16 luminaire.

**ENDURA LED WALL WASHER**

Recess mounted LED wall washer in powder coated white finish and separate replaceable electronic driver.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
15W LED 3000K	LHESAHPBNN1W015	30° spread	3750/-	08
15W LED 6000K	LHESAHPGNN1W015	30° spread	3750/-	08
15W LED Driver	LHGDADDBHQA1015	-	750/-	40
25W LED 3000K	LHESAHPBNN1W025	40° spread	6500/-	08
25W LED 6000K	LHESAHPGNN1W025	40° spread	6500/-	08
25W LED Driver	LHGDNDDBHQA1025	-	1000/-	40
35W LED 3000K	LHESAHPBNN1W035	40° spread	8250/-	04
35W LED 6000K	LHESAHPGNN1W035	40° spread	8250/-	04
35W LED Driver	LHGDTDDBHRA1035	-	1750/-	40

Ceiling cutout Ø 112 mm, depth 64 mm, height 95 mm for 15W, Ceiling cutout Ø 144 mm, depth 97 mm, height 125 mm for 25W, Ceiling cutout Ø 176 mm, depth 125 mm, height 150 mm for 35W.

Note: LED driver to be ordered separately.

**SOFTLINE BRILLIANT NEO**

34W recess softline luminaire suitable for armstrong/grid ceiling with high brightness LEDs and PMMA extruded diffuser giving glare free light and good aesthetic appeal.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
34W LED 4000K	LHEWEEP6UL1W036	Diffused	4900/-	02
34W LED 6000K	LHEWEEP7IN1W036	Diffused	4900/-	02

Fixture size 595x595 mm.

**SCOOP**

Innovative direct/indirect luminaire suitable for armstrong/grid ceiling with high brightness LEDs and conical de-glaring prism center panel for efficient down light.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
42W LED 4000K	LHEWEEP6PL1W042	Diffused	6500/-	02
42W LED 6000K	LHEWEEP7PL1W042	Diffused	6500/-	02

Fixture size 595x595 mm.

**ENDURA FLAT IP40**

Modern 2x2 LED panel for recessed dust-free installation with high brightness LEDs for glare-free homogenous illumination.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
34W LED 4000K	LHEWEEP6PL4W034	Diffused	8500/-	02
34W LED 6000K	LHEWEEP7PL4W034	Diffused	8500/-	02
42W LED 4000K	LHEWEEP6PL4W042	Diffused	8800/-	02
42W LED 6000K	LHEWEEP7PL4W042	Diffused	8800/-	02
48W LED 4000K	LHEWEEP6PL4W048	Diffused	9000/-	02
48W LED 6000K	LHEWEEP7PL4W048	Diffused	9000/-	02

Ceiling cutout 580x580 mm.



ENDURA SMALL WINDOW

High efficacy 2x2 recess LED luminaire with concentrated light for homogenous illumination.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
25W LED 4000K	LHEWDRP6PL1W025	Opal	4000/-	02
25W LED 6000K	LHEWDRP7PL1W025	Opal	4000/-	02
34W LED 4000K	LHEWDRP6IL1W034	Opal	4200/-	02
34W LED 6000K	LHEWDRP7IL1W034	Opal	4200/-	02

Fixture size 595x595 mm.



ENDURA SLIM PRO PANEL

36W LED edge-lit luminaire suitable for armstrong/grid ceiling complete with separate electronic driver.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
36W LED 3000K	LHECDIL5PN1W036	Diffused	4850/-	04
36W LED 6000K	LHECDIL7PN1W036	Diffused	4850/-	04
36W LED Driver	LSSLOW0100	-	1350/-	40

Fixture size 595x595 mm.

Note: LED driver to be ordered separately. Edge-lit luminaire is not suitable for POP ceiling.



PLUTO NEO PANEL 2x2

High efficacy 2x2 recess LED flat panel with high brightness LED for glare-free homogenous illumination.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
34W LED 4000K	LHEWEBP6IN1W034	Diffused	5300/-	02
34W LED 6000K	LHEWEBP7IN1W034	Diffused	5300/-	02
42W LED 4000K	LHEWEBP6IN1W042	Diffused	5600/-	02
42W LED 6000K	LHEWEBP7IN1W042	Diffused	5600/-	02

Fixture size 595x595 mm. Ceiling cutout 580x580 mm.



PLUTO NEO PANEL 2x1

High efficacy 2x1 recess LED flat panel with high brightness LED for glare-free homogenous illumination.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
20W LED 4000K	LHEWEBP6PL1W020	Diffused	3800/-	02
20W LED 6000K	LHEWEBP7PL1W020	Diffused	3800/-	02
34W LED 4000K	LHEWEBP6IL1W034	Diffused	4200/-	02
34W LED 6000K	LHEWEBP7IL1W034	Diffused	4200/-	02

Fixture size 595x295 mm. Ceiling cutout 580x280 mm.




PLUTO NEO PANEL 1x1

High efficacy 1x1 recess LED flat panel with high brightness LED for glare-free homogenous illumination.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
15W LED 4000K	LHEWEBP6IN1W015	Diffused	2500/-	01
15W LED 5700K	LHEWEBP7IN1W015	Diffused	2500/-	01

Fixture size 295x295 mm. Ceiling cutout 280x280 mm.



PLUTO 2x2

Aesthetically designed 2x2 LED Flat panel which provides soft-light and glare free symmetrical illumination. Also for POP ceilings.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
34W LED 4000K	LHEEBP6CUL1W034	Diffused	5500/-	02
34W LED 6000K	LHEEBP7CUL1W034	Diffused	5500/-	02
48W LED 6000K	LHEWEBP7UL1W048	Diffused	6900/-	02

Fixture size 595x595 mm. Ceiling cutout 580x580 mm.



PLUTO 4x1

Aesthetically designed 4x1 LED Flat panel which provides soft-light and glare free symmetrical illumination. Also for POP ceilings.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
34W LED 4000K	LHEWEBP6PL1W034	Diffused	5500/-	02
34W LED 6000K	LHEWEBP7PN1W034	Diffused	5500/-	02
42W LED 4000K	LHECDNL6PL1W042	Diffused	5800/-	02
42W LED 6000K	LHECDNL7PL1W042	Diffused	5800/-	02

Fixture size 1195x295 mm. Ceiling cutout 1180x280 mm.

**PLUTO (SURFACE)**

Aesthetically designed 2x2 & 4x1 LED flat panel for Surface/Suspended mounting which provides soft-light and glare free symmetrical illumination.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
34W LED 4000K (2x2)	LHEWEBP6ON1W034	Diffused	5800/-	02
34W LED 6000K (2x2)	LHEWEBP7NL1W036	Diffused	5800/-	02
34W LED 4000K (4x1)	LHEWEBP6PN1W034	Diffused	5800/-	02
34W LED 6000K (4x1)	LHEWEBP7PN1W036	Diffused	5800/-	02

Fixture size 595x595 mm (2'x2'). Fixture size 1155x295 mm (4'x1').

**VENUS NEO**

Ultra modern designed architectural 2x2 LED luminaire which provides soft-light and glare free symmetrical illumination.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
34W LED 4000K	LHEWDRP6PL1W034	Diffused	4394/-	02
34W LED 6000K	LHEWDRP7PL1W034	Diffused	4394/-	02
42W LED 4000K	LHEWDRP6PL1W042	Diffused	4800/-	02
42W LED 6000K	LHEWDRP7PL1W042	Diffused	4800/-	02


Fixture size 595x595 mm.

**CONSTA LED**

Suspended architectural LED luminaire provides soft-light and glare free symmetrical illumination also available in continuous mounting option.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
20W LED 3000K	LHECDOL5PW1W020	Diffused	3100/-	04
20W LED 4000K	LHECDOL6PW1W020	Diffused	3100/-	04
20W LED 6000K	LHECDOL7PW1W020	Diffused	3100/-	04
40W LED 3000K	LHECDOL5PW1W040	Diffused	5300/-	04
40W LED 4000K	LHECDOL6PW1W040	Diffused	5300/-	04
40W LED 6000K	LHEYBYP7PE1W040	Diffused	5300/-	04

Note: Suspension wire included in the packing.

**AVION**

Energy saving, environmental friendly, long life, decorative, corrosion resistant, impact proof, suspended luminaires with PC diffuser and extruded aluminium anodised housing with LEDs as light source.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
40W LED 4000K	LHEDDGN6IX1W040	Diffused	9950/-	01
40W LED 5000K	LHEDDGN7IX1W040	Diffused	9950/-	01

Note: Suspension wire included in the packing.



ENDURA LINEAR LED

Wall mounted LED batten, extruded aluminium heat sink provided for efficient heat dissipation & integrated electronic driver.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
12W LED 4000K (2 ft.)	LHEWEBP6PL1W012	Diffused	1490/-	10
12W LED 6000K (2 ft.)	LHEWEBP7PL1W012	Diffused	1490/-	10
22W LED 4000K (4 ft.)	LHEWEBP6PL1W022	Diffused	2470/-	10
22W LED 6000K (4 ft.)	LHEWEBP7PL1W022	Diffused	2470/-	10



MAGNUM LED 24W IP66

Energy saving, environmental friendly, long life, corrosion resistant, impact proof, surface mounting IP66 luminaire with PC housing in opal finish suitable for wet location with high brightness LEDs.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
24W LED 6000K (4 ft.)	LHFKAWN7UC8W024	Diffused	4490/-	12



ENDURA MAGNUM 20W & 40W - IP65

Energy saving, environmental friendly, long life, corrosion resistant, impact proof, surface mounting luminaire with PC housing & opal finish cover suitable for wet location with LEDs as light source.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
20W LED 6000K (2 ft.)	LHEKAWN7PZ6J020	Diffused	3560/-	06
40W LED 6000K (4 ft.)	LHEKAWN7IZ6J040	Diffused	7100/-	06



ENDURA WELL GLASS NEO - IP65

Environmental friendly, energy saving long life corrosion resistant, vertical/horizontal surface mounting pressure die-cast aluminium well glass luminaires with high power LED as light source.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
24W LED 6000K	LHEMABNDPN6S024	Diffused	5000/-	06
40W LED 6000K	LHEMABNDPN7S040	Diffused	5800/-	06



ENDURA HIGHBRITE

Energy saving, environment friendly & robust open type vertical Highbay/Mediumbay LED luminaire with high power COB LED as light source.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
50W LED 6000K	LHELAWUDPC5K050	General Spread	10500/-	01
90W LED 6000K	LHELAWUDUC6K090	General Spread	18000/-	01
150W LED 6000K	LHELAWUDPC5K150	General Spread	22000/-	01



ENDURA BAY BRITE

Energy saving, environmental friendly, long life, exclusive innovative pressure die-cast aluminium IP66 Bay light with high power LEDs as light source, suitable for highlighting architectural features or retail spaces.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
80W LED 6000K	LHEPCOU7IN7J080	General Spread	15500/-	04
90W LED 6000K	LHELAWU7PN7J090	General Spread	16000/-	04
120W LED 6000K	LHELAWU7IN7J120	General Spread	24000/-	02
150W LED 6000K	LHEPCZU7IN7J150	General Spread	24500/-	02



ENDURA BAY BRITE NEO

Energy saving, environmental friendly, long life, exclusive innovative pressure die-cast aluminium IP66 Bay light with high power LEDs as light source, suitable for highlighting architectural features or retail spaces.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
90W LED 6000K	LHELAWU7IN7J090	General Spread	16500/-	04
Frame	LSSLOG0004	-	850/-	04



LED TOP OPENING CLEAN ROOM

IP54, dust free & zero maintenance LED clean room top opening luminaire for hygienic facilities.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
18W LED 6000K (1x1)	LHECDDL7PP5W018	Diffused	5200/-	02
34W LED 6000K (1x2)	LHECDDL7PN5W034	Diffused	9800/-	02
34W LED 6000K (2x2)	LHECDDL7PP5W034	Diffused	11000/-	02
34W LED 6000K (1x2)	LHECDRL7PP5I034**	Diffused	11200/-	02
42W LED 6000K (2x2)	LHECDDL7PP5W042	Diffused	11000/-	02
42W LED 6000K (2x2)	LHECDDL7PP5I042*	Diffused	12200/-	02
60W LED 6000K (1x4)	LHECDDL7PN5W060	Diffused	13000/-	02
60W LED 6000K (2x2)	LHECDDL7PP5W060	Diffused	13000/-	02
60W LED 6000K (2x2)	LHECDDL7PP5I060*	Diffused	14000/-	02
60W LED 6000K (2x2)	LHECDRL7PP5I060**	Diffused	14600/-	02

Note: * SS top frame available on request. ** SS screwless top frame.

Ceiling cutout 300x300 mm for (LHECDDL7PP5W018), Ceiling cutout 600x300 mm for (LHECDDL7PN5W034 & LHECDRL7PP5I034**), Ceiling cutout 600x600 mm for (LHECDDL7PP5W034), Ceiling cutout 600x600 mm for (LHECDDL7PP5W042 & LHECDDL7PP5I042*), Ceiling cutout 1200x300 mm for (LHECDDL7PN5W060), Ceiling cutout 600x600 mm for (LHECDDL7PP5W060, LHECDDL7PP5I060* & LHECDRL7PP5I060**).

**LED BOTTOM OPENING CLEAN ROOM**

IP54, dust free & zero maintenance LED clean room bottom opening luminaire for hygienic facilities.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
18W LED 6000K (1x1)	LHECDML7PW5W018	Diffused	3500/-	02
34W LED 6000K (1x2)	LHECDLL7PW5W034	Diffused	9300/-	02
34W LED 6000K (1x4)	LHECDKL7PW5W034	Diffused	10300/-	02
34W LED 6000K (2x2)	LHECDJL7PW5W034	Diffused	10300/-	02
34W LED 6000K (2x2)	LHECDJL7PL5W034*	Diffused	11700/-	02
34W LED 6000K (1x2)	LHECDQL7PP5I034**	Diffused	10800/-	02
42W LED 6000K (2x2)	LHECDJL7PW5W042	Diffused	10300/-	02
42W LED 6000K (2x2)	LHEDDNN7PW5W042	Diffused	10500/-	02
42W LED 6000K (2x2)	LHECDJL7PL5W042	Diffused	11700/-	02
42W LED 6000K (2x2)	LHECDQL7PP5I042**	Diffused	12100/-	02
60W LED 6000K (1x4)	LHECDKL7PW5W060	Diffused	12200/-	02
60W LED 6000K (2x2)	LHECDJL7PW5W060	Diffused	12200/-	02
60W LED 6000K (2x2)	LHEDDNN7PW5W060	Diffused	12400/-	02
60W LED 6000K (2x2)	LHECDJL7PL5W060*	Diffused	13600/-	02
80W LED 6000K (2x2)	LHECDJL7PW5W080	Diffused	16000/-	02

Note: * SS top frame available on request. ** SS screwless top frame available on request.

Ceiling cutout 300x300 mm for (LHECDML7PW5W018), Ceiling cutout 600x300 mm for (LHECDLL7PW5W034 & LHECDQL7PP5I034**), Ceiling cutout 1200x300 mm for (LHECDKL7PW5W034), Ceiling cutout 600x600 mm for (LHECDJL7PW5W034 & LHECDJL7PL5W034*), Ceiling cutout 600x600 mm for (LHECDJL7PW5W042, LHEDDNN7PW5W042, LHECDJL7PL5W042 & LHECDQL7PP5I042**), Ceiling cutout 1200x300 mm for (LHECDKL7PW5W060), Ceiling cutout 600x600 mm for (LHECDJL7PW5W060, LHEDDNN7PW5W060 & LHECDJL7PL5W060*), Ceiling cutout 600x600 mm for (LHECDJL7PW5W080).

**WALKABLE TRAY FOR TOP OPENING CLEAN ROOM FIXTURES**

Lamp Type	Ordering Code	Size (mm)	MRP Each (₹)	Case Lot (No)
Walkable Tray 1x1 for TOCR	LSSLOW0071	440x440	2500/-	02
Walkable Tray 1x2 for TOCR	LSSLOW0072	440x740	3300/-	02
Walkable Tray 1x4 for TOCR	LSSLOW0073	440x1340	5400/-	02
Walkable Tray 2x2 for TOCR	LSSLOW0074	740x740	4400/-	02

**TITANIA SLEEK T5 LED TUBELIGHT (Double Side Connection)**

Ultra bright LED Tubelight (double side connection with LED driver) with very high efficacy suited for installation in existing tubelight G5 lamp holders to give glare free light.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
18W LED	LHLDCNVENL8Z018	Diffused	1200/-	25
18W LED	LHLDCNVNLL8Z018	Diffused	1200/-	25
Driver	LSSLOXO100	-	550/-	25



TITANIA 18W LED PL-L

Ultra bright LED PL-L with very high efficacy suited for installation in existing 2G11 lamp holders to give glare free light.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
18W LED	LHLDEJNEUL7Z018	Diffused	1250/-	25



PHOTON PLUS LED TUBELIGHT

Ultra bright LED Tubelight (double side connection) with very high efficacy suited for installation in existing tubelight G13 lamp holders to give glare free light.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
18W LED	LHLDCLXENL8X018	Diffused	900/-	25



PHOTON ULTRA LED TUBELIGHT (Single Side Connection)

Ultra bright LED Tubelight (single side connection) with very high efficacy suited for installation in existing tubelight G13 lamp holders to give glare free light.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
10W LED	LHLDCLXNUL7Z010	Diffused	480/-	10
15W LED (High Lumen)	LHLDCLXNUL7Z015	Diffused	700/-	25
16W LED	LHLDCLXNUK8Z016	Diffused	660/-	25
18W LED	LHLDCLXNUK8Z018	Diffused	670/-	25
20W LED	LHLDCLXNUK8Z020	Diffused	700/-	25



TITANIA PRO LED TUBE LIGHT (Double Side Connection)

Ultra bright LED Tubelight (double side connection) with very high efficacy suited for installation in existing tubelight G13 lamp holders to give glare free light.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
18W LED	LHLDDDBXEUL7Z018	Diffused	1100/-	10
20W LED	LHLDDDBXEUL7Z020	Diffused	1150/-	10



TITANIA LED TUBE LIGHT (Single Side Connection)

Ultra bright LED Tubelight (single side connection) with very high efficacy suited for installation in existing tubelight G13 lamp holders to give glare free light.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
10W LED	LHEYBWP7IG1S010	Diffused	1000/-	10
22W LED	LHLDDDBXNMN7Z022	Diffused	1300/-	25



REGAL BATTEN FOR LED TUBE (Single Side Connection)

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
Upto 1x22W LED Tube	LHFYBYPNIA1W022	Diffused	350/-	10
Upto 2x22W LED Tube	LHFYBYG2IN1W020	Diffused	415/-	10



REGAL BATTEN FOR LED TUBE (Double Side Connection)

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
Upto 1x22W LED Tube	LHFYBWP1TB1W020	Diffused	350/-	10
Upto 2x22W LED Tube	LHFYBWP2TB1W020	Diffused	415/-	10



JETA NEO 30 & 50 LED IP65

Energy saving IP65 flood light luminaire with high power COB LED as light source.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
30W LED 5000K	LHEPBFUEIN6W030	Symmetric	4900/-	01
50W LED 5000K	LHEPBFUEIN6W050	Symmetric	7800/-	01

**JETA LINEAR**

Exclusive innovative designed, long life versatile pressure die-cast aluminium IP65 flood light luminaire with high power LED as light source.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
80W LED 6000K	LHEUACN7PN6K080	Symmetric	18800/-	01
100W LED 6000K	LHEUACN7PN6K100	Symmetric	20500/-	01
150W LED 6000K	LHEUACN7PN6K150	Symmetric	28500/-	01

**JETA NEO 120/150**

Energy saving, environmental friendly, long life, exclusive innovative die-cast aluminium IP65 flood light with high power LEDs as light source, suitable for highlighting architectural features or retail spaces.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
120W LED 6000K	LHEPCZU7P46J120	Symmetric	23000/-	01
150W LED 6000K	LHEPCZU7P46J150	Symmetric	26500/-	01

**JETA PRO 200/240/300**

Energy saving, environmental friendly, long life, exclusive innovative die-cast aluminium IP65 flood light with high power LEDs as light source, suitable for highlighting architectural features or retail spaces.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
200W LED 6000K	LHEPDFU7P47J200	Symmetric	40000/-	01
240W LED 6000K	LHEPDFU7P46J240	Symmetric	45000/-	01
300W LED 6000K	LHEPDFU7P46J300	Symmetric	63000/-	01



ENDURA SPRING 4

Energy saving, sleek 40W LED post top luminaire made of pressure die-cast aluminium IP65 housing & opal diffuser.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
40W LED 6000K	LHEVBPP7IN6J040	General Spread	38000/-	01

Suitable for pole dia Ø 76 mm.



ENDURA SPRING 5

Energy saving, exclusive design 40W LED post top luminaire made of pressure die-cast aluminium IP65 housing & clear glass.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
40W LED 6000K	LHEVBBCP7PN6J040	General Spread	38000/-	01

Suitable for pole dia Ø 76 mm.



ENDURA SPRING 6

New generation, post-top, energy saving, environmental friendly, long life aesthetically designed with good indirect symmetrical light distribution, die-cast aluminium landscape luminaire with high power COB LED as light source.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
35W LED 5000K	LHLC18145099	General Spread	18000/-	01

Suitable for pole dia Ø 75 mm.



MUSHROOM

New generation, energy saving, environmental friendly, long life aesthetically designed die-cast aluminium landscape luminaire for downward lighting with high power LED as light source.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
16W LED 6000K	LHLC16145099	General Spread	9500/-	01



ENDURA RUGBY

Energy saving new generation 10W LED IP65 bulkhead luminaire with opal diffuser.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
10W LED 6000K	LHEOAP7UZ6W010	General Spread	1720/-	08



ENDURA SPIKE

Innovative design, energy saving 3.5W LED Spike luminaire in engineering plastic IP66 housing.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
3.5W LED 3000K	LHEVAWP5UN6K3X5	General Spread	1690/-	50



ENDURA CITYLITE DAZZLE

Aluminium Die-cast housing with efficient heat dissipation design. Green painted housing with UV treated coating.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
48W LED	—	Asymmetric	12500/-	01
70W LED	LHEWEBP7PN6G070	Asymmetric	14500/-	01

Suitable for pole dia Ø 37 mm (max.).

ENDURA CITYLINER STYLO

Aesthetically designed pressure die-cast aluminium housing with top opening service cover with tilt & turn bracket arrangement & safety switch for disconnecting fixture from power supply.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
70W LED	LHEWEBP7PN6J070	Asymmetric	24000/-	01
90W LED	LHEWEBP7PN6J090	Asymmetric	30000/-	01

Suitable for pole dia Ø 63 mm (max.).

ENDURA CITYLINER STYLO+

Aesthetically designed pressure die-cast aluminium housing with top opening service cover with tilt & turn bracket arrangement & safety switch for disconnecting fixture from power supply.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
120W LED	LHEWEBP7PN6J120	Asymmetric	45000/-	01
150W LED	LHEWEBP7PN6J150	Asymmetric	49000/-	01

Suitable for pole dia Ø 63 mm (max.).

ENDURA CITYLINER UBER

Aesthetically designed pressure die-cast aluminium housing with top opening service cover.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
90W LED	LHEWEBP7PN6H090	Asymmetric	26000/-	01
120W LED	LHEWEBP7PN6H120	Asymmetric	28000/-	01
210W LED	—	Asymmetric	48000/-	01

Suitable for pole dia Ø 64 mm (max.).

ENDURA CITYLITE PLATINUM

New generation energy saving & environmental friendly long life Versatile pressure die-cast aluminium IP66 roadway luminaire with high power LED as light source with acrylic cover.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
15W LED	LHEWEBP7PL6S015	Asymmetric	2700/-	01
20W LED	LHEWEBP7PL6S020	Asymmetric	2800/-	01
25W LED	LHEWEBP7PL6S025	Asymmetric	3050/-	01
30W LED	LHEWEBP7PL6S030	Asymmetric	4000/-	01

Suitable for pole dia Ø 43 mm (max.).

PLATINUM TG

New generation energy saving & environmental friendly long life Versatile pressure die-cast aluminium IP66 roadway luminaire with high power LED as light source with toughened glass.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
25W LED	LHETAXU7PA6J025	Asymmetric	2950/-	01

Suitable for pole dia Ø 43 mm (max.).

ENDURA CITYLINER NEO

New generation energy saving & environmental friendly long life Versatile pressure die-cast aluminium IP66 roadway luminaire with high power LEDs as light source and electronic driver.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
15W LED	LHETAXU7IN6W015	Asymmetric	3850/-	01
20W LED	LHETAXU7UN6J020	Asymmetric	4250/-	01
24W LED	LHETAXU7UN6W024	Asymmetric	5400/-	01



ENDURA CITYLINER NEO

New generation energy saving & environmental friendly long life Versatile pressure die-cast aluminium IP66 roadway luminaire with high power LEDs as light source and electronic driver.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
45W LED	LHETAXU7PN6J045	Asymmetric	7800/-	01
48W LED	LHETAXU7PN6W048	Asymmetric	7900/-	01

Suitable for pole dia Ø 36 mm (max.).



ENDURA CITYLINER NEO

New generation energy saving & environmental friendly long life Versatile pressure die-cast aluminium IP66 roadway luminaire with high power LED as light source.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
60W LED	LHETAXU7PN6J060	Asymmetric	9700/-	01
72W LED	LHFAXU7DPN6J070	Asymmetric	12500/-	01
80W LED	LHETAXU7PN6J080	Asymmetric	13900/-	01
90W LED	LHETAXU7IN6J090	Asymmetric	14500/-	01
100W LED	LHETAXU7PN6J100	Asymmetric	15700/-	01
120W LED	LHETAXU7IN6J120	Asymmetric	21000/-	01
150W LED	LHETAXU7IN6J150	Asymmetric	27500/-	01

Suitable for pole dia Ø 54 mm (max.) for 60W/72W/80W/90W.
Suitable for pole dia Ø 63 mm (max.) for 120W/150W/170W.



ENDURA CITYLINER NEO S (RAL 7032)

New generation energy saving & environmental friendly long life Versatile pressure die-cast aluminium roadway luminaire with high power LED as light source.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
120W LED	LHETAXU7PA6S120	Asymmetric	18000/-	01

Suitable for pole dia Ø 54 mm (max.).



ENDURA CITYLINER NEO N

New generation energy saving & environmental friendly long life Versatile pressure die-cast aluminium roadway luminaire with high power LED as light source.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
120W LED	LHETAXU7PA6J120	Asymmetric	17500/-	01

Suitable for pole dia Ø 54 mm (max.).



INTELLO (Dimmable/Auto ON & OFF)

New generation energy saving & environmental friendly long life Versatile pressure die-cast aluminium IP66 roadway luminaire with high power LED as light source.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
120W LED	LHETBGU7PN6J120	Asymmetric	30900/-	01
135W LED	LHETBGU7PN6J135	Asymmetric	33750/-	01
150W LED	LHETBGU7PN6J150	Asymmetric	35000/-	01

Suitable for pole dia Ø 63 mm.



SOLAR DC STREET LIGHT (With Inbuilt CCU)

Lamp Type	Ordering Code	MRP Each (₹)	Case Lot (No)
7W Solar DC Street Light CW INTG PWM	LHKTBJU71B7J007	5200/-	01
9W Solar DC Street Light CW INTG PWM	LHKTBJU71B7J009	5300/-	01
10W Solar DC Street Light CW INTG PWM	LHKTBJU71B7J010	5550/-	01
12W Solar DC Street Light CW INTG MPPT	LHKTBJU7PB7J012	7900/-	01
15W Solar DC Street Light CW INTG MPPT	LHKTBJU7PB7J015	8400/-	01

Suitable for pole dia Ø 36 mm (max.).



SOLAR DC STREET LIGHT (With Inbuilt CCU)

Lamp Type	Ordering Code	MRP Each (₹)	Case Lot (No)
20W Solar DC Street Light CW INTG MPPT	LHKTBJU7PB7J020	8500/-	01
24W Solar DC Street Light CW INTG MPPT	LHKTBJU7PB7J024	8850/-	01
28W Solar DC Street Light CW INTG MPPT	LHKTBJU7PB7J028	9500/-	01
30W Solar DC Street Light CW INTG MPPT	LHKTBJU7PB7J030	10250/-	01

**SOLAR DC STREET LIGHT (With Inbuilt CCU)**

Lamp Type	Ordering Code	MRP Each (₹)	Case Lot (No)
36W Solar DC Street Light CW INTG MPPT	LHKTBJU7PB7J036	12050/-	01
40W Solar DC Street Light CW INTG MPPT	LHKTBJU7PB7J040	13050/-	01
43W Solar DC Street Light CW INTG MPPT	LHKTBJU7PB7J043	14000/-	01





SOLAR LED STANDALONE STREET LIGHT RANGE

For Panel, Battery, Pole and CCU specification pls. contact branch office or refer Catalogue

Solar Standalone Street Light system mentioned below includes LED street Light DC Luminaire, SPV Panel, Lead Acid Battery, Powder Coated MS Pole.

Ordering Code	Product Description	Autonomy	MRP Each (₹)
LHSTANU7ABMC015	15W Solar LED street Light System	2 Days	38000/-
LHSTAOU7ABPE020	20W Solar LED Street Light System	2 Days	45000/-
LHSTAOU7ABPE021	21W Solar LED Street Light System	2 Days	45000/-
LHSTAOU7ABPE024	24W Solar LED Street Light System	2 Days	48000/-
LHSTAPU7ABQE028	28W Solar LED Street Light System	2 Days	52000/-
LHSTAPU7ABQE030	30W Solar LED Street Light System	2 Days	52000/-
LHSTAU7ABSF040	40W Solar LED Street Light System	2 Days	82500/-
LHSTAU7ABSF043	43W Solar LED Street Light System	2 Days	82500/-

Ordering Code	Product Description	Autonomy	MRP Each (₹)
LHSTAKU7CBMC007	7W Solar LED Street Light System	3 Days	33000/-
LHSTANU7ABMC012	12W Solar LED Street Light System	3 Days	38000/-
LHSTAOU7ABPC015	15W Solar LED Street Light System	3 Days	44000/-
LHSTAPU7ABQE020	20W Solar LED Street Light System	3 Days	51500/-
LHSTAPU7ABQE021	21W Solar LED Street Light System	3 Days	51500/-
LHSTAPU7ABQE024	24W Solar LED Street Light System	3 Days	54000/-
LHSTAU7ABSE028	28W Solar LED Street Light System	3 Days	68000/-
LHSTAU7ABSE030	30W Solar LED Street Light System	3 Days	68000/-
LHSTAUU7ABTF040	40W Solar LED Street Light System	3 Days	94500/-
LHSTAUU7ABTF043	43W Solar LED Street Light System	3 Days	94500/-

SOLAR LED STREET LIGHT SYSTEM WITH DIMMING FACILITY

Ordering Code	Product Description	Autonomy	MRP Each (₹)
LHSTANU7ABME020	20W Solar LED Street Light System	2 Days	38500/-
LHSTANU7ABME021	21W Solar LED Street Light System	2 Days	38500/-
LHSTAOU7ABPE020	20W Solar LED Street Light System	3 Days	45000/-
LHSTAOU7ABPE021	21W Solar LED Street Light System	3 Days	45000/-
LHSTAOU7ABPE028	28W Solar LED Street Light System	2 Days	45500/-
LHSTAOU7ABPE030	30W Solar LED Street Light System	2 Days	45500/-
LHSTAPU7ABQE028	28W Solar LED Street Light System	3 Days	52000/-
LHSTAPU7ABQE030	30W Solar LED Street Light System	3 Days	52000/-
LHSTAU7ABQF040	40W Solar LED Street Light System	2 Days	69500/-
LHSTAU7ABQF043	43W Solar LED Street Light System	2 Days	69500/-
LHSTAU7ABSF040	40W Solar LED Street Light System	3 Days	82500/-
LHSTAU7ABSF043	43W Solar LED Street Light System	3 Days	82500/-



NOTE: Above prices would vary with the change in the specs of the SPV Panel, Battery, Pole Etc. Generally dimmable systems of same autonomy have different specifications of SPV & Battery.

Transportation is extra as actual on above mentioned prices.

We are now in SOLAR street light.

Havells – Lighting up the way

Havells India Limited is a USD 1.4 billion Indian multinational company. Havells is also the 4th largest lighting company of the world. The company owns a large product portfolio in consumer and professional lighting, and caters to indoor, outdoor and specialty lighting segments.

Havells' strength is its manufacturing capability. Havells is the only company in India that manufactures its entire lighting product portfolio in-house. The company has established a state-of-the-art, technologically advanced manufacturing plant at Neemrana, Rajasthan to manufacture luminaires and fixtures. The ultra-modern manufacturing plant is a replica of Havells manufacturing in France, and contains sophisticated processes like robotic box bending machines. Supported by German, Italian and Japanese technology, the colossal manufacturing unit is spread over 2 lakh square feet, and churns out 5 million CFLs every month.

Havells lighting business is strongly supported by its dealership network of over 20,000 across the world. In 2007, the company made history by acquiring the legacy European lighting brand 'Sylvania'. The acquisition strengthened Havells lighting in the global markets.

Solar Street light system

A LED based solar street lighting system consists of a PV Module, control electronics, battery, and LED based luminaires, all suitably mounted on a pole. The battery is charged by electricity generated through the PV module during day time and the luminaires provides light from dusk to dawn.

Applications

- Street Lighting
- Perimeter Security Lighting
- Park Lighting
- Campus Lighting
- Pathway Lighting
- Remote Area Lighting
- Farm Lighting
- Ship Dock Lighting
- Railway Yard Lighting

Why Havells Solar

LED Luminaire

Havells LED Luminaires delivers the best in class lumen efficacy. They deliver the maximum light output (lumens) at the lower wattage .

About MPPT

Havells LED street lighting systems are designed with MPPT (Maximum Power Point Tracking) which provides about 25% more efficiency by utilizing maximum energy harvested by solar PV modules.

About Solar PV module

Highly efficient poly crystalline solar modules are used which are tested for longer durability & manufactured with innovative technologies. These modules are designed to withstand highly corrosive atmospheres and heavy wind loads. Also the modules are certified for industry standards IEC61215, IEC61730(safety class 1 & 11), IEC61701 and CE.

Benefits of solar LED street lights

1. Fully Renewable and Independent Energy source.
2. Zero Carbon foot prints.
3. Easy to Install. Instant installation and ready to use.
4. No External cabling, Trenching required i.e eliminates the chance of accident due to electric shocks, No trenching & wiring.
5. Ideal solution for Rural and remote areas where power lines are not available.
6. Independent of Grid , the operational costs are minimum.
7. Green technology.
8. No maintenance in initial years.
9. Immediate Returns on Investment.

Product Offerings

1. Standard systems (this is offered with Preset specification with various wattages to suit, Specs of Govt., private and PSU's).
2. Customized solutions can be offered with one to one meeting with end user.
3. Hybrid system which would operate on AC (alternate current, i.e in presence of GRID supply and DC (Direct current in ABSENCE of grid supply) it would work in Either Circumstances.





HAVELLS

INTRODUCING INTEGRA

Brightest light at 15W



15W
1425
lumens

Downlighter

Features:

- High efficacy & lower power consumption
- Delivers high brightness & excellent illumination even in high ceiling areas
- Extraordinary long life of LED's
- Operating temperature -20°C to +45°C
- Wide light spread due to convex profile diffuser
- Fixture with integrated driver
- Available from 15W in round shape with colour temperature 3000K, 4000K & 6000K

Email: marketing@havells.com, www.havells.com

Consumer Care No.: 1800 11 0303, 1800 103 1313 (All Connections), 011-4166 0303 (Landline)



Find us on:




Facebook

Twitter

YouTube

Pole Diagram for SOLAR street light:



REGIONAL & BRANCH OFFICES:

NORTH - REGIONAL OFFICE: Corporate Office: QRG Towers, 2D, Sector-126, Expressway, Noida-201304, Tel: 0120-3331000, **Delhi:** Tel: 011-47676700, 23888200, **Chandigarh:** Tel: 0172-4232400-401, **Dehradun:** Tel: 0135-6670202, **Noida / Haryana:** Tel: 0120-3331000, **Ludhiana:** Tel: 0161-4676000 / 24, **Jammu:** Tel: 0191-2478330, 2479330, **Sri Nagar:** Tel: 0194-2490431, **Jaipur:** Tel: 0141-3914645, 3988210 **Jodhpur:** Tel: 0291-9214201640 / 45, **Lucknow:** Tel: 0522-6672100, **Kanpur:** Tel: 0512-6710400, 6710409

EAST - REGIONAL OFFICE: Kolkata: ICC Tower, 5th Floor, 4 India Exchange Place, Kolkata-700001, Tel: 033-40129851 / 52, **Bhubaneswar:** Tel: 0674-6668101/102/103/104, **Guwahati:** Tel: 0361-2134521, 2458923, 2460355, **Siliguri:** Tel: 0353-2525907, **Ranchi:** 0651-2244861, 2244862, 2244864, 2244868, 2244869, **Jamshedpur:** Tel: 0657-6542492, 09234369436, **Patna:** Tel: 0612-2207221, 2207222, 2207223, 2655518

WEST - REGIONAL OFFICE: Mumbai: 1271, Solitaire Corporate Park, Bldg. No. 12, 7th Floor, Andheri - Ghatkopar Link Road, Chakala, Andheri (East), Mumbai- 400093. Ph.: 022 - 67298600-602, **Ahmedabad:** Tel: 079-40061111, 40060738-740, **Indore:** Tel: 0731-2572340-41, 4009998 (Airtel), **Rajkot:** Tel: 0281-2481112, 2921212, **Nagpur:** Tel: 0712-2240932, 2242692, 2242699 **Pune:** Tel: 020-64016413 / 14, **Raipur:** Tel: 0771-4243400 / 01, **Surat:** Tel: 0261-2350137, 9979890137, **Jabalpur:** Tel: 0761-4064491

SOUTH - REGIONAL OFFICE: Chennai: Sigapi Achi Building, No. 18 / 3, 6th Floor, Rukmani Lakshmi pathy Road, Egmore, Chennai-600008, Tel: 044-42280600, 605, **Bangalore:** Tel: 080-49075000, **Coimbatore:** Tel: 0422-4550200, 2305199, 2306199, **Hyderabad:** Tel: 040-27533372, 27533355, 27533632, 66320407/0408/6401/6402, **Kochi:** Tel: 0484-4099000, **Vishakapatnam:** Tel: 0891-6514339, **Vizag:** Tel: 0891-6514339, **Vijayawada:** Tel: 91+9247058847/57, **Calicut:** 4954019194, **Madurai:** 0452-4267022, **Trivandrum:** 4714015323, **Hubli:** 09448146028, **Trichy:** 09944460160

Representative Offices: • Goa • Solapur • Gwalior • Kathmandu • Bhopal

Scan the QR Code
to download
Havells mCatalogue



Havells India Ltd.

QRG Towers, 2D, Sector -126, Expressway, Noida - 201 304 (UP), Ph. +91-120-3331000,
E-mail: marketing@havells.com, www.havells.com
Consumer Care No.: 1800 11 0303, 1800 103 1313 (All Connections), 011-4166 0303 (Landline)
Join us on Facebook at www.facebook.com/havells and share your ways to save the planet!
CIN - L31900DL1983PLC016304.

