


## Soluflex cable floor system

37 mm height

**NEW!**

Cat.Nos	Description	LP* ₹ / Unit	Pack
<b>Floor parts</b>			
<b>Tile</b>			
<b>84000 10</b>	Supplied with 4 contact/distance projections Can be positioned on supports Cat.No 84037 00	444	1
<b>Support for tile</b>			
<b>84037 00</b>	100 x 100 mm support Height 37 mm With 2 grooves for tiles positioning Black - polypropylene	80	1
<b>Edge plates</b>			
Used to finish installation against wall Length 900 mm, width 300 mm Trim to size on site			
<b>84000 60</b>	Double edge plate 2 flanges of 13 mm	3432	1
<b>84000 61</b>	Single edge plate 1 flange of 13 mm	2654	1
<b>Plenum sealing</b>			
<b>84037 20</b>	For edging the floor to create a step length 900 mm, width 56 mm, height 37 mm	1684	1
<b>Plenum exterior angle</b>			
<b>84037 30</b>	56 x 56 mm	2460	1
<b>Ramp</b>			
<b>84037 40</b>	Length 400 mm, width 112 mm Ramp 10 % Include 1 extra support per tile	2394	1
<b>Earthing tile</b>			
<b>84000 20</b>	Supplied with 4 contact/distance projections Earthing clamp max. 6 mm <sup>2</sup> Use 1 tile per 100 m <sup>2</sup> or in hallways max. 14 m apart	1460	1
<b>Cable outlet tile</b>			
<b>84000 30</b>	For cable access to work station Access 125 x 15 mm Supplied with 4 contact/distance projections	2180	1
<b>Chromed outlet grommet</b>			
<b>81902 32</b>	For cable access to work station To be used with outlet tile Cat.No 84000 40	3496	1
<b>Outlet tile</b>			
<b>84000 40</b>	Supplied with 4 contact/distance projections For integration of columns, pedestals+cable spine or chrome outlet grommet Cat.No 81902 32	2288	1



84000 10



84037 00




84000 60



84000 61



84037 20



84037 40




84000 20



84000 30



81902 32



84000 40

## Soluflex cable floor system

37 mm height

**NEW!**

Cat.Nos	Description	LP* ₹ / Unit	Pack
<b>Floor parts</b>			
<b>Fixing brackets</b>			
<b>84000 50</b>	For mounting columns on floor with outlet tile Cat.No 84000 40	1648	1
<b>Built-in units to be equipped</b>			
225x225 mm, Height 37 mm (accessory outlet rises to 71 mm)			
<b>84037 50</b>	For 2 x 2 module Arteor power sockets Provided with connection terminal	9066	1
<b>84037 51</b>	For up to 4 x 1 module Arteor data sockets	7772	1
<b>Cable worm</b>			
<b>0535 98</b>	2 compartments: power and data length: 0.75 m, colour: white	3732	1



84000 50



84037 50



84037 51



0535 98

## Soluflex cable floor system

60 mm height

Cat.Nos	Description	LP* ₹ / Unit	Pack
<b>Floor parts</b>			
<b>Tile</b>			
<b>84000 10</b>	Supplied with 4 contact/distance projections Can be positioned on supports Cat.No 84060 00	444	1
<b>Support for tile</b>			
<b>84060 00</b>	100 x 100 mm support Height 60 mm With 2 grooves for tiles positioning Black - polypropylene	98	1
<b>Edge plates</b>			
Used to finish installation against wall Length 900 mm, width 300 mm, Trim to size on site			
<b>84000 60</b>	Double edge plate 2 flanges of 13 mm	3432	1
<b>84000 61</b>	Single edge plate 1 flange of 13 mm	2654	1
<b>Plenum sealing</b>			
<b>84060 20</b>	For edging the floor to create a step length 900 mm, width 56 mm, height 60 mm	1750	1
<b>Plenum exterior angle</b>			
<b>84060 30</b>	56 x 56 mm	2590	1
<b>Ramp</b>			
<b>84060 40</b>	Length 616 mm, width 112 mm Ramp 10 % Include 1 extra support per tile	3500	1
<b>Earthing tile</b>			
<b>84000 20</b>	Supplied with 4 contact/distance projections Earthing clamp max. 6 mm <sup>2</sup> Use 1 tile per 100 m <sup>2</sup> or in hallways max. 14 m apart	1460	1




84000 60



84000 61



84060 30



84060 40

\*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.  
Red Cat.Nos - new products

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

## Soluflex cable floor system

60 mm height

**NEW!**

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

### Floor parts

#### Cable outlet tile



84000 30

<b>84000 30</b>	Cable outlet tile For cable access to work station Access 125 x 15 mm Supplied with 4 contact/distance projections	2180	1
-----------------	---	------	---

#### Chromed outlet grommet



81902 32

<b>81902 32</b>	For cable access to work station To be used with outlet tile Cat.No 84000 40	3496	1
-----------------	--	------	---

#### Outlet tile



84000 40

<b>84000 40</b>	Supplied with 4 contact/distance projections For integration of columns, pedestals + cable spine or chrome outlet grommet Cat.No 81902 32	2288	1
-----------------	---	------	---

#### Fixing brackets




84000 50

<b>84000 50</b>	For mounting columns on floor with outlet tile Cat.No 84000 40	1648	1
-----------------	---	------	---

#### Fully submerged units to be equipped

To be combined with cable outlet tile  
Cat.No 84000 30



84060 72

<b>84060 72</b>	For 2 x 2 module Arteor power socket Provided with connection terminal	6476	1
<b>84060 73</b>	For 4 x 1 module Arteor data sockets	3240	1

#### Cable worm



0535 98

<b>0535 98</b>	2 compartments: power and data, length: 0.75 m, colour: white	3732	1
----------------	--	------	---

## Soluflex cable floor system

90 mm height

### Floor parts

#### Tile



84000 10

<b>84000 10</b>	Supplied with 4 contact/distance projections Can be positioned on supports Cat.No 84090 00	444	1
-----------------	---	-----	---

#### Support for tile



84090 00

<b>84090 00</b>	100 x 100 mm support Height 90 mm With 2 grooves for tiles positioning Black - polypropylene	114	1
-----------------	---	-----	---

#### Edge plates

Used to finish installation against wall  
Length 900 mm, width 300 mm, Trim to size on site



84000 60



84000 61

<b>84000 60</b>	Double edge plate 2 flanges of 13 mm	3432	1
<b>84000 61</b>	Single edge plate 1 flange of 13 mm	2654	1

\*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Red Cat.Nos - new products

## Soluflex cable floor system

90 mm height

**NEW!**

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

### Floor parts

#### Plenum sealing



84090 20

<b>84090 20</b>	For edging the floor to create a step Length 900 mm, width 56 mm, height 90 mm	1858	1
-----------------	--	------	---

#### Plenum exterior angle



84090 30

<b>84090 30</b>	56 x 56 mm	2788	1
-----------------	------------	------	---

#### Ramp

<b>84090 40</b>	Length 898 mm, width 112 mm, Ramp 10 % Include 1 extra support per tile	5506	1
-----------------	---	------	---

#### Earthing tile



84000 20

<b>84000 20</b>	Earthing tile Supplied with 4 contact/distance projections Earthing clamp max. 6 mm <sup>2</sup> Use 1 tile per 100 m <sup>2</sup> or in hallways max. 14 m apart	1460	1
-----------------	--	------	---

#### Cable outlet tile



84000 30

<b>84000 30</b>	For cable access to work station Access 125 x 15 mm Supplied with 4 contact/distance projections	2180	1
-----------------	--	------	---

#### Chromed outlet grommet



81902 32

<b>81902 32</b>	For cable access to work station To be used with outlet tile Cat.No 84000 40	3496	1
-----------------	--	------	---

#### Outlet tile



84000 40

<b>84000 40</b>	Supplied with 4 contact/distance projections For integration of columns, pedestals+ cable spine or chrome outlet grommet Cat.No 81902 32	2288	1
-----------------	--	------	---

#### Fixing brackets



84000 50

<b>84000 50</b>	For mounting columns on floor with outlet tile Cat.No 84000 40	1648	1
-----------------	---	------	---

#### Floor box tile

450 x 450 mm

For lid + trim assemblies



84090 82

<b>84090 82</b>	For 3-compartment floor boxes (square opening 265 x 265 mm)	5540	1
-----------------	--	------	---

#### Cable worm

<b>0535 98</b>	2 compartments: power and data, Length: 0.75 m Colour: white	3732	1
----------------	--	------	---

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

## Soluflex cable floor system


120 mm height

**NEW!**

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

### Floor parts

#### Tile



84000 10

<b>84000 10</b>	Supplied with 4 contact/distance projections Can be positioned on supports Cat.No 84120 00	444	1
-----------------	---	-----	---

#### Support for tile



84120 00

<b>84120 00</b>	100 x 100 mm support Height 120 mm With 2 grooves for tiles positioning Black - polypropylene	226	1
-----------------	--	-----	---

#### Edge plates

Used to finish installation against wall  
Length 900 mm, width 300 mm, Trim to size on site



84000 60

<b>84000 60</b>	Double edge plate 2 flanges of 13 mm	3432	1
<b>84000 61</b>	Single edge plate 1 flange of 13 mm	2654	1



84000 61


#### Plenum sealing



84120 20

<b>84120 20</b>	For edging the floor to create a step Length 900 mm, width 56 mm Height 120 mm	1922	1
-----------------	--	------	---

#### Plenum exterior angle



84120 30

<b>84120 30</b>	56 x 56 mm	2916	1
-----------------	------------	------	---

#### Ramp

<b>84120 40</b>	Length 1181 mm, width 112 mm Ramp 10 % Include 1 extra support per tile	5942	1
-----------------	---	------	---

#### Earthing tile



84000 20

<b>84000 20</b>	Supplied with 4 contact/distance projections Earthing clamp max. 6 mm <sup>2</sup> Use 1 tile per 100 m <sup>2</sup> or in gangways max. 14 m apart	1460	1
-----------------	---	------	---

#### Cable outlet tile



84000 30

<b>84000 30</b>	For cable access to work station Access 125 x 15 mm Supplied with 4 contact/distance projections	2180	1
-----------------	--	------	---

\*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Red Cat.Nos - new products

\*No of meters in pack

\*To be ordered in multiples of 2 meters

## Soluflex cable floor system

120 mm height

**NEW!**

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

### Chromed outlet grommet



81902 32

<b>81902 32</b>	For cable access to work station To be used with outlet tile Cat.No 84000 40	3496	1
-----------------	---	------	---

### Outlet tile



84000 40

<b>84000 40</b>	Supplied with 4 contact/distance projections For integration of columns, pedestals+cable spine or chrome outlet grommet Cat.No 81902 32	2288	1
-----------------	---	------	---

### Floor parts

#### Fixing brackets



84000 50

<b>84000 50</b>	For mounting columns on floor with outlet tile Cat.No 84000 40	1648	1
-----------------	---	------	---

### Floor box tile

450 x 450 mm  
For lid + trim assemblies



84090 82

<b>84090 82</b>	For 3-compartment floor boxes (square opening 265 x 265 mm)	5540	1
-----------------	---	------	---

### Cable worm



0535 98

<b>0535 98</b>	2 compartments: power and data Length: 0.75 m Colour: white	3732	1
----------------	---	------	---

## Raceways and junction boxes

For screed floors

Confirms to EN 50 085 - 2 - 2  
Raceways are made from PVC and Galvanised sheet.  
Compatible with Cat.6 structured cabling system.

### Raceways - PVC

Raceway - PVC - height 25 mm;  
Standard length 2 meters\*  
Price per meter

Can be assembled to obtain multiple compartment configurations



6897 00

<b>6897 00</b>	75 mm x 25 mm - 1 compartment 150 mm x 25 mm - 2 compartments, use 2x Cat.No 6897 00	856	2/18
----------------	--	-----	------



6897 01

<b>6897 01</b>	225 mm x 25 mm - 3 compartments 300 mm x 25 mm - 4 compartments raceways use 1x Cat.No 6897 00 + 1x Cat.No 6897 01	1620	2/80
----------------	--	------	------

Bold Cat.Nos are products normally available with Legrand (India) Stockists.  
Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order.  
Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

## Raceways and junction boxes for screed floors

**NEW!**



0896 67  
0896 68  
0896 69

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	--------------------	------

### Raceways - PVC

**Raceways - PVC - height 38 mm;  
Standard length 2 meters\*  
Price per meter**

0896 67	50 mm x 38 mm - 1 compartment	816	12
0896 68	100 mm x 38 mm - 2 compartments	1528	16
0896 69	150 mm x 38 mm - 3 compartments	2294	10

### Raceways - Metal / GI

**Raceways - Metal/GI - height 25 mm; length 2.44 m.  
Price per unit (One unit is of 2.44 meters)**

6895 10	50 mm x 25 mm - 1 compartment	1486	3/54 <sup>(1)</sup>
6895 11	75 mm x 25 mm - 1 compartment	1912	3/21 <sup>(1)</sup>
6895 12	100 mm x 25 mm - 1 compartment	2322	3/54 <sup>(1)</sup>
6895 13	150 mm x 25 mm - 1 compartment	3218	3/18 <sup>(1)</sup>
6895 14	225 mm x 25 mm - 3 compartments	5042	3/12 <sup>(1)</sup>
6895 15	300 mm x 25 mm - 3 compartments	6244	3/18 <sup>(1)</sup>

**Raceways - Metal/GI - height 38 mm; length 2.44 m  
Price per unit (One unit is of 2.44 meters)**


6895 00	50 mm x 38 mm - 1 compartment	1722	3/54 <sup>(1)</sup>
6895 01	75 mm x 38 mm - 1 compartment	2278	3/21 <sup>(1)</sup>
6895 02	100 mm x 38 mm - 1 compartment	2756	3/54 <sup>(1)</sup>
6895 03	150 mm x 38 mm - 1 compartment	3698	3/36 <sup>(1)</sup>
6895 04	225 mm x 38 mm - 3 compartments	5594	3/12 <sup>(1)</sup>
6895 05	300 mm x 38 mm - 3 compartments	6858	3/18 <sup>(1)</sup>

### Raceways accessories

#### Fixing bracket (GI)

For fixing raceways (PVC & Metal) on the floor

6897 09	50 mm x 25 mm (metal)	22	9
6897 10	75 mm x 25 mm (PVC and metal)	38	9
6897 12	100 mm x 25 mm (metal)	46	9
6897 15	150 mm x 25 mm (PVC and metal)	58	9
6897 20	225 mm x 25 mm (PVC and metal)	80	9
6897 30	300 mm x 25 mm (PVC and metal)	108	9



6897 20

\*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Red Cat.Nos - new products


\*No of meters in pack

(1) Unit of measure in Nos

\*To be ordered in multiples of 2 meters

## Raceways and junction boxes for screed floors

**NEW!**




6897 23




6897 79



6896 11



6896 20



6896 15

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	--------------------	------

### Fixing bracket

6897 27	50 mm x 38 mm (PVC and metal)	24	9
6897 28	75 mm x 38 mm (metal)	44	9
6897 37	100 mm x 38 mm (PVC and metal)	52	9
6897 38	150 mm x 38 mm (PVC and metal)	64	9
6897 25	225 mm x 38 mm (metal)	100	9
6897 35	300 mm x 38 mm (metal)	124	9

### Riser

6897 23	Vertical - 225 mm width raceways	1716	1
6897 33	Vertical - for 300 mm width raceways	1978	1

### Coupler for joining raceways

6897 77	Coupling 38	104	6
6897 79	Coupling 25	78	6

### Junction box

For direct access to cables at the intersection of raceways  
Supplied completely with base and cover plate (Lid)

#### Height adjustable junction box 65 - 90 mm

6896 10	150 x 150 x 65 - 90 mm	1874	1
6896 11	225 x 225 x 65 - 90 mm	2324	1
6896 12	300 x 300 x 65 - 90 mm	3122	1
6896 13	400 x 400 x 65 - 90 mm	4636	1

#### Height adjustable junction box 65 - 90 mm with fly over

For direct access to cables at the intersection of floor raceways while maintaining perfect separation and 90° cross overs between data and power cables

6896 14	225 x 225 x 65 - 90 mm with flyover	2552	1
6896 15	300 x 300 x 65 - 90 mm with flyover	3404	1
6896 16	400 x 400 x 65 - 90 mm with flyover	5100	1

#### Optional site cover for junction box

6896 18	150 x 150 x 65 - 90 mm with metal cover	210	10
6896 19	225 x 225 x 65 - 90 mm with metal cover	304	10
6896 20	300 x 300 x 65 - 90 mm with metal cover	464	10
6896 21	400 x 400 x 65 - 90 mm with metal cover	698	10

#### Height adjustable junction box 50 - 70 mm

6896 22	Adj JB 150 x 150 x 50-70 mm	1728	1
6896 23	Adj JB 225 x 225 x 50-70 mm	2122	1
6896 24	Adj JB 300 x 300 x 50-70 mm	2824	1
6896 25	Adj JB 400 x 400 x 50-70 mm	4234	1

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

## Floor boxes for carpet for raised floor, screed floor

**NEW!**

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

### Floor boxes for raised floor

6896 38	Full backbox for raised floor 3 compartments (264x264 mm) height 86 mm	2950	1
6896 31	Lid & trim Grey cover RAL 7031 for 3 compartment floor box with flexible cable exits Size 265 mm x 265 mm	2214	5

### Support plates for floor boxes 77 mm width plate

6896 62	Blank plates for floor box	422	12
6896 17	Flat support plate 8 module for integration of Myrius/Arteor mechanisms	200	1
6896 78	Waved support plates. For 4 modules (2 x 2 modules)	1166	4

### Floor boxes for screed floor (3 Compartment)

6896 34*	Full backbox for screed floor 3 compartments (for ducting upto 225 mm). Height adjustable to screed height 65 to 90 mm	4572	1
6896 31*	Lid & trim Grey cover RAL 7031 for 3 compartment floor box with flexible cable exits. Size 265 mm x 265 mm	2214	5

### Support plates for floor boxes 77 mm width plate

6896 62	Blank plates for floor box	422	12
6896 17	Flat support plate 8 module for integration of Myrius/Arteor mechanisms	200	1
6896 78	Waved support plates for 4 modules (2x2 modules)	1166	4

### Floor boxes for screed floor (4 Compartment)

6896 45	Full backbox for screed floor 4 compartments (for ducting upto 300 mm). Height adjustable to screed height 65 to 90 mm. To be used with 6896 45	5088	1
6896 41	Lid & trim Grey cover RAL 1019 for 4 compartment floor box with flexible cable exits. To be used with 6896 41	2446	5

### Support plates for floor boxes 77 mm width plate

6896 62	Blank plates for floor box	422	12
6896 17	Flat support plate 8 module for integration of Myrius/Arteor mechanisms	200	1
6896 78	Waved support plates for 4 modules (2x2 modules)	1166	4

### Stainless steel insert for Lid

For a metal finish on lid  
To be used instead of fitting carpet onto the Lid

6896 92	For 3 compartment floor boxes dimension : 245.5x210 mm	2750	1
---------	--	------	---

## Floor boxes for tile / marble

### For screed floor

0896 04	Backbox for screed floor; Screed thickness 65 to 90 mm	3942	1
6896 52	Lid & trim for tiles / marble 15 to 22 mm thickness Stainless steel material AISI 304. 2 cable outlet	19160	1

## Floor boxes for tile / marble for screed floor

**NEW!**

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

### For screed floor

6896 55	Lid & Trim for tile 8-15 mm thickness Material for head band & single cable outlet - galvanised steel + paint RAL 7031	5252	1
6896 56	Lid & Trim for tile 8-15 mm thickness Material for head band & single cable outlet - stainless steel 304	6404	1

### Support plates for floor boxes 77 mm width plate

6896 62	Blank plates for floor box.	422	12
6896 17	Flat support plate 8 module for integration of Myrius/Arteor	200	1
6896 78	Waved support plates. For 4 Modules (2x2 Modules) mechanisms	1166	4

### 50mm reduced height floor boxes

0880 73	Back Box for Concrete Floor ( to be used with 088070)	5828	1
0880 70	Lid and Trim for Screed Floor between 50 and 70 mm. With Cover for carpet; grey RAL 7031 Can be equipped with SS finishing plate 088072 16 Module	5754	1
0880 72	Stainless Steel finishing plate for 50 mm floor box	3586	1

## Floor boxes 3 module for screed floor and raised floor

### Floor service outlet boxes - 3 modules

0896 44	Floor service outlet box - 3 modules. Grey RAL 7031. To be equipped with Arteor Mechanism	1218	1
0896 49	Flush mounting box for concrete for Cat.No 0896 44	812	1

### IP 66 Floor box - 4 module

Conform to EN 60-670-1 and EN 60670-23 standards (when lid is closed) / IP55 (with cable exit accessory Cat.No 088062)

0880 60	IP66/IK09 screwed brass floor box (with removable lid); can be equipped with cable exit accessory Cat.No 0880 62	13288	1
0880 61	IP66/IK09 screwed stainl. steel floor box (with removable lid); can be equipped with cable exit accessory Cat.No 0880 62	13288	1
0880 63	IP66/IK09 hinged cover brass floor box	15988	1
0880 64	IP66/IK09 hinged cover stainl. steel floor box	15988	1
0880 69	Auto adjustable back box for installing IP66 floor boxes in concrete floors; supplied with cover; accepts conduit dia 20mm; min screed height 65 mm	2550	1
0880 62	IP55 cable exit accessory	14664	1

\*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Red Cat.Nos - new products

\*6896 34 + 6896 31 with support plates and wiring devices

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

## Heavy duty in-screed floor box for screed floors

**NEW!**

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

### Metal in-screed floor box

0896 34	Universal metal in-screed backbox	16006	1
---------	-----------------------------------	-------	---

### Accessories for metal in-screed floor box

0896 83	Normal load support upto 8 KN load with deflection <6 mm	16006	1
0896 84	Heavy load support upto 20 KN load with deflection <3 mm	27062	1

### Plates for metal in-screed floor boxes

0896 85	IP 66 plain cover (cover closed) access trap for junction. No cable exit	27830	1
---------	--	-------	---

### Heavy duty in screed floor box with cable exit

0896 34	Metal in-screed floor box	16006	1
---------	---------------------------	-------	---

### Accessories for metal in screed floor box

0896 83	Normal load support upto 8 KN load with deflection <6 mm	16006	1
0896 84	Heavy load support up to 20 KN load with deflection <3 mm	27062	1

### Plates for metal in-screed floor boxes

0896 86	IP 66 plate (cover closed and plugs not connected) with central cable exit	55712	1
0896 87	IP 14 Cable exit accessory for IP66 cover plate Cat.No 0896 86 be used as a simple access to the floor void	29772	1

### Over Floor Trunking

Conform to std EN 50085-2-2; For creating a link between trunking, column, mini-column, floor units or protecting cables on passageways Supplied with cover

0300 92	Over floor trunking 50x12 mm; length 2 m, supplied with cover; 3 Compartments; Capacity 1: Max Dia 9 mm, Capacity 2: Max Dia 6 mm; ral 7030	390	54
0300 11	Flat angle/floor 50X12	156	10
0300 12	Cover joint/floor 50X12	196	10
0300 93	Over floor trunking 75x18 mm; length 2 m, supplied with cover; 3 compartments; 1: max dia 14mm, capacity 2: max dia 11mm; ral 7030	538	36
0300 18	Flat angle/floor 75X18	296	10
0300 19	Cover joint/floor 50X12	206	10
0328 00	Over floor trunking 92x20 mm; Length 2 m, supplied with cover; 4 Compartments, equipped with 2 adhesive strips for better floor fixing; capacity 1: max. Ø14.5 mm; capacity 2: max. Ø9.5 mm; ral 7016	988	20
0328 07	End cap for floor duct 92x20	172	10
0328 03	Cover joint for floor duct 92x20	232	10
0328 02	Flat angle for floor duct 92x2	426	5

\*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Red Cat.Nos - new products

\*No of meters in pack

(1) Unit of measure in Nos

\*To be ordered in multiples of 2 meters

## Floor access unit

For raised floors

**NEW!**

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

### IP 20 - IK 08

0893 07	Access master box circular floor box that can be used as a simple access to the floor void	5688	1
---------	--	------	---

## Pop-up type flush-mounting boxes for workstation & meeting room table applications

### Pop-up boxes to be equipped

Slim design for perfect integration into the floor or office furniture

Soft opening for enhanced comfort and safety  
Equipped with "push and slide" locking system to avoid accidental opening by feet

To be equipped with Arteor/Myrius socket outlets  
For installation use the flush-mounting boxes for concrete floors or the kits for raised access floors or table top

### 3 modules

0540 10	Matt aluminium finish	1960	1
0540 15	Brushed brass	2712	1
0540 20	Brushed Stainless steel finish	2742	1

### 4 modules

0540 11	Matt aluminium finish	2350	1
0540 16	Brushed brass	3208	1
0540 21	Brushed Stainless Steel finish	3294	1
0540 26	Matt black	2900	1
0540 31	Glossy white	2970	1

### 6 (2 x 3) modules

0540 12	Matt aluminium finish	4350	1
0540 17	Brushed brass	5822	1
0540 22	Brushed stainless steel finish	6034	1

### 8 (2 x 4) modules

0540 13	Matt aluminium finish	5222	1
0540 18	Brushed brass	6986	1
0540 23	Brushed stainless steel finish	7242	1
0540 28	Matt black	6382	1
0540 33	Glossy white	6536	1

### Retractable Accessory for Pop Up

0540 34	Retract RJ 45 kit cord C6UTP white	2632	1
0540 35	Retract RJ 45 kit cord C6FTP white	3682	1
0540 36	Retractable kit USB cord white	2494	1

### Installation kits for raised access floors or table top

Include an empty receptacle and fixing brackets for raised access floor tiles or table tops

Equipped with cable retainer for power cables, to ensure increased safety of the installation

Compatible with:

- Cat. 6 data cabling
- Audio/video cabling

0540 05	3 modules	884	1
0540 07	6 (2 x 3) modules	1474	1
0540 06	4 modules	1032	1
0540 08	8 (2 x 4) modules	1764	1

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

**NEW!**

## Pop-up type flush-mounting boxes

for workstation & meeting room table applications

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

### Flush-mounting boxes for installation in concrete floors

For installation of pop-up floor boxes in concrete floors Equipped with knockouts for Ø 20 and Ø 25 mm conduits

#### Metal flush-mounting boxes

0540 00	3 modules	234	1
0540 02	6 (2 x 3) modules	500	1
0540 01	4 modules	312	1
0540 03	8 (2 x 4) modules	624	1

## Power & data desk grommets

for workstation & meeting room table application

### Empty power & data desk grommets

To be equipped with Myrius or Arteor socket outlets, Easily retro fitted into a 60 to 80 mm diameter hole in current office desks and workspace table tops (by replacing the desk grommet) Cover opens to 180° angle to prevent breaking

#### For one 2P+E socket

0540 70*	White RAL 9003, to be equipped with 1 socket	1634	1
0540 71*	Black RAL 9017, to be equipped with 1 socket	1516	1

#### For one 2P+E socket and USB phone charger

Supplied with one USB phone charger output 5 V= 750 mA, to be wired

0540 72*	White RAL 9003 with USB, to be equipped with 1 socket	3902	1
0540 73*	Black RAL 9017 with USB, to be equipped with 1 socket	4250	1

### Pre-wired modules with retractable cords

For fitting on an empty power & data desktop modules (under the table top) Automatic cable rewind when not connected, for an optimized use of the desk surface

#### Cat. 6 FTP

0540 65	Equipped with: - 1.35 m RJ 45 Cat. 6 FTP retractable cord on the user side and - 1 x RJ 45 socket on the installation side Patch cord for connection to data network to be ordered separately	2388	1
---------	--	------	---

#### USB / micro USB

0540 67	Equipped with- 1.35 m retractable cord with micro USB connector, on the user side and - 0.5 m cable with USB connector on the installation side	2164	1
---------	---	------	---

### Finishing plates for empty power & data desk grommets

For fitting on an empty power & data desk grommets

0540 60	White RAL 9003	238	10
0540 62	Black RAL 9017	260	10
0540 63	Stainless Steel	948	10

\*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Red Cat.Nos - new products

\* Finishing Plates to be ordered separately

**NEW!**

## Desktop multi-outlet extensions

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

- Aluminium extensions with grey end caps RAL 7035. Reversible cable guide for grouping cords of connected devices
- Designed to have 45° Slope for easy insertion of angled plug
- An ideal solution dedicated to nomadic people and / or satisfy a esthetic needs
- Products answering all needs of office users
- Possibility to organise cables and plugs through the cable guide (reversible if not used)
- A specific accessory allowing to fit the product on the desk in 3 different position
- A reliable and secure installation with conformity to NFC 61-314
- Index of protection: IK7

### Empty desktop multioutlet extensions

Aluminium extensions with cable guide (reversible) To be equipped with Arteor sockets

0535 90	8 modules	3714	1
0535 91	12 modules	4188	1
0535 92	16 modules	5000	1

### Accessories

#### Fixing accessory

0535 99	Fixing accessory to clip on desktop	2164	1/5
---------	-------------------------------------	------	-----

### Cable worm

0535 98	2 compartments Length: 0.75 m White colour Very suitable solution for a safe and design protection of the cabling between desk and floor	3732	1
---------	--	------	---

## Flush mounting power and data module

A ready to embed solution for all dry support with thickness between 2 and 40 mm. Conform to standard NFC 61-314 which ensures safety of the user Aesthetic product (no visible screw), thickness of 6mm only. Product available in 8 and 12 module, with the option of configuring power sockets, data, AV, protection etc. 3 Finishes; white/ black and aluminium

### Flush mounting power and data module to be equipped

Aluminium extensions with cable guide (reversible) To be equipped with Arteor sockets

#### 8 module; length - 180 mm

0535 60	Flush 8 module white finish	4268	1
0535 61	Flush 8 module aluminium finish	5030	1
0535 62	Flush 8 module black finish	4150	1














## Flush mounting power and data module

#### 12 module; length - 270 mm














0535 63	Flush 12 module white finish	4486	1
0535 64	Flush 12 module aluminium finish	5406	1
0535 65	Flush 12 module black finish	4526	1

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

## Snap-on trunking 45 mm cover 50x80 routing sections and accessories

Cat.Nos	Description	LP* ₹ / Unit	Pack
<b>Snap-on trunking</b>			
<b>1-compartment trunking</b>			
 0756 01	Snap-on trunking can take any Arteor wiring accessory Includes: - 1 body - 1 cover, width 45 mm	868	20 <sup>(1)</sup>
 0756 08	<b>Extra cover</b>		
 0756 09	<b>Extra partition</b>		
 0756 61	<b>Fishplate body joint</b>		
 0756 66	<b>Joint</b>		
 0756 69	<b>Cover joint</b>		
 0105 80	<b>Height spacer</b>		
 0756 90	<b>Soluclip accessory</b>		
 0756 21 0756 31 0756 41	<b>Angles</b>		
 0756 11	<b>End caps</b>		
 0756 71	<b>Flat junctions</b>		
 0756 81	<b>Angled junction</b>		
 0756 88	<b>Junction with floor duct</b>		

## Snap-on trunking 45mm cover 50x105 routing sections and accessories

Cat.Nos	Description	LP* ₹ / Unit	Pack
<b>Snap-on trunking</b>			
<b>1-compartment trunking</b>			
 0756 02	Snap-on trunking can take any Arteor wiring accessory Includes: - 1 body - 1 cover, width 45 mm	1102	12 <sup>(1)</sup>
 0756 08	<b>Extra cover</b>		
 0756 09	<b>Extra partition</b>		
 0756 62	<b>Fishplate body joint</b>		
 0756 67	<b>Joint</b>		
 0756 69	<b>Cover joint</b>		
 0105 80	<b>Height spacer</b>		
 0756 90	<b>Soluclip accessory</b>		
 0756 22 0756 32 0756 42	<b>Angles</b>		
 0756 12	<b>End caps</b>		
 0756 72	<b>Flat junctions</b>		
 0756 76	<b>Angled junction</b>		
 0756 88	<b>Junction with floor duct</b>		

\*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

(1) Price in Meters; No of meters in Pack, Standard length 2 meters to be ordered in multiples of 2 meters

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.



## Snap-on trunking 45mm cover 50x130 routing sections and accessories

Cat.Nos	Description	LP* ₹ / Unit	Pack
<b>Snap-on trunking</b>			
<b>2-compartment trunking</b>			
0756 03	Snap-on trunking Can take any Arteor wiring accessory Includes: - 1 body with 2 compartments - 2 covers, width 45 mm	1518	12 <sup>(1)</sup>
<b>Extra cover</b>			
0756 08	Width 45 mm	336	20 <sup>(1)</sup>
<b>Fishplate body joint</b>			
0756 61	Used to join 2 bodies and simplifies fixing sections to the wall - set of 2	302	10
<b>Stick-on body joint</b>			
0756 66	For top part of body	194	20
<b>Cover joint</b>			
0756 69	Cover joint, width 45 mm	106	10
<b>Height spacer</b>			
0105 80	Colour charcoal grey For fitting 15 mm from the ground	436	24 <sup>(1)</sup>
<b>Soluclip accessory</b>			
0756 90	For installation with any Arteor function	150	10
<b>Angles</b>			
0756 23	Internal angle, varies from 80° to 100°	940	5
0756 33	External angle, varies from 85° to 120°	1734	5
0756 43	Flat angle at 90°	1278	5
<b>End caps</b>			
0756 13	Left or right end cap	288	5
<b>Flat junctions</b>			
<b>For 80 mm wide downward trunking</b>			
0756 71	Creates a junction with snap-on trunking 50 x 80 mm	670	5
<b>For 105 mm wide upward trunking</b>			
0756 75	Creates a junction with snap-on trunking 50x105 mm	654	5
<b>Angled junction</b>			
0756 81	Creates a junction in an internal angle with snap-on trunking 50 x 80, 50 x 105 mm, 50 x 130 mm Must be used in conjunction with internal angle	1478	5
<b>Junction with floor duct</b>			
0756 88	Creates a junction with a floor duct size 50 x 12 mm or 92 x 20 mm	772	5

## Snap-on trunking 45mm cover 50x145 routing sections and accessories

Cat.Nos	Description	LP* ₹ / Unit	Pack
<b>Snap-on trunking</b>			
<b>2-compartment trunking</b>			
0756 04	Snap-on trunking Can take any Arteor wiring accessory Includes: - 1 body with 2 compartments - 2 covers, width 45 mm	1950	8 <sup>(1)</sup>
<b>Extra cover</b>			
0756 08	Width 45 mm	336	20 <sup>(1)</sup>
<b>Fishplate body joint</b>			
0756 63	Used to join 2 bodies and simplifies fixing sections to the wall - set of 2	348	10
<b>Stick-on body joint</b>			
0756 66	For top part of body	194	20
0756 67	For bottom part of body	236	20
<b>Cover joint</b>			
0756 69	Cover joint, width 45 mm	106	10
<b>Height spacer</b>			
0105 80	Colour charcoal grey, For fitting 15 mm from the ground	436	24 <sup>(1)</sup>
<b>Soluclip accessory</b>			
0756 90	For installation with any Arteor function	150	10
<b>Angles</b>			
0756 24	Internal angle, varies from 80° to 100°	1506	5
0756 34	External angle, varies from 85° to 120°	2044	5
0756 44	Flat angle at 90°	1196	5
<b>End caps</b>			
0756 14	Left or right end cap	296	5
<b>Flat junctions</b>			
<b>For 80 mm wide downward trunking</b>			
0756 72	Creates a junction with snap-on trunking 50x80mm	670	5
<b>For 80 mm wide upward trunking</b>			
0756 71	Creates a junction with snap-on trunking 50x80 mm	670	5
<b>For 105 mm wide downward trunking</b>			
0756 76	Creates a junction with snap-on trunking 50x105 mm	718	5
<b>For 105 mm wide upward trunking</b>			
0756 75	Creates a junction with snap-on trunking 50x105 mm	654	5
<b>Angled junction</b>			
0756 81	Creates a junction in an internal angle with snap-on trunking 50x80, 50x105 mm, 50x130 mm Must be used in conjunction with internal angle	1478	5
<b>Junction with floor duct</b>			
0756 88	Creates a junction with a floor duct size 50 x 12 mm or 92 x 20 mm	772	5

\*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.  
(1) Price in Meters; No of meters in Pack, Standard length 2 meters to be ordered in multiples of 2 meters

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

## Snap-on trunking 45mm cover 50x180 routing sections and accessories

Cat.Nos	Description	LP* ₹ / Unit	Pack
<b>Snap-on trunking</b>			
<b>3-compartment trunking</b>			
0756 06	Snap-on trunking Can take any Arteor wiring accessory Includes: - 1 body with 3 compartments - 3 flexible covers, width 45 mm	2156	8 <sup>(1)</sup>
<b>Extra cover</b>			
0756 08	Width 45 mm	336	20 <sup>(1)</sup>
<b>Fishplate body joint</b>			
0756 61	Used to join 2 bodies and simplifies fixing sections to the wall - set of 2	302	10
<b>Stick-on body joint</b>			
0756 66	For top part of body	194	20
<b>Cover joint</b>			
0756 69	Cover joint, width 45 mm	106	10
<b>Height spacer</b>			
0105 80	Colour charcoal grey For fitting 15 mm from the ground	436	24
<b>Soluclip accessory</b>			
0756 90	For installation with any Arteor function	150	10
<b>Angles</b>			
0756 26	Internal angle, varies from 80° to 100°	1332	5
0756 36	External angle, varies from 85° to 120°	2424	5
0756 46	Flat angle at 90°	2398	5
<b>End caps</b>			
0756 16	Left or right end cap	328	5
<b>Flat junctions</b>			
<b>With 80 mm wide sections</b>			
0756 71	Creates a junction with snap-on trunking 50 x 80 mm	670	5
<b>With 105 mm wide sections</b>			
0756 75	Creates a junction with snap-on trunking 50 x 105 mm	654	5
<b>Angled junction</b>			
0756 81	Creates a junction in an internal angle with snap-on trunking 50 x 80, 50 x 105 mm, 50 x 130 mm Must be used in conjunction with internal angle	1478	5
<b>Junction with floor duct</b>			
0756 88	Creates a junction with a floor duct size 50 x 12 mm or 92 x 20 mm	772	5

## DLP U-PVC trunking system mini-trunking system

Cat.Nos	Description	LP* ₹ / Unit	Pack
<b>Mini-trunking - 32 x 12.5 mm</b>			
0300 15	Without central partition	106	80 <sup>(1)</sup>
<b>Finishing accessories</b>			
0312 03	End cap right or left	50	20/400
0302 51	Changeable internal-external angle from 60° to 120°	70	10/100
0302 53	Changeable flat angle from 85° to 95°	78	10/100
0302 54	Flat junction	100	10/200
0336 03	White 32x10/12.5 Cover Gasket	98	20
<b>Mini-trunking - 32 x 16 mm</b>			
0308 04	Without central partition	124	60 <sup>(1)</sup>
<b>Finishing accessories</b>			
0312 07	End cap right or left	74	10
0333 25	Changeable internal-external angle from 60° to 120°	84	10
0333 27	Changeable flat angle from 85° to 95°	82	10
0333 30	Flat junction	116	10
0336 04	White 32x16/20 Cover Gasket	98	20
<b>Mini-trunking - 32 x 20 mm</b>			
0300 17	Without partition	146	50 <sup>(1)</sup>
<b>Finishing accessories</b>			
0312 09	End cap right or left	108	10
0302 71	Changeable internal-external angle from 60° to 120°	100	10
0302 73	Changeable flat angle from 85° to 95°	84	10
0302 74	Flat junction	98	10
0336 04	White 32x16/20 Cover Gasket	98	20
<b>DLP U-PVC trunking system and accessories 80 x 50</b>			
<b>Trunking and fittings</b>			
<b>Trunking</b>			
<b>Bodies</b>			
0104 12	Supplied without cover 80 x 50 mm	546	20 <sup>(1)</sup>
<b>Flexible cover</b>			
0105 21	Fits onto the whole branch including in internal or external angles	268	24 <sup>(1)</sup>
<b>Partitions</b>			
0105 82	Separation partition for 80 x 50 trunking	180	24 <sup>(1)</sup>
<b>Joints</b>			
0106 91	Body joint, for aligning bases during installation	60	20
0108 01	Cover joint	108	10

\*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.  
(1) Price in Meters; No of meters in Pack, Standard length 2 meters to be ordered in multiples of 2 meters

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

**legrand** **DLP U-PVC trunking system and accessories 80 x 50**  
trunking and fittings

Cat.Nos	Description	LP* ₹ / Unit	Pack
<b>Angles and end caps</b>			
<b>Internal and external angles</b>			
Include the 2 components for the top and bottom of the trunking on which the flexible cover is fitted			
0106 02	Internal angle, adjustable from 80° to 100°	378	10
0106 22	External angle, adjustable from 60° to 120°	380	10
0107 67	Flat angle - 90° flat angle	516	10
0107 22	End cap - Left or right end cap	150	10
<b>Junctions</b>			
0107 32	Flat junctions to tap-off to a branch smaller than 50 x 105	692	10
0107 35	For specific size tap-off to 80 mm wide branch	404	5
<b>Accessories</b>			
<b>Holding cables in place</b>			
0106 82	Clip	52	50
<b>VDI accessories</b>			
0107 80	For internal angles	576	5/50
0107 81	For external angles	618	5/50
0107 82	For flat angles	658	5/50
0107 83	For flat junctions	794	5/50
<b>Additional accessories</b>			
0106 98	Wall crossing for trunking 80 to 150 mm width	660	5/25
0308 81	Cable tie base	24	100/1000
0111 88	Earthing link	252	20/500
<b>Capacity change</b>			
Allows to increase 15mm height of trunking to preserve the space of wiring with a flat junction or a support equipment			
0106 87	Raise, length 57 cm	240	40
0106 88	Set of 4 accessories to change capacity of the body	300	10/100
0106 89	Set of 2 accessories of change height of partition (to be used only on trunking with multi compartments)	302	5/50
<b>Supports for mounting wiring accessories</b>			
<b>Arteor™ supports</b>			
Clip-on supports which can be fitted side by side Supplied with finishing plate			
0109 21	2 modules	130	20
0109 31	3 modules	184	5/50
0109 41	4 modules	196	10/50
0109 61	6 modules	232	5/25
0109 27	Insulation unit for 2 modules (Arteor™) can be fitted together to create 4/6 module supports	234	10/100
0109 37	Insulation unit for 3 modules (Arteor™) supports	276	5/50
<b>Legrand Lexic support</b>			
0109 25	2 modules	810	5

\*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Red Cat.Nos - new products

(1) Price in Meters; No of meters in Pack, Standard length 2 meters to be ordered in multiples of 2 meters


**DLP U-PVC trunking system and accessories 105 x 50**  
trunking and fittings

Cat.Nos	Description	LP* ₹ / Unit	Pack
<b>Trunking</b>			
<b>Bodies</b>			
0104 22	Supplied without cover 105 x 50 mm	678	20 <sup>(1)</sup>
<b>Flexible cover</b>			
Fits onto the whole branch including in internal or external angles			
0105 22	Full cover width 85 mm	304	20 <sup>(1)</sup>
0105 20	Full covers width 40 mm	270	20 <sup>(1)</sup>
<b>Partitions</b>			
0105 82	Separation partition for 105 x 50 trunking	180	24 <sup>(1)</sup>
0104 72	Plastic clip-on partition	266	48 <sup>(1)</sup>
0111 06	Aluminium clip-on partition	1032	12 <sup>(1)</sup>
<b>Joints</b>			
0106 91	Body joint For aligning bases during installation	60	20/200
0108 02	Cover joint for 85 mm width	164	10/100
0108 00	Cover joint for 40 mm width	124	10/100
<b>Angles and end caps</b>			
Internal and external angles Include the 2 components for the top and bottom of the trunking on which the flexible cover is fitted			
0106 02	Internal angle, adjustable from 80° to 100°	378	10/40
0106 22	External angle, adjustable from 60° to 120°	380	10/50
0107 85	Flat angle - 90° flat angle	538	10
0107 02	End cap - Left or right end cap	140	20/100
<b>Junctions</b>			
0107 32	Flat junction to tap-off a branch smaller than 50 x 105	692	10
0107 35	For tap-off to an 80 mm wide branch	404	5/25
0107 36	For tap-off to an 105 mm wide branch equipped with an 85 mm cover	398	5/25
<b>Partion junction</b>			
0106 11	For internal angles	232	5/50
0106 32	For external angles	348	5/50
0107 42	For flat angles	828	5/25
<b>Accessories</b>			
<b>Holding cables in place</b>			
0106 82	Clip	52	50
<b>VDI accessories</b>			
0107 80	For internal angles	576	5/50
0107 81	For external angles	618	5/50
0107 82	For flat angles	658	5/50
0107 83	For flat junctions	794	5/50

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

## DLP U-PVC adaptable trunking system 105 x 50

# DLP mini trunking



Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

### Accessories

#### Additional accessories

0106 98	Wall crossing for trunking 80 to 150 mm width	660	5/25
0308 81	Cable tie base	24	100/1000
0111 88	Aluminium earthing link	252	20/500

### Capacity Change

Allows to increase 15mm height of trunking to preserve the space of wiring with a flat junction or a support equipment

0106 87	Raise, length 57cm	240	40
0106 88	Set of 4 accessories to change capacity of the body	300	10/100
0106 89	Set of 2 accessories of change height of partition (to be used)	302	5/50

### Supports for mounting wiring accessories

#### Arteor™ supports

Clip-on supports which can be fitted side by side  
Supplied with finishing plate

0109 10	1 modules-for 40 mm cover	138	5/50
0109 22	2 modules-for 85 mm cover	136	20
0109 32	3 modules-for 85 mm cover	192	5/50
0109 42	4 modules-for 85 mm cover	196	20
0109 62	6 modules-for 85 mm cover	264	10
0109 27	Insulation unit for 2 modules (Arteor™) can be fitted together to create 2/4/6 module supports	234	10/100
0109 37	Insulation unit for 3 modules (Arteor™) supports	276	5/50

### Legrand Lexic supports

0109 35	3 modules	962	5
---------	-----------	-----	---

## DLP U-PVC adaptable trunking system and accessories 150 x 50

### Trunking and fittings

#### Trunking

##### Bodies

Supplied without cover

0104 32	150 x 50 mm	1150	10 <sup>(1)</sup>
---------	-------------	------	-------------------

##### Flexible cover

Fits onto the whole branch including in internal or external angles

0105 24	Full cover width 130 mm	642	8
0105 22	Full cover width 85 mm	304	20
0105 21	Full cover width 65 mm	268	24
0105 20	Full cover width 40 mm	270	20

#### Partitions

0105 82	Separation partition for 105 x 50 trunking	180	24 <sup>(1)</sup>
0104 72	Plastic clip-on partition	266	48
0111 06	Aluminium clip-on partition	1032	12

#### Joints

0106 91	Body joint - For aligning bases during installation	60	20/200
0108 04	Cover joint for 130 mm width	272	10/100
0108 02	Cover joint for 85 mm width	164	10/100
0108 01	Cover joint for 65 mm width	108	10/100
0108 00	Cover joint for 40 mm width	124	10/100


\*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

(1) Price in Meters; No of meters in Pack, Standard length 2 meters to be ordered in multiples of 2 meters



## Cable-grip

It makes the installation easier and faster by containing all the wires inside the trunking body before the cover is clipped



### Comfortable implementation

- During installation, the conductors stay in place in the 1 compartment mini-trunking thanks to cable-grip membranes



### Speed of installation

- Cable holding is integrated with the trunking (no staple to add)
- Easy conductors position
- Quick cover fitting

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

## DLP U-PVC trunking system and accessories 150 x 50 trunking and fittings

Cat.Nos	Description	LP* ₹ / Unit	Pack
<b>Angles and end caps</b>			
<b>Internal and external angles</b> Include the 2 components for the top and bottom of the trunking on which the flexible cover is fitted			
0106 02	Internal angle, adjustable from 80° to 100°	378	10/40
0106 22	External angle, adjustable from 60° to 120°	380	10/50
<b>Flat angle</b>			
0107 89	900 flat angle	1786	5
<b>End cap</b>			
0107 06	Left or right end cap	270	10/50
<b>Junctions</b>			
0107 32	Flat junction to tap-off a branch smaller than 50 x 105 To tap-off a branch of 150 x 50, use 2 nos of 0107 32 (2 x 0107 32)	692	10
0107 35	To tap-off to an 80 mm wide branch	404	5/25
0107 36	To a tap-off to a 105 mm wide branch equipped with a 85 mm cover	398	5/25
0107 37	Flat junction for specific size - tap off to an 105 mm wide branch with 65 mm cover	400	5/25
<b>Partion junction</b>			
0106 11	For internal angles	232	5/50
0106 32	For external angles	348	5/50
0107 42	For flat angles	828	5/25
<b>Accessories</b>			
<b>Holding cables in place</b>			
0106 86	Clip for 130 mm width cover	92	50
0106 82	Clip for 65 mm width cover	52	50
<b>VDI accessories</b>			
0107 80	For internal angles	576	5/50
0107 81	For external angles	618	5/50
0107 82	For flat angles	658	5/50
0107 83	For flat junctions	794	5/50
<b>Mounting wiring accessories</b>			
<b>Accessories</b>			
<b>Additional accessories</b>			
0106 98	Wall crossing for trunking 80 to 150 mm width	660	5/25
0308 81	Cable tie base	24	100/1000
0111 88	Earthing link	252	20/500
<b>Capacity change</b>			
Allows to increase 15mm height of trunking to preserve the space of wiring with a flat junction or a support equipment			
0106 87	Raise, length 57cm	240	40
0106 88	Set of 4 accessories to change capacity of the body	300	10/100
0106 89	Set of 2 accessories of change height of partition (to be used)	302	5/50

\*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

(1) Price in Meters; No of meters in Pack, Standard length 2 meters to be ordered in multiples of 2 meters

## DLP U-PVC adaptable trunking 150 x 50 mounting wiring accessories

Cat.Nos	Description	LP* ₹ / Unit	Pack
<b>Supports for mounting wiring accessories</b>			
<b>Arteor™ supports</b> Clip-on supports which can be fitted side by side Supplied with finishing plate			
0109 10	1 modules-for 40 mm cover	138	5/50
0109 21	2 modules-for 65 mm cover	130	20
0109 22	2 modules-for 85 mm cover	136	20
0109 31	3 modules-for 65 mm cover	184	5/50
0109 32	3 modules-for 85 mm cover	192	5/50
0109 41	4 modules-for 65 mm cover	196	10/50
0109 42	4 modules-for 85 mm cover	196	20
0109 61	6 modules-for 65 mm cover	232	5/25
0109 62	6 modules-for 85 mm cover	264	10
0109 27	Insulation unit for 2 modules (Arteor™) can be fitted together to create 4/6 module supports	234	10/100
0109 37	Insulation unit for 3 modules (Arteor™) supports	276	5/50
<b>Legrand Lexic supports</b>			
0109 25	For 2 modules for 65 mm cover (2 comp.)	810	5
0109 65	For 6 modules for 130 mm cover (1 comp.)	1080	5
0109 00	Hypra socket support - for 130 mm cover	1564	5
<b>DLP U-PVC adaptable trunking system and accessories 195 x 50</b>			
<b>Trunking and fittings</b>			
<b>Trunking</b>			
<b>Bodies</b> Supplied without cover			
0104 52	195 x 50 mm	1524	8 <sup>(1)</sup>
<b>Flexible cover</b> Fits onto the whole branch including in internal or external angles			
0105 26	Full cover width 180 mm	816	8 <sup>(1)</sup>
0105 22	Full cover width 85 mm	304	20 <sup>(1)</sup>
0105 24	Full cover width 130 mm	642	8 <sup>(1)</sup>
0105 21	Full cover width 65 mm	268	24 <sup>(1)</sup>
0105 20	Full cover width 40 mm	270	20 <sup>(1)</sup>
<b>Partitions</b>			
0105 82	Separation partition for 195 x 50 trunking	180	24 <sup>(1)</sup>
0104 72	Plastic clip-on partition	266	48 <sup>(1)</sup>
0111 06	Aluminium clip-on partition	1032	12 <sup>(1)</sup>
<b>Joints</b>			
0106 91	Body joint - For aligning bases during installation	60	20/200
0108 06	Cover joint for 180 mm width	252	10/100
0108 02	Cover joint for 85 mm width	164	10/100
0108 04	Cover joint for 130 mm width	272	10/100
0108 01	Cover joint for 65 mm width	108	10/100
0108 00	Cover joint for 40 mm width	124	10/100
<b>Angles and end caps</b>			
<b>Internal and external angles</b> Include the 2 components for the top and bottom of the trunking on which the flexible cover is fitted			
0106 02	Internal angle, adjustable from 80° to 100°	378	10/40
0106 22	External angle, adjustable from 60° to 120°	380	10/50
<b>Flat angle</b>			
0107 92	90(0) flat angle	2290	2
<b>End cap</b>			
0107 07	Left or right end cap	320	5/50

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

## DLP U-PVC adaptable trunking system and accessories 195 x 50 trunking and fittings



## DLP aluminium adaptable trunking system 50 x 105

Cat.Nos	Description	LP* ₹ / Unit	Pack
<b>Junctions</b>			
0107 32	Flat junction to tap-off a branch smaller than 50x105 To tap-off a branch of 150 x 50, use 2 nos of 0107 32 (2 x 0107 32)	692	10
0107 35	To tap-off to an 80 mm wide branch	404	5/25
0107 36	To a tap-off to a 105 mm wide branch equipped with a 85 mm cover	398	5/25
0107 37	Flat junction for specific size - tap off to an 105 mm wide branch with 65 mm cover	400	5/25
<b>Partion junction</b>			
0106 11	For internal angles	232	5/50
0106 32	For external angles	348	5/50
0107 42	For flat angles	828	5/25
<b>Accessories</b>			
<b>Holding cables in place</b>			
0106 86	Clip for 130 mm width cover	92	50
0106 82	Clip for 40 mm width cover	52	50
<b>VDI accessories</b>			
0107 80	For internal angles	576	5/50
0107 81	For external angles	618	5/50
0107 82	For flat angles	658	5/50
0107 83	For flat junctions	794	5/50
<b>Additional accessories</b>			
0106 99	Wall crossing for trunking 195 mm width	690	5/25
0308 81	Cable tie base	24	100/1000
0111 88	Earthing link	252	20/500
<b>Capacity Change</b>			
Allows to increase 15mm height of trunking to preserve the space of wiring with a flat junction or a support equipment			
0106 87	Raise, length 57 cm	240	40
0106 88	Set of 4 accessories to change capacity of the body	300	10/100
0106 89	Set of 2 accessories of change height of partition (to be used)	302	5/50
<b>Supports for mounting wiring accessories</b>			
<b>Arteor™ supports</b>			
Clip-on supports which can be fitted side by side Supplied with finishing plate			
0109 10	1 modules-for 40 mm cover	138	5/50
0109 21	2 modules-for 65 mm cover	130	20
0109 22	2 modules-for 85 mm cover	136	20
0109 31	3 modules-for 65 mm cover	184	5/50
0109 32	3 modules-for 85 mm cover	192	5/50
0109 41	4 modules-for 65 mm cover	196	10/50
0109 42	4 modules-for 85 mm cover	196	20
0109 61	6 modules-for 65 mm cover	232	5/25
0109 62	6 modules-for 85 mm cover	264	10
<b>Mounting wiring accessories</b>			
<b>Supports for mounting wiring accessories</b>			
<b>Legrand Lexic supports</b>			
0109 25	For 2 modules for 65 mm cover (3 comp.)	810	5
0109 35	For 3 modules for 85 mm cover (2 comp.)	962	5
0109 27	Insulation unit for 2 modules (Arteor™) can be fitted together to create 4/6 module supports	234	10/100
0109 37	Insulation unit for 3 modules (Arteor™) supports	276	5/50

Cat.Nos	Description	LP* ₹ / Unit	Pack
<b>Body</b>			
0111 00	Supplied without cover	3354	8 <sup>(1)</sup>
<b>Cover and partition</b>			
0111 11	Full rigid cover 85 mm width	1096	16 <sup>(1)</sup>
0111 08	Separation partition	574	24 <sup>(1)</sup>
<b>Finishing accessories</b>			
0111 58	End cap	588	20/100
0112 43	Flat angle for 85mm cover	5084	10
0112 32	External angle for 85mm cover	6342	1
0112 21	Internal angle for 85mm cover	5708	1
0112 51	Flat junction To tap off to 105 mm wide trunking equipped with 85 mm cover	6906	5
0111 66	Body joint	194	20/100
0111 63	Cover joint	288	10/100
<b>Supports for Arteor™ for cover 85 mm width</b>			
0112 12	2 modules	412	20
0112 13	3 modules	486	20
0112 14	4 modules	488	20
0112 16	6 modules	648	10
<b>Cabling accessories</b>			
0106 82	Clip	52	50
0111 88	Earth link	252	20
0308 81	Base for cable ties	24	100
<b>system 50 x 150</b>			
<b>Body</b>			
0111 02	Supplied without cover Allow fitting of partial covers - 2 compartments	4224	4 <sup>(1)</sup>
<b>Covers and partitions</b>			
0111 10	Partial rigid cover 65 mm width	832	16 <sup>(1)</sup>
0111 12	Full rigid cover 130 width	1508	8 <sup>(1)</sup>
0111 06	Division partition for cover 65 mm width	1032	12 <sup>(1)</sup>
0111 08	Separation partition	574	24 <sup>(1)</sup>
<b>Finishing accessories</b>			
0111 60	End cap	1266	10
0112 45	Flat angle for cover 65/130mm	8566	5
0112 34	External angle cover 130mm	9428	1
0112 38	External angle 2 cover 65 mm	13500	1
0112 23	Internal angle Cover 130mm	7508	1
0112 27	Internal angle 2 Covers 65 mm	13400	1
0112 51	Flat junction To tap off to 105 mm wide trunking equipped with 85 mm cover	6906	5
0111 66	Body joint	194	20
0111 62	Cover joint for cover 65 mm	272	10
0111 64	Cover joint for cover 30 mm	594	10
<b>Supports for Arteor™ for cover 65 mm width</b>			
0112 02	2 modules	378	20
0112 03	3 modules	458	20
0112 04	4 modules	476	20
0112 06	6 modules	562	10
<b>Cabling accessories</b>			
0106 82	Clip for 65 mm cover	52	50
0106 86	Clip for 130 mm cover	92	50
0111 88	Earth link	252	20
0308 81	Base for cable ties	24	100

\*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

(1) Price in Meters; No of meters in Pack, Standard length 2 meters to be ordered in multiples of 2 meters

Red Cat.Nos - new products

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

## DLP aluminium adaptable trunking system 50 x 195

Cat.Nos	Description	LP* ₹ / Unit	Pack
<b>Body</b>			
0111 04	Supplied without cover allow fitting of partial covers - 1 compartment	4950	4 <sup>(1)</sup>
<b>Covers and partitions</b>			
0111 11	Partial rigid cover 85 mm width	1096	16 <sup>(1)</sup>
0111 13	Full rigid cover 180 width	2232	8 <sup>(1)</sup>
0111 08	Separation partition	574	24 <sup>(1)</sup>
0111 06	Division partition for cover 85 mm width	1032	12 <sup>(1)</sup>
<b>Finishing accessories</b>			
0111 61	End cap	1496	10
0112 47	Flat angle for cover 85/180mm	8828	2
0112 36	External angle for 180 mm Cover	10272	1
0112 40	External angle 2 covers 85mm	14100	1
0112 25	Internal angle Cover 180mm	8872	1
0112 29	Internal angle 2 Cover 85mm	14000	1
0112 51	Flat junction To tap off to 105 mm wide trunking equipped with 85 mm cover	6906	5
0111 66	Body joint	194	20
0111 63	Cover joint for cover 85 mm	288	10
0111 65	Cover joint for cover 180 mm	636	10
<b>Supports for Arteor™ for cover 85 mm width</b>			
0112 12	2 modules	412	20
0112 13	3 modules	486	20
0112 14	4 modules	488	20
0112 16	6 modules	648	10
<b>Cabling accessories</b>			
0106 82	Clip for 85 mm cover	52	50
0106 86	Clip for 180 mm cover	92	50
0111 88	Earth link	252	20
0308 81	Base for cable ties	24	100
<b>Aluminium snap-on columns</b>			
<b>Columns</b>			
<b>74 x 80 mm - 1 compartment</b>			
6038 00	Height 2.70 m Can be adapted to a ceiling height up to 3.70 m	21734	1
6038 02	Height 3.70 m Can be adapted to a ceiling height up to 4.70 m	25376	1
<b>81 x 130 mm - 2 compartments</b>			
6038 01	Height 2.70 m Can be adapted to a ceiling height up to 3.70 m	30110	1
6038 03	Height 3.70 m Can be adapted to a ceiling height up to 4.70 m	35474	1
<b>Separation partition for 74 x 80 and 81 x 130 snap-on columns</b>			
6038 07	Height 60 mm	396	36 <sup>(1)</sup>
<b>Mini-column</b>			
6038 05	81x130mm-2 compartments Height 0.68 m Can be associated with floor trunking range	12484	1
<b>Other accessories</b>			
0111 88	Accessory - Earth Link	252	20
6038 57	Fixing CLIP- Normaclip	188	10
6038 58	Fixing CLIP - Normaclip	524	10

\*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

(1) Price in Meters; No of meters in Pack, Standard length 2 meters to be ordered in multiples of 2 meters

Red Cat.Nos - new products

## LCS<sup>2</sup> ZONE DISTRIBUTION BOXES

# Consolidation and redistribution made easy

Complete flexibility with the LCS<sup>2</sup> zone boxes: centralisation of connections close to the workstation, copper and fibre optics can be used together.



- Flexible installation with lines in reserve meet future requirements quickly.

- Guaranteed performance across the whole LCS<sup>2</sup> system.

- Fast, reliable connection to the LCS<sup>2</sup> zone box with sockets with copper and fibre optic feedthrough and RJ 45/RJ 45 cords.

Available in cat. 6A

**NEW!**



Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

# The right system to meet your needs

A wide range of technologies (HD15, HDMI, DISPLAY PORT, RCA, JACK)  
to suit the location and the user requirements

## INSTALLATION EXAMPLE WITH HD15 PRETERMINATED SOCKET AND VIDEO PROJECTOR SWITCH

**1** Quick  
installation

**2** Easy  
connection

**3** Optimum  
performance



**1** Infrared ON/STANDBY control  
for video projector associated  
with a pushbutton  
Cat.No 0 787 99/5 720 89

**2 3** Preterminated HD15 sockets  
Cat.No 0 787 77/5 720 97

**4** 10 m male/male HD15 cords  
Cat.No 0 517 23

**5 6** Male/male HD 15 cords





# Click to discover us

- 1** Legrand (India) - provides all information regarding the groups philosophy, products, organisation etc.
- 2** Products and solutions - complete information about our range of products for residential, commercial and industrial markets.
- 3** Downloads - download catalogues and brochures.

## snap-on trunking routing sections and accessories

TRUNKING			TRUNKING		
Number of compartments	Cover width	Cross-section (mm)	Monobloc: body + cover <sup>(1)</sup>	Divider	Fishplate body joint
<b>SNAP-ON TRUNKING - 45 mm cover</b>					
	45	50 x 80	○ 0756 01	0756 09	0756 61
	45	50 x 105	0756 02	0756 09	0756 62
	45 45	50 x 130	○ 0756 03	-	0756 61
	45 45	50 x 145	0756 04	-	0756 63
	45 45 45	50 x 180	0756 06	-	0756 61

1: Partition(s) integral to the body  
2: Internal and external corner angles supplied with multi-compartment partition joint

## mechanisms for snap-on trunking

### Mounting functions

The Arteor sockets to be fitted with Soluclip accessory which has following features:


- Anti-slip
- Anti-pullout
- IP 4X
- Perfect finish




0756 90

AND ACCESSORIES			ANGLES			JUNCTIONS				ACCESSORIES	
Stick-on body joint	Cover joint	End cap	Internal angles <sup>(2)</sup>	External angles	Flat angles	Flat junctions with width 80 mm	Flat junctions with width 105 mm	Angled junctions 85/105/130 mm	Junction with floor duct 50 x 12/ 92 x 20	Extra cover	Adaptor for modular wiring accessories
0756 66	0756 69	0756 11	0756 21	0756 31	0756 41	0756 71	-	0756 81 + 0756 21	0756 88	0756 08	0310 69
0756 67	0756 69	0756 12	0756 22	0756 32	0756 42	0756 72	0756 76	0756 81 + 0756 22	0756 88	0756 08	0310 69
0756 66	2 x 0756 69	0756 13	0756 23	0756 33	0756 43	0756 71	0756 75	0756 81 + 0756 23	0756 88	0756 08	0310 69
① 0756 66 + ② 0756 67	2 x 0756 69	0756 14	0756 24	0756 34	0756 44	① 0756 71 + ② 0756 72	① 0756 75 + ② 0756 76	0756 81 + 0756 24	0756 88	0756 08	0310 69
0756 66	3 x 0756 69	0756 16	0756 26	0756 36	0756 36	0756 71	0756 75	0756 81 + 0756 26	0756 88	0756 08	0310 69

### Installation principle for sockets for snap-on trunking



### Installation principle for Arteor functions



length: 2 m

## DLP U-PVC adaptable trunking systems for installations base, covers, partitions, finishing accessories and mounting wiring accessories

Selection chart for Installation of trunking, Accessories and Arteor™

Trunking			Covers		Clip on partition		Arteor™ frames				
Number of compartments	Cover(s) width	Section (mm)									
			Flexible	Partitions separation	Plastic	Aluminium	1 module	2 module	3 module	4 module	6 module
 0104 12	1 	80 x 50	0105 21	0105 82	-	-	-	0109 21	0109 31	0109 41	0109 61
	1 		105 x 50	0105 22	0105 82	-	-	-	0109 22	0109 32	0109 42
 0104 22	2 	150 x 50	0105 20	0105 82	0104 72	0111 06	0109 10	-	-	-	-
	1 		0105 24	0105 82	-	-	-	-	-	-	-
 0104 32	2 	195 x 50	0105 21	0105 82	0104 72	0111 06	-	0109 21	0109 31	0109 41	0109 61
	2 		0105 20 + 0105 22	0105 82	0104 72	0111 06	0109 10	0109 22	0109 32	0109 42	0109 62
	3 		0105 20	0105 82	0104 72 x 2	0111 06 x 2	0109 10	-	-	-	-
	1 		0105 26	0105 82	-	-	-	-	-	-	-
 0104 52	2 	195 x 50	0105 22	0105 82	0104 72	0111 06	-	0109 22	0109 32	0109 42	0109 62
	2 		0105 20 + 0105 24	0105 82	0104 72	0111 06	0109 10	-	-	-	-
	3 		0105 22 + 0105 20	0105 82	0104 72 x 2	0111 06 x 2	0109 10	0109 22	0109 32	0109 42	0109 62
	3 		0105 20 + 0105 21	0105 82	0104 72 x 2	0111 06 x 2	0109 10	0109 21	0109 31	0109 41	0109 61
	4 		0105 20	0105 82	0104 72 x 3	0111 06 x 3	0109 10	-	-	-	-

Selection chart for Installation trunking, Accessories and Arteor™

Section (mm)	Wall crossing	Capacity change	Partition junction	Cable tie base	Insulating unit for Arteor™ modules		Earth Link
80 x 50 / 105 x 50	0106 98	0106 87 + 0106 88 + 0106 89 (to be used for partition)	0106 89	0308 81	0109 27	0109 37	0111 88
150 x 50 / 195 x 50	0106 99						

### Selection chart for Installation of trunking, Additional accessories

Cover	Bases		Internal angles 80° - 100°			External angles 60° - 120°			Flat angles		Flat junction			
Joint for covers	Base joint	End caps	Angles	Partition junction	VDI access.	Angles	Partition junction	VDI access.	Angles	VDI access.	Angles	Partition junction	VDI access.	Clips
0108 01	0106 91	0107 22	0106 02	-	0107 80	0106 22	-	0107 81	0107 67	0107 82	0107 32	-	0107 83	0106 82
0108 02	0106 91	0107 02	0106 02	-	0107 80	0106 22	-	0107 81	0107 85	0107 82	0107 32	-	0107 83	0106 82
0108 00	0106 91	0107 02	0106 02	0106 11	-	0106 22	0106 32	-	-	-	0107 32	0107 42	-	0106 82
0108 04	0106 91	0107 06	0106 02	-	-	0106 22	-	-	0107 89	-	0107 32	-	-	0106 86
0108 01	0106 91	0107 06	0106 02	0106 11	0107 80	0106 22	0106 32	0107 81	0107 89	0107 82	0107 32	0107 42	0107 83	0106 82
0108 02	0106 91	0107 06	0106 02	0106 11	0107 80	0106 22	0106 32	0107 81	0107 89	0107 82	0107 32	0107 42	0107 83	0106 82
0108 00	0106 91	0107 06	0106 02	0106 11 x 2	-	0106 22	0106 32 x 2	-	0107 89	-	0107 32	0107 42	-	0106 82
0108 06	0106 91	0107 07	0106 02	-	-	0106 22	-	-	0107 92	-	0107 32	-	-	0106 86
0108 02	0106 91	0107 07	0106 02	0106 11	0107 80	0106 22	0106 32	0107 81	0107 92	0107 82	0107 32	0107 42	0107 83	0106 82
	0106 91	0107 07	0106 02	0106 11	0107 80	0106 22	0106 32	0107 81	0107 92	0107 82	0107 32	0107 42	0107 83	
	0106 91	0107 07	0106 02	0106 11 x 2	0107 80	0106 22	0106 32 x 2	0107 81	0107 92	0107 82	0107 32	0107 42	0107 83	0106 82
	0106 91	0107 07	0106 02	0106 11 x 2	0107 80	0106 22	0106 32 x 2	0107 81	0107 92	0107 82	0107 32	0107 42	0107 83	0106 82
0108 00	0106 91	0107 07	0106 02	0106 11 x 3	-	0106 22	0106 32 x 3	-	0107 92	-	0107 32	0107 42	-	0106 82

## DLP mini trunking systems for cable distribution









### ■ Selection chart for DLP mini trunking

	Length	Finishing Accessories				Junction Elements	
WHITE	2 m						
		End cap	Internal angle	External angle	Flat angle	Flat junction	
32 x 12.5		0300 15	0312 03	0302 51	0302 51	0302 53	0302 54
32 x 16		0308 04	0312 07	0333 25	0333 25	0333 27	0333 30
32 x 20		0300 17	0312 09	0302 71	0302 71	0302 73	0302 74




## DLP aluminium trunking system

selection chart of sections, covers and accessories  
selection chart of support for wiring accessories

### TRUNKING AND ACCESSORIES

Width (mm)	Nos. of compartments	Covers width	Cat. nos.	Rigid covers 				Cover Joint 	Trunking Base Joint 
				65 mm width	85 mm width	130 mm width	180 mm width		
105 x 50	1 	1 x 85	111 00	-	0111 11	-	-	0111 63	0111 66
150 x 50	1 	1 x 130	0111 02	2 x 0111 10	-	0111 12	-	0111 64	0111 66
	2 	2 x 65						0111 62	
195 x 50	1 	1 x 180	0111 04	-	2 x 0111 11	-	0111 13	0111 65	0111 66
	2 	2 x 85						0111 63	

### SUPPORT FOR WIRING ACCESSORIES

60 mm fixing centers : Arteor™	Cover depths	
No of module	65 mm	85 mm
2 modules 	0112 02	0112 12
3 modules 	0112 03	0112 13
4 modules 	0112 04	0112 14
6 modules 	0112 06	0112 16

Insulation resistance : the entire DLP range, including accessories, have insulation resistance above 5 Megaohms

## DLP TRUNKING SYSTEM ALUMINIUM

with aluminium adaptable  
DLP trunking,  
get better styling too !



### SELECTION CHART OF ACCESSORIES (continued)

Dividers		End cap	Internal angles	External angles	Flat angles	Junction Flat junction*	Clips	Earth link
Clip-on partition	Separation partition							
-	0111 08	0111 58	0112 21	0112 32	0112 43	011 251	0106 82	0111 88
0111 06	0111 08	0111 60	0112 23	0112 34	0112 45	011 251	0106 86	0111 88
	0111 08		0112 27	0112 38			0106 81	
0111 06	0111 08	0111 61	0112 25	0112 36	0112 47	011 251	0106 86	0111 88
	0111 08		0112 29	0112 40			0106 82	

(1) To be used with angle covers. (2) To be used with rigid covers

### TABLE OF CAPACITIES

	Crosssection (mm <sup>2</sup> ) Max. Ø (mm <sup>2</sup> )	105 x 50	150 x 50			195 x 50		
		cover 85	cover 65	cover 65	cover 130	cover 85	cover 85	cover 180
Trunking only	Cross-section	4330	3020	3020	6470	5350	5350	111 60
	Max. Ø	28	43	2 x 43	28	55	55	3 x 54
With Arteor™ / support	Cross-section	2300	1470	1470	-	3320	3320	-
	Max. Ø	2 x 24	18	18	-	33	33	-

\*To tap off 105 mm wide trunking with 85 mm cover



#### SAVE TIME

- Flexibility : multi-covers
- Removable separation
- Angles delivered pre-cut, ready to use
- Fast fixing device support
- Uniform colours for the entire installation
- Arteor™ wiring accessories go with aluminium adaptable DLP trunking

### Copper



The new LCS<sup>2</sup> RJ 45 connector is the core element contributing to the performance of the LCS<sup>2</sup> system, which obtains a perfect connection within a few seconds.

### Fibre Optic



The new LCS<sup>2</sup> Fibre optic drawer gives a better comfort in installation and maintenance.

### Enclosures & Cabinets



The new LCS<sup>2</sup> enclosures facilitates managing the cables and cords




The design of the new LCS<sup>2</sup> patch panels optimises the mounting and maintenance.



Legrand solutions, including the rapid crimping connection process and pre-fitted fibre optic links on demand have made a significant contribution to placing fibre optics within the reach of installers.



The new LCS<sup>2</sup> wall-mounting cabinets can be fitted anywhere where maintaining aesthetic quality is very important.



Ensure total coherence of LCS<sup>2</sup> cat. 6A, cat. 6 and cat. 5e systems.



Complete accessibility not only via the doors and panels, but also thanks to the high pre-cuts and low opening.

## Workstations



With the new LCS<sup>2</sup> zone distribution boxes connected to the Arteor™ feed through sockets, the result is complete flexibility.



Network within reach. On the wall with trunking, on the ceiling with columns, on the ground with floor boxes and desktop multi-outlet extensions or nearby with blocks and mini-columns. They are suitable for all work space configurations.



In the technical room, in a false ceiling or in the floor boxes and desktop multi-outlet extensions, it is necessary to identify the special networks at a single glance. The Arteor™ LCS<sup>2</sup> sockets has coloured covers.




Wi-Fi access points can be fitted anywhere where unrestricted access to the computer network is required.

# LCS<sup>2</sup>

## From technical room to workstation

Complete systems with a 20-year guarantee. The new LCS<sup>2</sup> cat. 6A (up to 500 MHz), cat. 6 (up to 250 MHz) and cat. 5e (up to 100 MHz) systems have been designed as coherent entities to optimise their performance. The systems are suitable for optical fibre cables as well as copper cables.

The new LCS<sup>2</sup> systems integrate perfectly in the various other Legrand solutions: DLP trunking system, cabling accessories, cable management, etc.





## Cabling system LCS<sup>2</sup> category 6A

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

### Patch panel cat. 6A 24 x RJ 45 connectors

<b>0335 73</b>	STP - metal shielding 360°	■	1/3
----------------	----------------------------	---	-----

### Modular panel

<b>0335 90</b>	19" panel - 1 U	■	1/3
----------------	-----------------	---	-----

### Units of 6 x RJ 45 connectors cat. 6A

<b>0335 76</b>	STP unit - metal shielding 360°	■	2/24
<b>0335 91</b>	Blanking plate for 19" panel - black	■	10/100

### Cables

#### Cables for local networks cat. 6A

<b>0327 78</b>	F/UTP - 4 pairs length 500 m	■	500 <sup>(1)</sup>
0328 78	F/UTP - 2x4 pairs length 500 m	■	500 <sup>(1)</sup>
<b>0327 77</b>	S/FTP - 4 pairs length 500 m	■	500 <sup>(1)</sup>

### Cords

#### RJ 45 patch cords and user cords cat. 6A

#### S/FTP shielded impedance 100 Ω

#### PVC - Yellow sheath

<b>0517 80</b>	Length 1 m	■	5/50
<b>0517 81</b>	Length 2 m	■	5/50
0517 82	Length 3 m	■	5/50
0517 83	Length 5 m	■	5

#### LSZH - Red sheath

0518 70	Length 1 m	■	1/10
0518 71	Length 2 m	■	1/10
0518 72	Length 3 m	■	1/10
0518 73	Length 5 m	■	1/5

#### LSZH - Green sheath

0518 66	Length 1 m	■	1/10
0518 67	Length 2 m	■	1/10
0518 68	Length 3 m	■	1/10
0518 69	Length 5 m	■	1/5

### Zone distribution boxes

#### Self-assembly zone distribution box

<b>0335 40</b>	Used for mounting LCS <sup>2</sup> RJ 45 connector blocks cat. 6A, cat. 6 and cat. 5e, of fibre optic accessories or blanking plates	■	1/10
----------------	--	---	------

### RJ 45 sockets

#### Arteor™ RJ 45 socket cat. 6A

<b>5734 32</b>	STP - white - 1 module	■	20/200
5728 06	STP-magnesium - 1 module	■	10/100
5723 52	STP - white with green shutter - 1 module	■	10/100
5728 52	STP - magnesium with green shutter - 1 module	■	10/100
5723 51	White with orange shutter	■	10/100
5728 51	Magnesium with orange shutter	■	10/100

#### STP with controlled access - 2 modules

5723 50	White with red shutter	■	5/50
5728 50	Magnesium with red shutter	■	5/50

\* MRP - Maximum Retail Price Inclusive of all taxes.  
■ Price available on request.  
(1) in meters

## Cabling system LCS<sup>2</sup> category 6

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

### Patch panels cat. 6 24 x RJ 45 connectors

<b>0335 61</b>	UTP panel - 8 contacts	■	1/3
0335 62	FTP panel - 9 contacts	■	1/3
0335 63	STP panel - metal shielding 360°	■	1/3
0335 89	UTP through panel 24 x RJ 45 connectors	■	1/10

### Modular panels

<b>0335 90</b>	19" panel - 1 U	■	1/3
----------------	-----------------	---	-----

### Units of 6 x RJ 45 connectors cat. 6

<b>0335 64</b>	UTP unit - 8 contacts	■	2/24
0335 65	FTP unit - 9 contacts	■	2/24
0335 66	STP unit - metal shielding 360°	■	2/24
<b>0335 91</b>	Blanking plate for 19" panel - black	■	10/100

### Cables

#### Cables for local networks cat. 6

#### U/UTP - 4 pairs

#### LSZH - Blue sheath

0327 54	Length 305 m	■	305 <sup>(1)</sup>
0328 61	Length 500 m	■	500 <sup>(1)</sup>
0328 71	Length 1000 m	■	1000 <sup>(1)</sup>

#### PVC - Blue sheath

<b>0327 55</b>	Length 305 m	■	305 <sup>(1)</sup>
0328 62	Length 500 m	■	500 <sup>(1)</sup>
0328 72	Length 1000 m	■	1000 <sup>(1)</sup>

#### U/UTP - 2 x 4 pairs

0328 63	Length 500 m	■	500 <sup>(1)</sup>
---------	--------------	---	--------------------

#### F/UTP - 4 pairs

#### LSZH - Blue sheath

0328 56	Length 305 m	■	305 <sup>(1)</sup>
0327 56	Length 500 m	■	500 <sup>(1)</sup>

#### PVC - Blue sheath

0328 57	Length 305 m	■	305 <sup>(1)</sup>
0327 58	Length 500 m	■	500 <sup>(1)</sup>

#### F/UTP - 2 x 4 pairs

#### LSZH - Blue sheath

0327 76	Length 500 m	■	500 <sup>(1)</sup>
---------	--------------	---	--------------------

#### PVC - Blue sheath

0328 58	Length 500 m	■	500 <sup>(1)</sup>
---------	--------------	---	--------------------

#### SF/UTP - 4 pairs

#### LSZH - Blue sheath

0327 57	Length 500 m	■	500 <sup>(1)</sup>
---------	--------------	---	--------------------

#### PVC - Blue sheath

0327 59	Length 500 m	■	500 <sup>(1)</sup>
---------	--------------	---	--------------------

#### SF/UTP - 2 x 4 pairs

0328 59	Length 500 m	■	500 <sup>(1)</sup>
---------	--------------	---	--------------------

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

## Cabling system LCS<sup>2</sup> category 6

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

### Cords

#### RJ 45 patch cords and user cords cat. 6

#### RJ 45 - RJ 45 right

U/UTP unscreened impedance 100Ω

#### PVC - Blue sheath

0517 72	Length 1 m	■	1/20
0517 73	Length 2 m	■	1/20
0517 74	Length 3 m	■	1/20
0517 75	Length 5 m	■	1/20

#### LSZH - Red sheath

0518 62	Length 1 m	■	1/20
0518 63	Length 2 m	■	1/20
0518 64	Length 3 m	■	1/20
0518 65	Length 5 m	■	1/20

#### LSZH - Green sheath

0518 58	Length 1 m	■	1/20
0518 59	Length 2 m	■	1/20
0518 60	Length 3 m	■	1/20
0518 61	Length 5 m	■	1/20

#### F/UTP screened impedance 100Ω

#### PVC - Blue sheath

0517 62	Length 1 m	■	1/20
0517 63	Length 2 m	■	1/20
0517 64	Length 3 m	■	1/20
0517 65	Length 5 m	■	1/20

#### LSZH - Red sheath

0518 54	Length 1 m	■	1/20
0518 55	Length 2 m	■	1/20
0518 56	Length 3 m	■	1/20
0518 57	Length 5 m	■	1/20

#### LSZH - Green sheath

0518 50	Length 1 m	■	1/20
0518 51	Length 2 m	■	1/20
0518 52	Length 3 m	■	1/20
0518 53	Length 5 m	■	1/20

#### SF/UTP shielded impedance 100Ω

#### PVC - Blue sheath

0517 52	Length 1 m	■	5/50
0517 53	Length 2 m	■	5/50
0517 54	Length 3 m	■	5/50
0517 55	Length 5 m	■	5

#### Zone distribution boxes

0335 44	Cat. 6 – UTP	■	1/10
0335 45	Cat. 6 – FTP	■	1/10
0335 46	Cat. 6 – STP	■	1/10

#### Self-assembly zone distribution box

0335 40	Used for mounting LCS <sup>2</sup> RJ 45 connector blocks	■	1/10
---------	---	---	------

#### Cords cat. 6 - RJ 45/stripped AWG 24

U/UTP unscreened impedance 100Ω

0517 57	Length 8 m	■	4
0517 58	Length 15 m	■	4
0517 59	Length 20 m	■	4

## Cabling system LCS<sup>2</sup> category 6

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

#### Cords cat. 6 - RJ 45/stripped AWG 24

F/UTP screened impedance 100Ω

0517 96	Length 8 m	■	4
0517 97	Length 15 m	■	4
0517 98	Length 20 m	■	4

#### Cords cat. 6 - RJ 45/RJ 45

U/UTP unscreened impedance 100Ω

0515 10	Length 8 m	■	4
0515 11	Length 15 m	■	4
0515 12	Length 20 m	■	4

F/UTP screened impedance 100Ω

0515 13	Length 8 m	■	4
0515 14	Length 15 m	■	4
0515 15	Length 20 m	■	4

#### Sockets with copper feedthrough cat. 6

5723 31	Cat. 6 UTP Arteor™ white	■	10/100
5728 31	Cat. 6 UTP Arteor™ magnesium	■	10/100
5723 33	Cat. 6 FTP Arteor™ white	■	10/100
5728 33	Cat. 6 FTP Arteor™ magnesium	■	10/100

#### RJ 45 sockets

#### Arteor™ RJ 45 socket cat. 6

<b>5734 28*</b>	UTP - white 1 module	–	20/200
<b>5736 28**</b>	UTP - magnesium 1 module	–	20/200
<b>5734 74*</b>	UTP - white 2 modules	–	10/100
<b>5736 74**</b>	UTP - magnesium 2 modules	–	10/100
5723 24	UTP - white – 2 modules – round	■	10/100
5728 24	UTP - magnesium 2 modules – round	■	10/100
5723 53	UTP with controlled access white with red shutter - 2 modules	■	5/50
5728 53	UTP with controlled access- magnesium with red shutter	■	5/50
5723 39	UTP retractable RJ 45 - white - 4 modules	■	1/20
5728 39	UTP retractable RJ 45 - sockets magnesium - 4 modules	■	1/20
5723 22	FTP - white - 1 module	■	10/100
5728 22	FTP -magnesium - 1 module	■	10/100
5723 54	FTP - white with orange shutter 1 module	■	10/100
5728 54	FTP - magnesium with orange shutter 1 module	■	10/100
5723 55	FTP - white with green shutter 1 module	■	10/100



5723 31



5734 28



0517 62

\* MRP - Maximum Retail Price inclusive of all taxes.

■ Price available on request.

\* Refer page no 76

\*\* Refer page no 79

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

## Cabling system LCS<sup>2</sup> category 5e

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

### RJ 45 sockets

#### Arteor™ RJ 45 socket cat. 6

5728 55	FTP - magnesium with green shutter 1 module	■	10/100
5734 76	FTP - white 2 module	■	10/100
5736 76	FTP - magnesium 2 module	■	10/100
5734 34	Shielded STP white - 1 module	■	20/200
5736 34	Shielded STP magnesium - 1 module	■	20/200
5734 77	Shielded STP white - 1 module	■	10/100
5736 77	Shielded STP magnesium 1 module	■	10/100



5736 76

### Patch panels cat. 5e 24 x RJ 45 connectors

0335 51	UTP panel 8 contacts	■	1/3
0335 52	FTP panel 9 contacts	■	1/3
0335 88	UTP through panel 24 RJ 45 connectors	■	1/10



0335 52

### Modular panels

0335 90	19" panel - 1 U	■	1/3
---------	-----------------	---	-----



0335 90

### Units of 6 x RJ 45 connectors cat. 5e

0335 54	UTP unit	■	2/24
0335 55	FTP unit	■	2/24
0335 91	Blanking plate for 19" panel - black	■	10/100



0335 55

### Cables for local networks cat. 5e

#### U/UTP - 4 pairs

#### LSZH - grey sheath

0327 50	Length 305 m	■	305 <sup>(1)</sup>
0328 53	Length 500 m	■	500 <sup>(1)</sup>
0328 73	Length 1000 m	■	1000 <sup>(1)</sup>

#### PVC - grey sheath

0327 51	Length 305 m	■	305 <sup>(1)</sup>
0328 54	Length 500 m	■	500 <sup>(1)</sup>
0328 74	Length 1000 m	■	1000 <sup>(1)</sup>

#### U/UTP - 2x4 pairs -

#### LSZH - grey sheath

0328 55	Length 500 m	■	500 <sup>(1)</sup>
---------	--------------	---	--------------------

#### PVC - grey sheath

0327 73	Length 500 m	■	500 <sup>(1)</sup>
---------	--------------	---	--------------------

#### F/UTP - 4 pairs -

#### LSZH - grey sheath

0327 52	Length 305 m	■	305 <sup>(1)</sup>
0328 50	Length 500 m	■	500 <sup>(1)</sup>



0328 50

\* MRP - Maximum Retail Price Inclusive of all taxes.  
■ Price available on request.  
(1) in meters

## Cabling system LCS<sup>2</sup> category 5e

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

### Cables for local networks cat. 5e

#### F/UTP - 4 pairs -

#### PVC - grey sheath

0327 53	Length 305 m	■	305 <sup>(1)</sup>
0328 51	Length 500 m	■	500 <sup>(1)</sup>

#### F/UTP - 2x4 pairs -

#### LSZH - grey sheath

0327 74	Length 500 m	■	500 <sup>(1)</sup>
---------	--------------	---	--------------------

#### PVC - grey sheath

0328 52	Length 500 m	■	500 <sup>(1)</sup>
---------	--------------	---	--------------------

### Cords

#### RJ 45 patch cords and user cords cat. 5e

#### U/UTP unscreened impedance 100Ω

0516 36	Length 1 m - grey	■	1/20
0516 37	Length 2 m - grey	■	1/20
0516 38	Length 3 m - grey	■	1/20
0516 39	Length 5 m - grey	■	1/20

#### F/UTP screened impedance 100Ω

0516 40	Length 1 m - grey	■	1/20
0516 41	Length 2 m - grey	■	1/20
0516 42	Length 3 m - grey	■	1/20
0516 43	Length 5 m - grey	■	1/20



0516 40

### Zone distribution boxes

#### Self-assembly zone distribution box

0335 40	Used for mounting LCS <sup>2</sup> RJ 45 connector blocks	■	1/10
---------	---	---	------

### Cords cat. 5e - RJ 45 / stripped

#### U/UTP unscreened impedance 100

0517 90	Length 8 m	■	4
0517 91	Length 15 m	■	4
0517 92	Length 20 m	■	4

#### F/UTP screened impedance 100Ω

0517 93	Length 8 m	■	4
0517 94	Length 15 m	■	4
0517 95	Length 20 m	■	4

### Cords cat. 5e - RJ 45/RJ 45

#### U/UTP unscreened impedance 100Ω

0515 00	Length 8 m	■	4
0515 01	Length 15 m	■	4
0515 02	Length 20 m	■	4

#### F/UTP unscreened impedance 100Ω

0515 03	Length 8 m	■	4
0515 04	Length 15 m	■	4
0515 05	Length 20 m	■	4

### Sockets with copper feedthrough cat. 5e

5723 30	Cat. 5e UTP - Arteor™ white	■	10/100
5728 30	Cat. 5e UTP - Arteor™ - magnesium	■	10/100
5723 32	Cat. 5e FTP - Arteor™ white	■	10/100
5728 32	Cat. 5e FTP - Arteor™ - magnesium	■	10/100

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

## Cabling system LCS<sup>2</sup> category 5e

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

### RJ 45 sockets

#### Arteor™ RJ 45 socket cat. 5e

5734 29*	UTP - white 1 module	–	20/200
5736 29**	UTP - magnesium 1 module	–	20/200
5734 75*	UTP - white 2 modules	–	10/100
5736 75**	UTP - magnesium 2 modules	–	10/100
5734 30	FTP - white 1 module	■	20/200
5736 30	FTP - magnesium 1 module	■	20/200



5734 75

### Plexo RJ 45 sockets, cat. 5e

#### IP 55 closed flap IK 07

0695 57	FTP socket	■	1/20
0695 56	UTP socket	■	1/20
0695 81	Adapter for RJ 45 socket	■	1/10



0695 57

## Cabling system LCS<sup>2</sup> category cat. 6A, LCS<sup>2</sup> cat. 6, LCS<sup>2</sup> cat. 5e

### Modular panels

0335 90	19" panel - 1 U	■	1/3
---------	-----------------	---	-----

### Doubler units

0335 54	UTP unit	■	2/24
0335 55	FTP unit	■	2/24
0335 91	Blanking plate for 19" panel - black	■	10/100

### Ethernet/Ethernet doublers 100 base T

0335 39	FTP - 9 contacts	■	1/10
0335 38	UTP - 8 contacts	■	1/10



0335 39

### Telephone/Ethernet doublers 100 base T

0335 37	FTP - 9 contacts	■	1/10
0335 36	UTP - 8 contacts	■	1/10

### Telephone/telephone doubler

0335 35	45 contacts	■	1/10
---------	-------------	---	------

### Video streaming unit

0335 34	Block of 6 "F" connectors for video circuits	■	1/10
---------	---	---	------



0335 34

### Fibre optic units

#### Monomode fibre units (9/125 µm)

0335 13	LC unit for 6 monomode fibres	■	1/10
0335 12	SC unit for 6 monomode fibres	■	1/10



0335 12

## Cabling system LCS<sup>2</sup> category cat. 6A, LCS<sup>2</sup> cat. 6, LCS<sup>2</sup> cat. 5e

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

### Fibre optic units

#### Multimode fibre units (62.5 and 50/125 µm)

0335 16	ST unit for 6 multimode fibres	■	1/10
0335 17	SC unit for 6 multimode fibres	■	1/10
0335 18	LC unit for 6 multimode fibres	■	1/10
0335 19	High-density LC unit for 12 multimode fibres	■	1/10



0335 16

### Blanking plates

0517 40	Set of 12 blanking plugs for RJ 45 LCS <sup>2</sup> connector white	■	10/100
0517 41	Set of 12 blanking plugs for RJ 45 LCS <sup>2</sup> connector black	■	10/100
0335 91	Blanking plate for 19" panel black	■	10/100

### Ethernet switches 100 Mbps

#### Switch units for patch panel

0335 02	7 RJ 45 ports at the front, 1 of which is a cascade port	■	1/8
0335 05	6 RJ 45 ports + 1 LC type optic port with front- mounted cascade 100 base FX type LC	■	1/8



0335 02

### Boxes to be installed on shelf

0332 93	5 RJ 45 port switch	■	1/10
0332 91	8 RJ 45 port switch	■	1/10



0332 93

### Mini shelf

0332 81	For switch Cat.Nos 0332 91/93	■	1/5
---------	----------------------------------	---	-----

### Copper/fibre optic converter units

0335 06	10/100 base T to 10/100 base FX type SC	■	1/5
0335 07	1000 base T to 1000 base SX type SC	■	1/5

### Midspan Power over Ethernet (PoE) injectors

0335 01	4 inlets/outlets	■	1/10
0327 37	1 inlet / outlet	■	1/20



0335 01



0327 37

## Cabling system LCS<sup>2</sup> doubler sockets and accessories

### RJ 45 doubler sockets

5723 36	Telephone/Ethernet Arteor™ - FTP - 9 contacts	■	10/100
5728 36	Telephone/Ethernet Arteor™ - FTP - 9 contacts	■	10/100



5723 36

\* MRP - Maximum Retail Price Inclusive of all taxes.

Red Cat.Nos - new products

■ Price available on request.

\* Refer page no 76

\*\* Refer page no 79

Bold Cat.Nos are products normally available with Legrand (India) Stockists.  
Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order.  
Bold packing quantity is our mandatory packing. Orders to be placed by  
Legrand (India) Stockiest in multiples of the same.

## Cabling system LCS<sup>2</sup> doubler sockets and accessories



5728 35

Cat.Nos	Description	MRP* ₹ / Unit	Pack
<b>RJ 45 doubler sockets</b>			
5723 35	Telephone/Ethernet Arteor™ - UTP - 8 contacts	■	10/100
5728 35	Telephone/Ethernet Arteor™ - UTP - 8 contacts	■	10/100

### Mobile doublers

0327 83	TV/computer network or telephone double connector	■	10/100
0327 47	Telephone/telephone doubler	■	10/100
0327 45	Computer network/telephone doubler	■	10/100
0327 46	L1/L2 telephone doubler	■	10/100
0327 48	Computer network/computer network double connector	■	10/100

### Weatherproof adaptors



0539 49

0695 80	Adapter with smoked flap	■	10/100
0695 79	Adapter with smoked flap ockable by special tool	■	1/10
0695 81	Adapter for RJ socket	■	1/100
0919 45	Locking tool	■	1/100
0778 80	Soliroc adapter with flap	■	1/20
0778 81	Soliroc adapter without flap	■	1/20
0539 49	IP 55 hypra adapter base	■	5/25

### Cable protection accessories



0533 00

0533 00	Plug - Integrated PE with sealing ring and clamping blades	■	3/30
0533 01	Flush-mounting base - locking base	■	3/30
0533 02	Kit - flush - mounting base + plug	■	3/30
0533 03	Protective flap - fits on base Cat.No 0533 01	■	3/12

### RJ plugs for round cables



0533 01

0517 01	RJ 11 - 4 contacts, width 9.65 mm	■	50/1000
0517 02	RJ 12 - 6 contacts, width 9.65 mm	■	50/1000
0517 03	RJ 45 cat. 5e - 8 contacts, width 11.70 mm	■	50/1000
0517 04	width 11.70 mm 9 contacts, width 11.70 mm	■	50/1000
0517 06	RJ 45 sleeves black	■	50/1000
0517 07	RJ 45 sleeves white	■	50/1000

### Stripping tool

0332 62	Stripper for twisted pair and fibre optic cable	■	1/20
0327 60	Cutting pliers - cuts wires cleanly without damaging the copper	■	1/50

\* MRP - Maximum Retail Price Inclusive of all taxes.  
■ Price available on request.

## Cabling system LCS<sup>2</sup> doubler sockets and accessories



0517 09

Cat.Nos	Description	MRP* ₹ / Unit	Pack
<b>Crimping tool for RJ 45 plugs</b>			
0517 09	Tool with 3 crimping points	■	1/10
<b>110 tool</b>			
0332 60	110 tool	■	1/77
0332 61	Replacement blade	■	5/330

## Cabling system LCS<sup>2</sup> telephone panels, units and cables



0335 79

### Patch panel telephone 50 ports 110 connect

0335 79	19" panel - 1 U	■	1
---------	-----------------	---	---

### Cables for telephone networks cat. 3

0328 91	U/UTP - 50 pairs - length 500 m	■	500 <sup>(n)</sup>
0328 88	U/UTP - 100 pairs - length 500 m	■	500 <sup>(n)</sup>

### Panels and units for incoming telephone

#### Panels assembled - 1 U

0335 31	3-6/4-5 contacts for digital telephone	■	1/3
0335 30	4-5/7-8 contacts for analogue telephone	■	1/3

#### Incoming telephone units for self-assembly panels

0335 33	3-6/4-5 contacts for digital telephone	■	2/40
0335 32	4-5/7-8 contacts for analogue telephone	■	2/40

## Wi-Fi

### switches, distributors and Wi-Fi access points

#### Flush-mounting 10/100 base T switches



5720 83

5720 84	Arteor™ white - non-manageable PoE power supply	■	1/10
5728 84	Arteor™ - PoE power supply magnesium	■	1/10
5720 83	230 VA power supply Arteor™ - white	■	1/10
5728 83	230 VA power supply Arteor™ - magnesium	■	1/10
5720 85	Arteor™-white - manageable 230 VA power supply	■	1/10
5728 85	230 VA power supply Arteor™ - magnesium	■	1/10

#### Manageable Wi-Fi access points 802.11a & b/g



5723 76

5723 76	With RJ 45 socket on front white - Arteor™	■	1/10
5728 76	With RJ 45 socket on front magnesium - Arteor™	■	1/10
5723 77	With no RJ 45 socket white - Arteor™	■	1/10
5728 77	With no RJ 45 socket magnesium - Arteor™	■	1/10

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

## Wi-Fi

switches, distributors and Wi-Fi access points

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

### Manageable Wi-Fi access points 802.11a & b/g

5723 78	With no RJ 45 socket white - Arteor™	■	1/10
5728 78	With no RJ 45 socket magnesium - Arteor™	■	1/10

### Manageable Wi-Fi access points 802.11n

0335 22	Wi-Fi wall/surface mounted access point 802.11n	■	1/10
0335 21	Wi-Fi ceiling mounted access point 802.11n	■	1/10

### Wi-Fi network management system

0335 25	Controller 5APs	■	1
0335 26	Extension licence up to 10 AP	■	1
0335 27	Extension licence up to 25 AP	■	1
0335 24	Access point manager	■	1/10

### Midspan Power over Ethernet (PoE) injectors

0335 01	4 inlets/outlets	■	1/10
0327 37	1 inlet / outlet	■	1/20

## Cabling system LCS<sup>2</sup>

Fibre optic  
fibre cables

### OS 1 singlemode optical cables (9/125 µm)

#### Yellow jacket

0325 12	Indoor/outdoor 6 fibres	■	2000 <sup>(1)</sup>
0325 13	Outdoor, corrugated steel tape 6 fibres	■	2000 <sup>(1)</sup>
0325 14	Indoor/outdoor 12 fibres	■	2000 <sup>(1)</sup>
0325 50	Indoor/outdoor 12 fibres - 900 µm	■	2000 <sup>(1)</sup>
0325 15	Outdoor, corrugated steel tape 12 fibres	■	2000 <sup>(1)</sup>
0325 51	Indoor/outdoor 24 fibres	■	2000 <sup>(1)</sup>

### OM 3 multimode optical cables (50/125 µm)

#### Green jacket

0325 10	Indoor/outdoor 6 fibres	■	2000 <sup>(1)</sup>
0325 11	Indoor/outdoor 12 fibres	■	2000 <sup>(1)</sup>
0325 52	Indoor/outdoor 24 fibres	■	2000 <sup>(1)</sup>
0325 53	Indoor/outdoor 24 fibres	■	2000 <sup>(1)</sup>

### OM 2 multimode optical cables (50/125 µm)

#### Orange jacket

0325 54	Indoor/outdoor 2 fibres	■	2000 <sup>(1)</sup>
0325 59	Indoor/outdoor 4 fibres	■	2000 <sup>(1)</sup>
0325 55	Indoor/outdoor 4 fibres	■	2000 <sup>(1)</sup>
0325 04	Indoor/outdoor 6 fibres	■	2000 <sup>(1)</sup>
0325 08	Indoor/outdoor 6 fibres	■	2000 <sup>(1)</sup>
0325 05	Outdoor, corrugated steel tape 6 fibres	■	2000 <sup>(1)</sup>
0325 06	Indoor/outdoor 12 fibres	■	2000 <sup>(1)</sup>
0325 09	Indoor/outdoor 12 fibres	■	2000 <sup>(1)</sup>
0325 07	Outdoor, corrugated steel tape	■	2000 <sup>(1)</sup>
0325 60	Indoor/outdoor 12 fibres	■	2000 <sup>(1)</sup>
0325 58	Indoor/outdoor 24 fibres	■	2000 <sup>(1)</sup>

\* MRP - Maximum Retail Price inclusive of all taxes.  
■ Price available on request.  
(1) in meters

## Cabling system LCS<sup>2</sup>

fibre optic

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

### OM 1 multimode optical cables (62.5/125 µm)

#### Orange jacket

0325 00	Indoor/outdoor 6 fibres	■	2000 <sup>(1)</sup>
0325 01	Indoor/outdoor 12 fibres	■	2000 <sup>(1)</sup>

### Case and rapid crimping connectors Rapid crimping connectors 900 µm

#### Monomode connectors

0331 12	LC connector for 9/125 µm fibres	■	10/200
0331 13	SC connector for 9/125 µm fibres	■	10/200

### Rapid crimping connectors 900 µm

#### Multimode connectors

0331 06	LC 10 Gb connector for 50/125 µm	■	10/200
0331 07	SC 10 Gb connector for 50/125 µm	■	10/200
0331 08	ST 10 Gb connector for 50/125 µm	■	10/200
0331 09	LC connector for 62.5/125 µm fibre	■	10/200
0331 10	SC connector for 62.5/125 µm fibre	■	10/200
0331 11	ST connector for 62.5/125 µm fibre	■	10/200

### Installation case for rapid crimping connector

0331 93	Used for quick and simple installation of ST, SC or LC fibre connectors	■	1
---------	---	---	---

### Pigtails

#### 10 Gb - 50/125 µm

0326 22	SC connector	■	6/60
0326 23	LC connector	■	6/60
0326 27	6 x LC-PC connectors	■	1/5
0326 26	12 x LC-PC connectors	■	1/5

#### 9/125 µm

0326 20	SC connector	■	6/60
0326 21	LC connector	■	6/60
0326 25	6 x LC-UPC connectors	■	1/5
0326 24	12 x LC-UPC connectors	■	1/5

### Thermoretractable sleeve for pigtails

0327 44	40 mm-pack of 50 sleeves	■	1/10
---------	--------------------------	---	------

### Glue-on connectors 50/125 and 62.5/125 µm

0331 27	ST connector	■	10/200
0331 47	SC connector	■	10/200
0331 00	LC connector	■	10/200

### Spreaders

0330 48	6 fibre spreader	■	1/10
0330 49	12 fibre spreader	■	1/10

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

## Cabling system LCS<sup>2</sup> fibre optic

Cat.Nos	Description	MRP* ₹ / Unit	Pack
<b>19" optic drawers</b>			
0335 10	Modular optic drawer	■	1
<b>Fibre optic units</b>			
<b>Monomode fibre units (9/125 µm)</b>			
0335 13	LC unit for 6 monomode fibres	■	1/10
0335 12	SC unit for 6 monomode fibres	■	1/10
<b>Multimode fibre units (62.5 and 50/125 µm)</b>			
0335 16	ST unit for 6 multimode fibres	■	1/10
0335 17	SC unit for 6 multimode fibres	■	1/10
0335 18	LC unit for 6 multimode fibres	■	1/10
0335 19	High-density LC unit for 12 multimode fibres	■	1/10
<b>Switch/fibre optic unit</b>			
0335 05	6 x RJ 45 ports + 1 cascade LC type optic port at the front	■	1/8
<b>Copper/fibre optic converter units</b>			
0335 06	10/100 base T to 10/100 base FX type SC	■	1/5
0335 07	1000 base T to 1000 base SX type SC	■	1/5
<b>Fibre optic cassette for patch panel</b>			
0335 11	Ensures fibre coiling (from 2 to 12 fibres)	■	1/5
<b>Blanking plate for 19" panel</b>			
0335 91	Black	■	10/100
<b>19" high density optic drawer</b>			
0325 69	Modular optical drawer	■	1
<b>Fibre optic units</b>			
<b>Monomode fibre units (9/125 µm)</b>			
0325 73	LC duplex unit for 6 monomode fibres - blue	■	3/30
0325 74	LC duplex unit for 12 monomode fibres - blue	■	3/30
0325 70	ST duplex unit for 6 monomode fibres - blue	■	3/30
0325 71	SC duplex unit for 6 monomode fibres - blue	■	3/30
0325 72	MPO unit type A for 6 monomode fibres - blue	■	3/30
<b>Multimode fibre units (62.5 and 50/125 µm)</b>			
0325 78	LC duplex unit for 6 multimode fibres - beige	■	3/30
0325 79	LC duplex unit for 12 multimode fibres - beige	■	3/30
0325 75	ST duplex unit for 6 multimode fibres - beige	■	3/30
0325 76	SC duplex unit for 6 multimode fibres - beige	■	3/30
0325 77	MPO unit type A for 6 multimode fibres - beige	■	3/30

\* MRP - Maximum Retail Price Inclusive of all taxes.  
■ Price available on request.

## Cabling system LCS<sup>2</sup> fibre optic

Cat.Nos	Description	MRP* ₹ / Unit	Pack
<b>Accessory</b>			
0335 93	Blanking plate	■	10
<b>Accessories common to 2 optical drawers</b>			
<b>Cassette for pigtails</b>			
0329 07	12 fibre capacity	■	1/10
<b>Bend limiting clip</b>			
0335 94	Fibre management bend limiting clip	■	10
<b>Fibre sockets</b>			
0786 16	Socket with fibre optic feedthrough 2 x ST - white	■	1/20
0786 17	Socket with fibre optic feedthrough 2 x SC - white	■	1/20
0786 18	Socket with fibre optic feedthrough 2 x LC - white	■	1/20
<b>Zone distribution boxes</b>			
<b>Self-assembly zone distribution box</b>			
0335 40	Used for fitting fibre optic accessory units	■	1/10
<b>Fibre optic accessory</b>			
0335 20	Used for fitting fibre optic units and the fibre coil in the zone distribution box	■	1/10
<b>Sockets with fibre optic feedthrough</b>			
0786 16	Socket with fibre optic feedthrough 2 x ST - white	■	1/20
0786 17	Socket with fibre optic feedthrough 2 x SC - white	■	1/20
0786 18	Socket with fibre optic feedthrough 2 x LC - white	■	1/20
<b>Patch cords</b>			
<b>OS 1 (UPC) monomode optical cords</b>			
0326 00	SC/SC duplex cords length: 1 m	■	3/30
0326 01	SC/SC duplex cords length: 2 m	■	3/30
0326 02	SC/SC duplex cords length: 3 m	■	3/30
0326 03	SC/LC duplex cords length: 1 m	■	3/30
0326 04	SC/LC duplex cords length: 2 m	■	3/30
0326 05	SC/LC duplex cords length: 3 m	■	3/30
0326 06	LC/LC duplex cords length: 1 m	■	3/30
0326 07	LC/LC duplex cords length: 2 m	■	3/30
0326 08	LC/LC duplex cords length: 3 m	■	3/30
<b>OM 3 multimode optical cords (50/125 µm)</b>			
0326 09	SC/SC duplex cords length: 1 m	■	3/30
0326 10	SC/SC duplex cords length: 2 m	■	3/30
0326 11	SC/SC duplex cords length: 3 m	■	3/30
0326 12	SC/LC duplex cords length: 1 m	■	3/30

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

## Cabling system LCS<sup>2</sup> fibre optic

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

### OM 3 multimode optical cords (50/125 µm)

0326 13	SC/LC duplex cords length: 2 m	■	3/30
0326 14	SC/LC duplex cords length: 3 m	■	3/30
0326 15	LC/LC duplex cords length: 1 m	■	3/30
0326 16	LC/LC duplex cords length: 2 m	■	3/30
0326 17	LC/LC duplex cords length: 3 m	■	3/30



0326 13



0326 16

### OM 2 multimode optical cords (50/125 µm)

0330 80	ST/ST duplex cords length: 1 m	■	3/30
0330 81	ST/ST duplex cords length: 2 m	■	3/30
0330 82	ST/ST duplex cords length: 3 m	■	3/30
0330 69	SC/SC duplex cords length: 1 m	■	3/30
0330 70	SC/SC duplex cords length: 2 m	■	3/30
0330 71	SC/SC duplex cords length: 3 m	■	3/30
0330 72	ST/SC duplex cords length: 2 m	■	3/30
0330 73	ST/SC duplex cords length: 3 m	■	3/30
0330 61	LC/LC duplex cord length: 2 m	■	3/30
0330 75	SC/LC duplex cords length: 1 m	■	3/30
0330 63	SC/LC duplex cords length: 2 m	■	3/30
0330 76	SC/LC duplex cords length: 3 m	■	3/30
0330 65	LC/ST duplex cord length: 2 m	■	3/30



0330 70



0330 65

### OM 1 multimode optical cords (62.5/125 µm)

0331 51	SC/SC duplex patch cords length: 1 m	■	3/30
0331 52	SC/SC duplex patch cords length: 2 m	■	3/30
0331 53	SC/SC duplex patch cords length: 3 m	■	3/30
0331 57	ST/SC duplex patch cords length: 1 m	■	3/30
0331 58	ST/SC duplex patch cords length: 2 m	■	3/30
0330 77	LC/SC duplex patch cords length: 1 m	■	3/30
0330 62	LC/SC duplex patch cords length: 2 m	■	3/30
0330 78	LC/SC duplex patch cords length: 3 m	■	3/30

## Cabling system LCS<sup>2</sup> fibre optic

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

### Arteor™

#### Audio and video sockets

#### 2 x female RCA

5722 72	White square version 22.5 x 45 mm - 1 module	■	1/20
5727 72	Magnesium square version 22.5 x 45 mm - 1 module	■	1/20
5732 72	White round version 45 x 45 mm - 2 modules	■	1/20
5737 72	Magnesium round version 45 x 45 mm - 2 modules	■	1/20



5722 72

#### 3 x female RCA

5722 73	White square version 22.5 x 45 mm - 1 module	■	1/20
5727 73	Magnesium square version 22.5 x 45 mm - 1 module	■	1/20
5732 73	White round version 45 x 45 mm - 2 modules	■	1/20
5737 73	Magnesium round version 45 x 45 mm - 2 modules	■	1/20



5732 73

## Cabling system LCS<sup>2</sup>

#### Audio and video sockets

#### Female 3.5 mm jack - square version

5722 74	Connection on screw terminals white 22.5 x 45 mm - 1 module	■	1/20
5727 74	Connection on screw terminals magnesium 22.5 x 45 mm - 1 module	■	1/20
5722 78	White solder connection 22.5 x 45 mm - 1 module	■	1/20
5727 78	Magnesium solder connection 22.5 x 45 mm - 1 module	■	1/20



5722 74

#### YUV - square version

5722 71	White 1 module 22.5 x 45 mm	■	1/20
5727 71	Magnesium 1 module 22.5 x 45 mm	■	1/20



5722 71

#### HDMI

5722 81	White square version 45 x 45 mm - 2 modules	■	1/20
5727 81	Magnesium square version 45 x 45 mm - 2 modules	■	1/20
5722 85	White round version 45 x 45 mm - 2 modules	■	1/50
5727 85	Magnesium round version 45 x 45 mm - 2 modules	■	1/50



5722 81

#### S-video sockets (4-pin mini-DIN)

5744 01	White square version	■	1/20
5744 51	Magnesium square version	■	1/20
5745 01	White round version	■	1/20
5745 51	Magnesium round version	■	1/20

\* MRP - Maximum Retail Price Inclusive of all taxes.  
■ Price available on request.

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.



## Cabling system LCS<sup>2</sup>

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

### Female BNC 75

5722 76	White 22.5 x 45 mm - 1 module	■	1/20
5727 76	Magnesium 22.5 x 45 mm - 1 module	■	1/20

5722 76

### Female HD 15

5722 82	Connection on screw terminals - white 45 x 45 mm - 2 modules	■	1/20
5727 82	Connection on screw terminals - magnesium 45 x 45 mm - 2 modules	■	1/20
5722 79	Solder connection - white 22.5 x 45 mm - 1 module	■	1/20
5727 79	Solder connection magnesium 22.5 x 45 mm - 1 module	■	1/20

5722 82

5727 79

### Female HD 15 + jack 3.5 mm

5722 88	White square version 45 x 45 mm - 2 modules	■	1/20
5727 88	Magnesium square version 45 x 45 mm - 2 modules	■	1/20
5722 89	White round version 45 x 45 mm - 2 modules	■	1/50
5727 89	Magnesium round version 45 x 45 mm - 2 modules	■	1/50

5722 88

### HD 15 amplifier + jack kit

5723 70	White 4-module HD 15 connector and a 3.5 mm jack	■	1/10
5728 70	Magnesium 4-module HD 15 connector and a 3.5 mm jack	■	1/10

### Equipment cords

0517 20	HDMI cord length 10 m	■	1/5
0517 22	HD 15 cord + 3.5 mm Jack cord length 2 m	■	1/5
0779 30	HDMI booster	■	1/45

0517 20

0779 30

### Cables

0327 80	HDMI cable length 20 m	■	1/3
0327 81	VGA cable length 20 m	■	1/3

0517 22

## Cabling system LCS<sup>2</sup>

### 19" LCS<sup>2</sup> server enclosures

Server enclosures			
Cat.Nos	Description	MRP* ₹ / Unit	Pack
0463 85	600 x 1000 x 630 mm	■	1
0463 86	800 x 1000 x 630 mm	■	1

0463 85

### Accessories

0464 82	Set of 4 caster wheels	■	1
0465 17	Shelves - fixed shelf depth 850 mm, 100 kg	■	1
0465 18	Shelves - telescopic shelf depth 850 mm, 100 kg	■	1
0464 78	Cable guide supports For width 600/800 mm	■	1
0464 79	Cable guide supports For width 1000 mm	■	1

\* MRP - Maximum Retail Price Inclusive of all taxes.  
■ Price available on request.

## Cabling system LCS<sup>2</sup>

### 19" LCS<sup>2</sup> enclosures

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

### Earth braid

0347 95	Capacity - 6, fixing spacing 200 mm	■	20/440
---------	--	---	--------

### 19" LCS<sup>2</sup> enclosures

0463 00	Capacity 24 U 600 x 600 x 240 mm	■	1
0463 06	Capacity 29 U 600 x 600 x 290 mm	■	1
0463 12	Capacity 33 U 600 x 600 x 330 mm	■	1
0463 18	Capacity 42 U 600 x 600 x 420 mm	■	1
0463 19	Capacity 42 U 600 x 800 x 420 mm	■	1
0463 21	Capacity 42 U 800 x 600 x 420 mm	■	1
0463 22	Capacity 42 U 800 x 800 x 420 mm	■	1
0463 23	Capacity 42 U 800 x 1000 x 420 mm	■	1
0463 28	Capacity 47 U 800 x 800 x 470 mm	■	1
0463 29	Capacity 47 U 800 x 1000 x 470 mm	■	1

0463 18

### 19" LCS<sup>2</sup> extension enclosures

0463 30	600 x 600 x 420 mm	■	1
0463 33	800 x 800 x 420 mm	■	1

### LCS<sup>2</sup> cabling units

0463 34	Depth 600 mm	■	1
0463 35	Depth 800 mm	■	1

### LCS<sup>2</sup> joining kits

0463 37	Depth 600 mm	■	1
0463 38	Depth 800 mm	■	1
0463 39	Depth 1000 mm	■	1

## Cabling system LCS<sup>2</sup>

### Linkeo 19" LCS<sup>2</sup> enclosures

0463 52	Capacity 33 U - 600 x 600 x 330 mm	■	1
0463 58	Capacity 42 U - 600 x 600 x 420 mm	■	1
0463 59	Capacity 42 U - 600 x 800 x 420 mm	■	1
0463 60	Capacity 42 U - 800 x 600 x 420 mm	■	1
0463 61	Capacity 42 U - 800 x 800 x 420 mm	■	1

0463 58

### Linkeo 19" LCS<sup>2</sup> extension enclosures

0463 81	Capacity 42 U - 600 x 600 x 420 mm	■	1
0463 84	Capacity 42 U - 800 x 800 x 420 mm	■	1

### Linkeo LCS<sup>2</sup> cabling units

0463 75	Depth 600 mm	■	1
0463 76	Depth 800 mm	■	1

Bold Cat.Nos are products normally available with Legrand (India) Stockists.  
Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order.  
Bold packing quantity is our mandatory packing. Orders to be placed by  
Legrand (India) Stockiest in multiples of the same.

## Cabling system LCS<sup>2</sup>

Linkeo 19" LCS<sup>2</sup> enclosures

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

### Linkeo LCS<sup>2</sup> joining kits

0463 78	Depth 600 mm	■	1
0463 79	Depth 800 mm	■	1

### Linkeo 19" LCS<sup>2</sup> uprights

0463 72	33 U	■	1
0463 73	42 U	■	1

### Enclosure bases

0464 50	Plinth kits enclosure width 600 mm height 100	■	1
0464 52	Plinth kits enclosure width 600 mm height 200	■	1
0464 51	Plinth kits enclosure width 800 mm height 100	■	1
0464 53	Plinth kits enclosure width 800 mm height 200	■	1
0464 54	Sets of 2 solid side traps enclosure width 600 mm	■	1
0464 56	Sets of 2 solid side traps enclosure width 800 mm	■	1
0464 58	Sets of 2 solid side traps enclosure width 1000 mm	■	1
0464 60	Ventilated traps enclosure width 600 mm	■	1
0464 61	Ventilated traps enclosure width 800 mm	■	1
0464 62	Traps with brush enclosure width 600 mm	■	1
0464 63	Traps with brush enclosure width 800 mm	■	1

0464 61

0464 63

## Cabling system LCS<sup>2</sup>

enclosure bases

### Base for cabling units

0464 64	Assembled at front or rear between the bases of associated enclosures	■	1/4
---------	---	---	-----

### Stay plates

0476 93	enclosure width 600 mm	■	1
0476 94	enclosure width 800 mm	■	1
0476 95	enclosure width 1000 mm	■	1

### Linking interface

0464 66	For enclosure depth 600 mm	■	1
---------	----------------------------	---	---

0464 66

## Cabling system LCS<sup>2</sup>

cable inlets and thermal management for enclosures

### 19" cable entry inlets

0465 28	Plastic with brushes, snap on 1 U	■	1/80
0465 29	Plastic with brushes, snap on 2 U	■	1/40
0465 32	Solid plastic, direct clipping 1 U	■	1/80
0465 33	Solid plastic, direct clipping 2 U	■	1/40
0465 30	Metal with brushes 1 U	■	1/8
0465 31	Metal with brushes 2 U	■	1/4
0465 38	Solid metal - 1 U	■	1/8
0465 39	Solid metal - 2 U	■	1/4
0465 40	Solid metal - 3 U	■	1/4

0465 29

0465 32

## Cabling system LCS<sup>2</sup>

cable inlets and thermal management for enclosures

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

### Thermal management


0464 87	19" 3 U plates with fans 2 x 230 VA fans	■	1
0464 88	19" 3 U plates with fans 3 x 230 VA fans	■	1
0464 89	1 U ventilation drawers 19" ventilation shelf with 2 fans - depth 150 mm	■	1
0464 90	1 U ventilation drawers 19" ventilation shelf with 4 fans - depth 300 mm	■	1
0348 48	Thermostat adjustable from 5 to 60 °C, 12 V to 250 VA	■	1/25

### Accessories

0464 83	Set of 4 casters for LCS <sup>2</sup> enclosure (excludes server enclosure)	■	1
0464 85	Lighting kit with switch	■	1
0464 84	Level adjustment kit	■	1
0464 86	Floor fixing kit	■	1/10

### Self-adhesive document holders for plans

0365 80	Open - RAL 7035 depth 18 mm	■	20
0365 81	Open - RAL 7035 depth 18 mm	■	20
0365 82	Closed - RAL 9002 stiff, plastic, IP 50	■	1/10
0097 99	Transparent soft plastic, A4 - 305 x 220 mm	■	10/100



0365 81



0365 82

## Cabling system LCS<sup>2</sup>

Altis™ enclosures

### 19" 42 U Altis enclosures

0473 62	Glass door enclosures depth 600 mm	■	1
0473 63	Glass door enclosures depth 600 mm	■	1
0473 91	Glass door enclosures depth 800 mm	■	1
0473 92	Glass door enclosures depth 800 mm	■	1
0472 72	Set of 2 side panels depth 2000 x 600 mm	■	1
0472 75	Set of 2 side panels depth 2000 x 600 mm	■	1
0482 20	Set of 2 42 U uprights (perforations 9.4 x 9.5 mm)	■	1
0476 83	Interior assembly kit - IP 55 for a 1000 kg/m <sup>3</sup> load	■	1
0476 96	M 14 lifting rings Set of 4 rings For a load of 1000 kg/m <sup>3</sup>	■	1



0473 62

+ 0472 72

+ 0482 20



0473 63

\* MRP - Maximum Retail Price Inclusive of all taxes.  
■ Price available on request.

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

## Cabling system LCS<sup>2</sup> 19" LCS<sup>2</sup> equipment

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

### Fixed shelves


#### Projecting mounting on 2 x 19" uprights



0465 01

0465 00	Depth 115 mm	■	1
0465 01	Depth 200 mm	■	1
0465 02	Depth 360 mm	■	1

#### Quick fixing on 4 x 19" uprights



0465 06


0465 05	Depth 450 mm	■	1
0465 06	Depth 650 mm	■	1
0465 07	Depth 850 mm	■	1

#### Screw fixed on 4 x 19" uprights

0465 17	Depth 850 mm	■	1
---------	--------------	---	---

### Telescopic shelves

#### Quick fixing on 4 x 19" uprights



0465 09

0465 08	Depth 450 mm	■	1
0465 09	Depth 650 mm	■	1
0465 10	Depth 650 mm	■	1

#### Screw fixed on 4 x 19" uprights

0465 18	Depth 850 mm	■	1
---------	--------------	---	---

### Fixed runners



0465 11

0465 11	For enclosure depth 600 mm	■	1
0465 12	For enclosure depth 800 mm	■	1
0465 13	For enclosure depth 1000 mm	■	1

### Keypad support shelf

0465 19	Screw fixed on 4 x 19" uprights	■	1
---------	---------------------------------	---	---

### 230 VA power supply units

6339 10	5 x 2P + sockets + switch	■	1
6339 11	5 x 2P + sockets + MBC	■	1
0775 41	Replacement module for surge suppressor	■	1/50
0332 79	Modular unit	■	1/8

### DIN rail kit IP 2X



0465 45

0465 45	For assembling Lexic modular appliances	■	1
---------	---	---	---

## Cabling system LCS<sup>2</sup> LCS<sup>2</sup> cable management

### Enclosure cable and cord management

0464 72	Set of 3 cable management supports for enclosure width/depth 600 mm	■	1
0464 73	Set of 3 cable management supports for enclosure width/depth 800 mm	■	1
0464 74	Set of 3 cable management supports for enclosure depth 1000 mm	■	1

\* MRP - Maximum Retail Price Inclusive of all taxes.  
■ Price available on request.  
(1) Can also be installed in 19" Altis width 800 mm

## Cabling system LCS<sup>2</sup> LCS<sup>2</sup> cable management

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

### Enclosure cable and cord management

0464 76	Flat cable guides for enclosure 33 U	■	1
0464 77	Flat cable guides for 42 U enclosures	■	1
0464 69	U cable guides 3000 x 200 x 54 mm	■	1
0464 70	U cable guides 3000 x 400 x 54 mm	■	1
0331 35 <sup>(1)</sup>	Cable management grille guard with articulated bolts	■	1
0464 80 <sup>(1)</sup>	Vertical feedthrough	■	1
0464 81	Patch extension - set of 2 uprights allowing 12 U	■	1

### 19" feedthrough panels

0465 22	Metal, 2 axes 1 U	■	1/10
0465 23	Metal, 2 axes 2 U	■	1/8
0465 28	Plastic with brushes, snap on 1 U	■	1/80
0465 29	Plastic with brushes, snap on 2 U	■	1/40
0465 30	Metal with brushes 1 U	■	1/8
0465 31	Metal with brushes 2 U	■	1/4

### 19" blanking plates

0465 32	Solid plastic, direct clipping 1 U	■	1/80
0465 33	Solid plastic, direct clipping 2 U	■	1/40
0465 38	Solid metal 1 U	■	1/8
0465 39	Solid metal 2 U	■	1/4
0465 40	Solid metal 3 U	■	1/4

### Cable guide connecting rings

0465 41	1 U, plastic. Useable section 1890 mm <sup>2</sup>	■	4/80
0465 42	2 U, plastic. Useable section 4,070 mm <sup>2</sup>	■	4/80

### Fixing screws

0364 53	With 8.5 mm cage nuts	■	1/10
0364 54	With 9.5 mm cage nuts	■	1/20

## Cabling system LCS<sup>2</sup> 19" LCS<sup>2</sup> cabinets and accessories

### Wall-mounting 19" LCS<sup>2</sup> cabinets

0462 00	Cabinet depth 400 mm capacity 6 U	■	1
0462 01	Cabinet depth 400 mm capacity 9 U	■	1
0462 02	Cabinet depth 400 mm capacity 12 U	■	1
0462 03	Cabinet depth 400 mm capacity 16 U	■	1
0462 06	Cabinet depth 580 mm capacity 9 U	■	1
0462 07	Cabinet depth 580 mm capacity 12 U	■	1
0462 08	Cabinet depth 580 mm capacity 16 U	■	1
0462 09	Cabinet depth 580 mm capacity 21 U	■	1

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

## Cabling system LCS<sup>2</sup> 19" LCS<sup>2</sup> cabinets and accessories



0462 11

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

### Pivoting 19" LCS<sup>2</sup> cabinets

0462 11	Cabinet depth 600 mm capacity 9 U	■	1
0462 12	Cabinet depth 600 mm capacity 12 U	■	1
0462 13	Cabinet depth 600 mm capacity 16 U	■	1
0462 14	Cabinet depth 600 mm capacity 21 U	■	1

### Fixed shelves

0465 00	Projecting mounting on 2 x 19" uprights depth 115 mm	■	1
0465 01	Projecting mounting on 2 x 19" uprights depth 200 mm	■	1
0465 02	Projecting mounting on 2 x 19" uprights depth 360 mm	■	1



0465 01

### Thermal management

0462 60	Fan 230 VA fan	■	1/10
0348 48	Thermostat adjustable from 5 to 60 °C, 12 V to 250 VA	■	1/25

### Cable entry

0462 55	Cable entry plate with brush	■	1
---------	------------------------------	---	---

### Accessories

0462 64	Set of 4 casters for assembly on pivoting cabinets	■	1
---------	--	---	---

## Cabling system LCS<sup>2</sup>

### Linkeo 19" LCS<sup>2</sup> cabinets

#### Linkeo 19" LCS<sup>2</sup> wall-mounting cabinets

0462 30	Capacity 6 U 367 x 600 x 400 mm	■	1
0462 31	Capacity 9 U 500 x 600 x 400 mm	■	1
0462 42	Capacity 12 U 625 x 600 x 600 mm	■	1
0462 43	Capacity 16 U 810 x 600 x 600 mm	■	1



0462 42

#### Linkeo LCS<sup>2</sup> fan kit

0462 70	Kit contains: 2 fans, 1 thermostat, ON/OFF switch	■	1
---------	---	---	---



0462 70

\* MRP - Maximum Retail Price Inclusive of all taxes.  
■ Price available on request.

## Cabling system LCS<sup>2</sup> 10" LCS<sup>2</sup> cabinet for small business



0462 20



0335 92



0462 23



6348 05

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

### 10" LCS<sup>2</sup> cabinet

0462 20	300 mm depth cabinet capacity 6 U	■	1
---------	-----------------------------------	---	---

### 10" equipments

0335 92	Modular empty panel 10" panel - 1 U	■	1/10
0462 23	Fixed shelf 1 U depth 120 mm	■	1/12
0462 25	230 V ac power supply units 4 x 2P+E	■	1/10
0462 26	Schuko sockets, black	■	1/10

## Cabling system LCS<sup>2</sup> cabinets

### Wall mounting cabinets

6348 05	6U capacity cabinet dimension 371.30 x 600 x 500 mm	■	1
<b>6348 06</b>	9U capacity cabinet 504.65 x 600 x 500 mm	■	1
<b>6348 07</b>	12U capacity cabinet dimension 638 x 600 x 500 mm	■	1
6348 08	15U capacity cabinet dimension 771.35 x 600 x 500 mm	■	1

### Accessories

6348 16	Mounting accessories pkt (20 nos. each of 3)	■	1
6348 17	Cable manager 1U metal	■	1
6348 15	230 V AC 90 CFM fans	■	1
6348 10	Cantilever tray. 1U 225D	■	1
6348 18	Earthing strips 150 mm H	■	1

### Free standing cabinets

6348 00	22U capacity cabinet dimension 1124.9 x 800 x 800 mm	■	1
6348 04	27U capacity cabinet dimension 1357 x 800 x 800 mm	■	1
6348 01	36U capacity cabinet dimension 1747.2 x 800 x 800 mm	■	1
6348 02	42U capacity cabinet dimension 2013.9 x 800 x 800 mm	■	1

### Accessories

6348 11	Heavy duty shelf support dimension - 600 x 475 mm	■	1
6348 16	Mounting accessories pkt (20 nos. each of 3)	■	1
6348 17	Cable manager 1U metal	■	1
6348 15	230 V AC 90 CFM fans	■	1
6348 18	Earthing strips 150 mm H	■	1

Bold Cat.Nos are products normally available with Legrand (India) Stockists.  
Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order.  
Bold packing quantity is our mandatory packing. Orders to be placed by  
Legrand (India) Stockiest in multiples of the same.

# Lighting management solution

Putting a stop to energy waste

## Sensors



PIR 180° Sensor



PIR 360° Sensor



Ultrasonic 360° Sensor



Dual Technology 360° Sensor



### Sustainable development



**Energy saving**



**Code compliance**



**Economic saving**



**Sustainable building practice**

### Lighting control strategies



Vacancy - based control



Occupancy - based control



Dimming control



Scheduled control



Daylight control



for more details, ask for a copy of Lighting Management Solution catalogues

**Movement detectors**

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

**Movement detectors for lighting control**

IP 55 direction movement detector with 360° detection angle. For 2000 Watt "incandescent, 230 V halogen," 1000 VA fluorescent

0697 80	White	9704	1/10
<b>0697 40</b>	Grey	9610	1/10
6604 54	Bulkhead Infrared sensor with provision for 60 W bulb 360° detection range	5720	1



0697 80



6604 54

**Video door entry systems**

Cat.Nos	Description	MRP ₹ / Unit	Pack
---------	-------------	-----------------	------

**Colour image digital video door entry system kit**

3690 71	Kit video colour handset with street panel & colour monitor	17882	1
3690 76	Additional color monitor for kit 3690 71	15330	1
3690 81	Kit video colour handsfree with street panel & colour monitor	20438	1
3690 86	Additional color monitor for kit 3690 81	18264	1



3690 71




3690 81



**bticino**

**D45 SYSTEM**



The D45 system simplifies installation in residential spaces right from a single house to a group of houses to residential complexes with a large number of apartments.



Slim 7" wide screen with alarm function



10" Touch screen internal unit

**Movement Detectors**

**For lighting control**

360° detection range



Audio handset



Entrance panels

\*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.  
Red Cat.Nos - new products

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

# P17 Tempra Pro and Hypra Plugs and Sockets

For safe connection which you can depend on.  
Ensures the protection of personnel at electrical installation

P17 Tempra Pro  
plugs and  
sockets



Hypra prisinter  
and Hypra plugs  
and sockets



P17 Tempra  
combined  
units



Metra  
metallic  
plugs and  
sockets



Metallic  
plug and  
socket DB's



## P17 Tempra Pro IP 44 - LV 16 and 32 A - sockets and plugs

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

### Surface mounting sockets

5551 54	200/250 V~, 16 A 2P+E	616	10
5551 58	380/415 V~, 16 A 3P+E	778	10
5551 59	380/415 V~, 16 A 3P+N+E	778	10
5552 54	200/250 V~, 32 A 2P+E	774	5
5552 58	380/415 V~, 32 A 3P+E	984	10
5552 59	380/415 V~, 32 A 3P+N+E	984	10



5552 58

### Panel mounting sockets inclined outlet

5551 84	200/250 V~, 16 A 2P+E	368	10
5551 88	380/415 V~, 16 A 3P+E	574	10
5551 89	380/415 V~, 16 A 3P+N+E	572	10
5552 84	200/250 V~, 32 A 2P+E	600	10
5552 88	380/415 V~, 32 A 3P+E	760	10
5552 89	380/415 V~, 32 A 3P+N+E	760	10



5551 88

### Mobile sockets

5551 04	200/250 V~, 16 A 2P+E	478	10
5551 08	380/415 V~, 16 A 3P+E	564	10
5551 09	380/415 V~, 16 A 3P+N+E	564	10
5552 14	200/250 V~, 32 A 2P+E	642	10
5552 18	380/415 V~, 32 A 3P+E	810	10
5552 19	380/415 V~, 32 A 3P+N+E	806	10



5551 08

### Straight plugs

5551 24	200/250 V~, 16 A 2P+E	338	10
5551 28	380/415 V~, 16 A 3P+E	440	10
5551 29	380/415 V~, 16 A 3P+N+E	440	10
5552 34	200/250 V~, 32 A 2P+E	534	10
5552 38	380/415 V~, 32 A 3P+E	622	10
5552 39	380/415 V~, 32 A 3P+N+E	622	10



5551 28

## P17 Tempra - domestic pin configuration 16 A - 250 V~

### Flush-mounting boxes

0577 21	For 2 panel mounting sockets With single fixing centres 70 x 70 mm - 16 A	3562	3
0577 22	For 1 panel mounting socket With single fixing centres (70 x 70 mm - 16 or 32 A to be fixed horizontally)	2136	3



0577 22

## P17 Tempra Pro IP 66/67 LV 16 and 32 A

Cat.Nos	Polarity	MRP* ₹ / Unit	Pack
---------	----------	------------------	------

### Surface mounting sockets

5553 54	200/250 V~, 16 A 2P+E	1004	5
5553 58	380/415 V~, 16 A 2P+E	1292	5
5553 59	380/415 V~, 16 A 3P+N+E	1272	5
5554 54	200/250 V~, 32 A 2P+E	1248	5
5554 55	200/250 V~, 32 A 2P+E	2370	5
5554 59	380/415 V~, 32 A 3P+N+E	2336	5

### Panel mounting sockets

5553 84	200/250 V~, 16 A 2P+E	732	5
5553 88	380/415 V~, 16 A 2P+E	820	5
5553 89	380/415 V~, 16 A 3P+N+E	820	5
5554 84	200/250 V~, 32 A 2P+E	932	5
5554 88	380/415 V~, 32 A 2P+E	1122	5
5554 89	380/415 V~, 32 A 3P+N+E	1122	5

### Mobile sockets

5553 04	200/250 V~, 16 A 2P+E	898	5
5553 08	380/415 V~, 16 A 2P+E	1172	5
5553 09	380/415 V~, 16 A 3P+N+E	1172	5
5554 14	200/250 V~, 32 A 2P+E	1232	5
5554 18	380/415 V~, 32 A 2P+E	1380	5
5554 19	380/415 V~, 32 A 3P+N+E	1386	5

### Straight plugs

5553 24	200/250 V~, 16 A 2P+E	782	5
5553 28	380/415 V~, 16 A 2P+E	898	5
5553 29	380/415 V~, 16 A 3P+E	902	5
5554 34	200/250 V~, 32 A 2P+E	1108	5
5554 38	380/415 V~, 32 A 2P+E	1166	5
5554 39	380/415 V~, 32 A 3P+N+E	1166	5



5553 28

## P17 Tempra Pro IP 66/67 LV 32 A for refrigerated containers

### Combined unit, plug and mobile socket for refrigerated containers

6571 06	Combined unit with interlocked switched socket - Double mechanical interlock - Cable glands are not supplied	16474	1
---------	--	-------	---



6571 06

\* MRP - Maximum Retail Price Inclusive of all taxes.

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.



## P17 Tempra Pro IP 66/67 LV 32 A for refrigerated containers

Cat.Nos	Polarity	MRP* ₹ / Unit	Pack
<b>Combined unit, plug and mobile socket for refrigerated containers</b>			
5554 91	Panel mounting socket	1360	5
5554 21	Mobile socket With cable grip Ø12 to 21.5 mm	1650	5
5554 41	Straight plug With cable grip Ø12 to 21.5 mm	1338	5

## P17 Tempra IP 66/67 - LV 63 and 125 A

### Surface mounting sockets

0587 40	200/250 V~, 63 A 2P+E	4356	2
0587 44	380/415 V~, 63 A 3P+E	4332	2
0587 45	380/415 V~, 63 A 3P+N+E	4332	2
0591 06	380/415 V~, 125 A 3P+E	12612	2
0591 07	380/415 V~, 125 A 3P+N+E	12612	2

### Panel mounting sockets

0587 20	200/250 V~, 63 A 2P+E	3454	2
0587 24	380/415 V~, 63 A 3P+E	3522	2
0587 25	380/415 V~, 63 A 3P+N+E	3314	2
0591 16	380/415 V~, 125 A 3P+E	9966	1
0591 17	380/415 V~, 125 A 3P+N+E	9870	1

### Straight plugs

0587 00	200/250 V~, 63 A 2P+E	2924	2
0587 04	380/415 V~, 63 A 3P+E	2970	2
0587 05	380/415 V~, 63 A 3P+N+E	3072	2
0591 26	380/415 V~, 125 A 3P+E	8844	1
0591 27	380/415 V~, 125 A 3P+N+E	8844	1

### Mobile sockets

0587 10	200/250 V~, 63 A 2P+E	3730	2
0587 14	380/415 V~, 63 A 3P+E	3690	2
0587 15	380/415 V~, 63 A 3P+N+E	3918	2
0591 36	380/415 V~, 125 A 3P+E	12870	1
0591 37	380/415 V~, 125 A 3P+N+E	12870	1



0587 05



0587 14

## Plugs and sockets

Cat.Nos	Polarity	LP** ₹ / Unit	Pack
---------	----------	------------------	------

### P17 combined unit to be equipped Bases with mechanical super-compact sockets

0573 00	16 A, 2P+E IP 44 Interlock	4356	1
0573 02	16 A, 3P+N+E IP 44 Interlock	4804	1
0573 20	16 A, 2P+E IP 55 Interlock	4886	1
0573 22	16 A, 3P+N+E IP 55 Interlock	5496	1
0577 23	Mounting plate for 2 super-compact mechanical interlock sockets	2442	1



0573 00

### Bases for 125 x 220 mm face plates

0577 10	Surface mounting box - upto 2 sockets	962	2
0589 38	Surface mounting box with 5 module dinrail - upto 2 sockets	2712	1
0577 05	Surface mounting box with 12 module dinrail - upto 4 sockets	5930	1
0577 06	Surface mounting box with 18 module dinrail - upto 6 sockets	8302	1



0577 10



0577 05

### Face plates 125 x 220 mm without sockets

0577 12	For 1 x 16 A or 32 - upto A socket	922	5
0577 13	For 2 x 16 A - upto sockets	1214	5
0577 17	For 1 x 63 A - upto sockets	1112	5
0577 15	Blanking Plate	820	5



### Bases for 125 x 280 mm faceplates

0577 11	Surface mounting box - upto 3 sockets	1002	3
0577 20	Surface mounting box with 5 module dinrail - upto 3 sockets	3052	1
0577 03	Surface mounting box with 12 module dinrail - upto 6 sockets	6150	1
0577 04	Surface mounting box with 18 module dinrail - upto 9 sockets	8554	1



0577 11



0577 03

### Face plates 125 x 280 mm without sockets

0577 18	For 2 x 16 A and / or 32 A sockets	1442	4
0577 19	For 1 x 16 A or 32 A socket and 1 x 63 A socket	1424	2
0577 14	For 3 x 16 A sockets	1648	4
0577 16	Blanking plate	962	4



\* MRP - Maximum Retail Price Inclusive of all taxes.

\*\* LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

## Hypra industrial plugs and sockets

Cat.Nos	Polarity	LP* ₹ / Unit	Pack
---------	----------	-----------------	------

### Sockets

#### Prisinter panel mounting sockets - IP 44, IK 09

0520 02	230 V, 16 A, 2P+E	12158	1/10
0527 02	230 V, 32 A, 2P+E	13004	1/6
0529 03	415 V, 32 A, 3P+E	13330	1/6
0529 04	415 V, 32 A, 3P+N+E	15840	1/6
0536 04	415 V, 63 A, 3P+N+E	40606	1



0529 03



0522 23



0522 83

#### Panel mounting sockets - inclined IP 44, IK 09

0522 23	415 V, 16 A, 3P+E	1940	5/50
0538 23	415 V, 63 A, 3P+E	6056	1

#### Mobile sockets - IP 44, IK 09

0522 83	415 V, 16 A, 3P+E	4354	5/50
---------	-------------------	------	------

### Plugs

#### Straight plugs - IP 44, IK 09

0520 42	250 V, 16 A, 2P+E	1988	5/50
0527 42	250 V, 32 A, 2P+E	2612	1/5
0522 43	415 V, 16 A, 3P+E	3448	5/50
0529 43	415 V, 32 A, 3P+E	3276	5/50
0529 44	415 V, 32 A, 3P+N+E	3632	5/15
0538 43	415 V, 63 A, 3P+E	8664	1/5
0538 44	415 V, 63 A, 3P+N+E	11644	1/5



0529 44

## Metra plugs and sockets

### Plugs

#### Ivory

6500 22	240 V, 10 A, 2P+E	168	1/5/100
6500 28	240 V, 20 A, 2P+E	178	1/5/100



6500 28 + 6500 29

#### Grey

6500 02	240 V, 10 A, 2P+E	168	1/5/100
6500 08	240 V, 20 A, 2P+E	178	1/5/100
6500 10	440 V, 20 A, 3P+E	240	1/5/100
6500 16	440 V, 32 A, 3P+E	446	1/5/100



6500 02 + 6500 03

### Sockets

6500 03	240 V, 10 A, 2P+E With blue cap	172	1/5/100
6500 23	240 V, 10 A, 2P+E With ivory cap	172	1/5/100
6500 09	240 V, 20 A, 2P+E With blue cap	196	1/5/100
6500 29	240 V, 20 A, 2P+E With ivory cap	196	1/5/100
6500 11	440 V, 20 A, 3P+E With red cap	162	1/5/100
6500 17	440 V, 32 A, 3P+E With red cap	446	1/5/100



6500 10 + 6500 11

## Plugs and sockets

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

### P17 tempra combined units

#### With interlocked switched sockets and surface mounting box IP 44

0566 01	250 V, 16 A, 2P+E	6536	1
0566 09	250 V, 32 A, 2P+E	7802	1
0566 13	415 V, 32 A, 3P+E	9436	1
0566 14	415 V, 32 A, 3P+N+E	9344	1



0566 09

#### With interlocked switched sockets and surface mounting box IP 55

0566 21	250 V, 16A, 2P+E	7262	1
0566 29	250 V, 32 A, 2P+E	8298	1
0566 33	415 V, 32 A, 3P+E	10522	1
0566 34	415 V, 32 A, 3P+N+E	10104	1



0566 34

#### With interlocked switched sockets and surface mounting box IP 44 with DIN rail for 5 module DX<sup>3</sup> protection

0566 41	250 V, 16A, 2P+E	6580	1
0566 49	250 V, 32 A, 2P+E	8006	1
0566 53	415 V, 32 A, 3P+E	9384	1
0566 54	415 V, 32 A, 3P+N+E	9298	1



0566 41

#### With interlocked switched sockets and surface mounting box IP 66 with DIN rail for 5 module DX<sup>3</sup> protection


0566 61	250 V, 16 A, 2P+E	7374	1
0566 69	250 V, 32 A, 2P+E	8556	1
0566 73	415 V, 32 A, 3P+E	9790	1
0566 74	415 V, 32 A, 3P+N+E	9982	1



0566 74

#### With interlocked switched sockets and without surface mounting box IP 55

0572 21	250 V, 16 A, 2P+E	6288	1
0572 29	250 V, 32 A, 2P+E	7110	1
0572 33	415 V, 32 A, 3P+E	8442	1
0572 34	415 V, 32 A, 3P+N+E	9220	1
0572 95	415 V, 63 A, 3P+N+E, IP 66	25906	1
0577 00	Base box for 0572 95	3824	1



0572 34

### P17 tempra combined units

#### with interlocked switched sockets IP 66

0572 98	380 to 415 V, 50/60 Hz, 63 A, 3P + E	21300	1
0589 10	380 to 415 V, 50/60 Hz, 63 A, 3P + N + E	24344	1
0589 18	380 to 415 V, 50/60 Hz, 63 A, 3P + E with provision for 5 module DX <sup>3</sup> protection	28028	1
0572 99	380 to 415 V, 50/60 Hz, 63 A, 3P+N+E with provision for 5 module DX <sup>3</sup> protection	29332	1



0572 98 0589 10

0589 18 0572 99


\*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

# Legrand

## a global edifice


Legrand is global specialist in electrical and digital building infrastructures. The Group's headquarter is based at Limoges, France. Legrand (India), the pioneer of Miniature Circuit Breakers in India, is the Indian subsidiary of Legrand Group. The Group services the needs of residential, commercial, hospitality and industrial sectors.



- Manufacturing facilities in 70 countries and sale of products in 180 countries.
- The only company manufacturing low voltage electrical equipments complying to all the important world standards
- World leader in wiring devices and cable management.
- The group designs and manufactures over 98 product families comprising of 1,78,000 products annually, with due emphasis on high performance, simplified installation and user convenience.
- Close to 1/3 of Legrand's capital expenditure is dedicated to the development of new products.
- Every year, Legrand invests around 5% of its global turnover on research and development activities involving over 2100 people worldwide.

# Legrand Group Values

Customer Awareness



Innovation



Resource Enhancement



Ethical Behaviour



# Legrand prestigious projects

- > Some of the prestigious projects we have been proud to associate with.
- > The group services the needs of residential, commercial, hospitality and industrial projects.

## NORTH



Orient Taj - Agra



Ranbaxy - Gurgaon



DLF's Magnolias - Gurgaon

## EAST



City Centre 2 - Kolkata



Mani Square - Kolkata



Uniworld City - Kolkata

## WEST



Park Plaza - Mumbai



Wankhede Stadium - Mumbai



Kalpataru Aura - Mumbai

## SOUTH



Accenture - Chennai



Nokia - Siemens Network - Chennai



Plaza Reality - Green Acres - Chennai

## CENTRAL



Green City - Vizag




Vishnunivasa - Trimula




Apollo DB City - Indore

## P17 Tempra Combined Units

# closed... it's connected!



- **Transparent window**  
For quick viewing of protection devices.



- **Din rail**  
For full access to all Legrand Lexic modular functions upto 5 module.



- **Double interlock**  
Switch cannot be turned on unless a plug has been inserted (1st safety position). Plug cannot be removed when the switch is on (2nd safety position).

Refer p. 148

### NOTES :

- All Prices listed in this price list except DMX<sup>3</sup> ACBs (p.7 – 10), DRX & DPX<sup>3</sup> MCCBs (p.12 – 25), Alpican Capacitors (P. 35), DX<sup>3</sup> SPDs & changeover switches (p.45 – 47), Lexic Ammeters (p.47), Ekinox<sup>3</sup> and Ekinoxe DBs (p.52–59), Cable management solutions (p.108–129), P17 tempra pro plugs and sockets (p.147–148 ) are given as Maximum retail price (MRP) which is inclusive of all taxes.
- The prices of DMX<sup>3</sup> ACBs (p.7 – 10), DRX & DPX<sup>3</sup> MCCBs (p.12 – 25), Alpican Capacitors (P.35), DX<sup>3</sup> SPDs & changeover switches (p.45 – 47), Lexic Ammeters (p.47), Ekinox<sup>3</sup> and Ekinoxe DBs (p.52–59), Cable management solutions (p.108–129) , P17 tempra pro plugs and sockets (p.147-148 ) are given as List Price (LP) which is inclusive of Excise Duty but exclusive of sales tax or any other taxes. Sales tax and local levies such as octroi, as applicable, will be charged at actual.
- The prices of DMX<sup>3</sup> ACBs (p.7 – 10), LCS2 Structured Cabling System (p.132–143) are available on request. The prices of Arteor selected products (p.76–87) are also available on request.
- All prices are ex our works packed in paper cartons.
- Prices subject to change without notice Prices charged will be as ruling at time of delivery. Any increase in statutory duty like excise will be to customer's account.
- All distribution boards, plug & socket enclosures, metal / plastic one-way enclosures are supplied without devices.
- Arteor™, Myrius™, & Mylinc™ cover plates, DLP trunking, floor boxes, pop-up boxes, Power & data desk grommets, Desktop multi-extension outlets and VDI distribution blocks are supplied without mechanisms.

NOTES

A series of horizontal dashed lines for taking notes, spanning the width of the page.

NOTES

-----

-----

-----

-----

-----

-----

-----

-----

-----

-----

-----

-----

-----

-----

-----

-----

-----

-----

-----

-----

-----

-----

-----

-----

-----