









USHA INTERNATIONAL LTD.

Plot No. 15, Institutional Area,
Sector 32, Gurgaon – 122001 Haryana (India)
Telephone: +91 124 4583100
Fax: +91 124 4583200
Website: www.lightsbytisua.com
E-mail: customer_care@lightsbytisua.com

DESIGNER LIGHTING COLLECTION



IDDEX

WALL LIGHTS	2	4-57
	5	
	88	
	10	
	114	
FLOOR LAMPS	12	4-131
AMBIENT LIGHTI	ING132	2-139
DOLLINITERS	160	1.17



TISVA

OUR NAME COMES FROM THE SANSKRIT WORDS TUISA, MEANING LIGHT, AND TATTUA, WHICH IS ESSENCE. TOGETHER THEY MEAN 'THE ESSENCE OF LIGHT'. THIS INSPIRATIONAL THOUGHT IS WHAT GUIDES AND ILLUMINATES OUR PATH. LIKE THESE TWO WORDS WE HAVE GOT DESIGN AND TECHNOLOGY TO COLLABORATE. THIS UNION IS WHAT ENABLES US TO CREATE A RANGE OF HOME LIGHTING THAT SPREADS THE LIGHT OF WARMTH THROUGHOUT YOUR HOME.













HIGH OUTPUT LED





ZERO MERCURY/ ZERO LEAD

CHANDELIERS

CHANDELIERS FORM ONE OF THE MOST IMPORTANT ELEMENTS OF AESTHETICS IN TERMS OF HOME DECOR. TISUA'S RANGE OF CHANDELIERS CONSTITUTE A MIK OF CONTEMPORARY AND HERITAGE DESIGNS WITH AN IDEA OF MAINTAINING A CHOICE FOR THE TRADITIONAL AS WELL AS THE MODERN DAY INDIAN HOME. THE RANGE IS BEING OFFERED AS A FAMILY OF PRODUCTS THEREBY GIVING CUSTOMER AN OPTION TO CHOOSE FROM CHANDELIER OPTIONS IN 5 HEAD, 4 HEAD AND 3 HEAD WITH MATCHING WALL LIGHTS IN 2 HEAD & 1 HEAD.






CALLIGO CG24001

DESIGN **₡** FEATURES


- MATERIAL : MILD STEEL CANOPY & BASE WITH BOROSILICATE GLASS STICKS
- COLOR : CHROME FINISH BASE WITH CLEAR
 - GLASS BRANCHES
- INSTALLATION : CEILING MOUNTED
- HAND CRAFTED BOROSILICATE GLASS BRANCHES OFFER EKCELLENT LIGHT TRANSITIISSION PROPERTIES
- ARTISTIC PIECE OF LIGHTING KEEPS THE SPACE DECORATED WITH UNIFORM ILLUMINATION WITH NO BROWNING EFFECT OF GLASS
- RANGE OF HARMONISED DESIGNS WITH OPTIONS OF 2 SIZES
- THE INTENSITY OF LIGHT CAN EASILY BE CONTROLLED UIA ROTARY DIMMER AS PER THE REQUIREMENT



CALLIGO CP16002

DESIGN & FEATURES

- MATERIAL : MILD STEEL CANOPY ϕ Base with GLASS FLOWERS
- COLOR : CHROME FINISH BASE WITH WHITE # GOLDEN FLOWERS
- INSTALLATION : CEILING MOUNTED
- CONTEMPORARY DESIGN WITH AN ELEGANT ARRAY OF HAND-BLOWN GLASS FLORETS
- COMBINATION OF GOLDEN & WHITE FLORETS ADD DISTINGUISHING DESIGN ELEMENTS
- ARTISTIC PIECE OF LIGHTING KEEPS THE SPACE DECORATED WITH UNIFORM ILLUMINATION
- THE INTENSITY OF LIGHT CAN BE EASILY CONTROLLED VIA ROTARY DIMMER AS PER THE REQUIREMENT






CALLIGO CG15001

DESIGN **₡** FEATURES

- MATERIAL : MILD STEEL CANOPY & BASE WITH
- BOROSILICATE GLASS STICKS

 COLOR : CHROME FINISH BASE WITH CLEAR
 GLASS BRANCHES
- INSTALLATION : CEILING MOUNTED
- HAND CRAFTED BOROSILICATE GLASS BRANCHES OFFER EKCELLENT LIGHT TRANSITIISSION PROPERTIES
- ARTISTIC PIECE OF LIGHTING KEEPS THE SPACE DECORATED WITH UNIFORM ILLUMINATION WITH NO BROWNING EFFECT OF GLASS
- RANGE OF HARMONISED DESIGNS WITH OPTIONS OF 2 SIZES
- THE INTENSITY OF LIGHT CAN EASILY BE CONTROLLED VIA ROTARY DIMMER AS PER THE REQUIREMENT





CALLIGO CP6004

DESIGN & FEATURES

- MATERIAL : MILD STEEL BASE WITH ABS DISC &
 PMMA COVER
- COLOR : CHROME WITH OPAL DIFFUSER
- INSTALLATION : CEILING MOUNTED
- RICH CONTEMPORARY DESIGN WITH CHROME DISCS & PMIMA COVER ACCENTUATES MODERN DÉCOR.
- PRODUCES GLARE FREE DIFFUSED LIGHTING WHICH IS COMFORTABLE FOR THE EYES
- DESIGNED FOR USE WITH ENERGY-SAVING LIGHT BULBS
- AUAILABLE AS A COMPLETE RANGE OF HARMONIZED DESIGNS WHICH WILL ADD SOPHISTICATION TO EVERY ROOM





SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
CG24001	40W HALOGEN	24N	G9	2200-2400	50HZ	24*40W	960Ш	
CG15001	40W HALOGEN	15N	G9	2200-2400	50HZ	15*40W	600W	


4

SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
CP16002	60W GLS	16N*	E14	2200-2400	50HZ	16*60W	960W	
CP6004	20M CŁT	6N*	E27	2200-2400	50HZ	6*20W	120W	

*NOT SUPPLIED WITH THE PRODUCT.





CALLIGO CP8001

DESIGN **₡** FEATURES

 MATERIAL MILD STEEL FRAME WITH GOLDEN FINISH ELECTROPLATING WITH AMBER BLOWN GLASS

COLOR

• INSTALLATION : CEILING MOUNTED


 SOPHISTICATION AND ELEGANCE EMANATE FROM THIS BEAUTIFUL CHANDELIER DUE TO ITS REFINED CHIMNEY DESIGN THAT MAKES A UNIQUELY BEAUTIFUL STATEMENT

 CREATES A STYLISH FOCAL POINT PERFECT FOR WARM LIVING AND DINING AREAS

 PRODUCES GLARE FREE DIFFUSED LIGHTING WHICH IS COMFORTABLE FOR THE EYES

DESIGNED FOR USE WITH ENERGY-SAVING LIGHT BULBS

 AVAILABLE AS A COMPLETE RANGE OF HARMONIZED DESIGNS, THAT WILL ADD SOPHISTICATION TO EVERY ROOM



CALLIGO CP8003

DESIGN **₡** FEATURES

 MATERIAL : STAINLESS STEEL FRAME

COLOR : CHROME


■ INSTALLATION : CEILING MOUNTED

 SIMPLISTIC MODERN DESIGN OFFERS A COMFORTABLE ENVIRONMENT IN A LIVING SPACE

• ARTISTIC PIECE OF LIGHTING KEEPS THE SPACE DECORATED WITH UNIFORM ILLUMINAITION

PRODUCES GLARE FREE DIFFUSED LIGHTING WHICH IS COMFORTABLE FOR THE EYES

DESIGNED FOR USE WITH ENERGY-SAVING LIGHT BULBS





CALLIGO CP8002

DESIGN & FEATURES

MATERIAL

MILD STEEL FRAME WITH WHITE FINISH ELECTROPLATING WITH OPAL BLOWN GLASS

COLOR : WHITE

■ INSTALLATION : CEILING MOUNTED

 CLEAN AND CLASSY COLLECTION BRIGHTENS ANY ROOM WITH ITS COOL WHITE FINISH AND OPAL GLASS

CREATES A STYLISH FOCAL POINT PERFECT FOR WARM LIVING AND DINING AREAS

PRODUCES GLARE FREE DIFFUSED LIGHTING WHICH IS COMFORTABLE FOR THE EYES

DESIGNED FOR USE WITH ENERGY-SAVING LIGHT BULBS

 AVAILABLE AS A COMPLETE RANGE OF HARMONIZED DESIGNS, THAT WILL ADD SOPHISTICATION TO EVERY ROOM



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
CP8001	40W GLS (CANDLE LAMP)	8N*	E514	2200-2400	50HZ	8*40W	320W	
CP8002	40W GLS / 7W CFL	8N*	E514	2200-2400	50HZ	8*40W	320W / 56W	

*NOT SUPPLIED WITH THE PRODUCT.



CALLIGO CP6003

DESIGN & FEATURES

MILD STEEL MATT BLACK FRAME WITH CLEAR BROWN GLASS

: MATT BLACK COLOR


■ INSTALLATION : CEILING MOUNTED

 EYE-CATCHING CHANDELIER MELDS TRADITIONAL SENSIBILITIES WITH A MODERN DESIGN

COGNAC GLASS EMITS SOFT LIGHT WHICH IS PLEASANT

FOR EYES

DESIGNED FOR USE WITH ENERGY-SAVING LIGHT BULBS



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
CP8003	40W GLS / 7W CFL	8N*	E514	2200-2400	50HZ	8*40W	320W / 56W
CP6003	40W GLS / 7W CFL	6N*	ES14	2200-2400	50HZ	6*40W	240W / 42W

*NOT SUPPLIED WITH THE PRODUCT.





CALLIGO CL8001

DESIGN ₽ FEATURES

 MATERIAL MILD STEEL FRAME WITH CHROME FINISH

CLEAR PMMA DIFFUSER WITH COLOR

■ INSTALLATION : CEILING MOUNTED


■ PERFECT PAIRING OF CHROME FINISH ELEGANT DESIGN & CUTTING EDGE LED TECHNOLOGY

 SWANKY COMBINATION OF CHORME FINISH LED HEADS WITH PIERCING LIGHT PATTERN AND DIFFUSER INFUSES A CAPTIVATING MOOD WITHIN THE ROOM

MAINTAINANCE FREE LIFE WITH BUILT-IN DRIVER AND HIGH EFFICIENCY LEDS

THE LED ADVANTAGE

LOW CARBON FOOTPRINT ZERO MERCURY NO UV / INFRARED EMISSION LONG LIFE LED TECHNOLOGY



CALLIGO CG11001

DESIGN **₡** FEATURES

 MATERIAL : MILD STEEL FRAME WITH CHROME FINISH

COLOR : BLOWN GLASS WITH COGNAC ELECTROPLATING


■ INSTALLATION : CEILING MOUNTED

 SIMPLISTIC MODERN DESIGN OFFERS A COMFORTABLE ENVIRONMENT IN A LIVING SPACE

• ARTISTIC PIECE OF LIGHTING KEEPS THE SPACE DECORATED EVEN WHEN THE PRODUCT IS IN NON-LIT CONDITION

A ROTARY DIMINER LETS YOU CONTROL THE INTENSITY OF LIGHT. (NOT PROVIDED WITH PRODUCT)

A COMPLETE RANGE OF HARMONIZED DESIGNS, THAT WILL ADD SOPHISTICATION TO EVERY ROOM





CALLIGO CL18001

DESIGN ₽ FEATURES

: MILD STEEL FRAME WITH GLASS & PMMA DIFFUSERS MATERIAL

COLOR : CHROME FINISH ■ INSTALLATION : CEILING MOUNTED

■ SWANKY COMBINATION OF CLEAR PMMA DIFFUSER WITH RICH DIAMOND GLASS INFUSES A CAPTIVATING MOOD WITHIN THE ROOM


■ PERFECT PAIRING OF ELEGANCE & CUTTING EDGE TECHNOLOGY

■ MAINTAINANCE FREE LIFE WITH BUILT-IN DRIVER AND HIGH EFFICIENCY LEDS

 RANGE OF HARMONIZED DESIGN AVAILABLE WITH MATCHING WALL LIGHT

THE LED ADVANTAGE

LOW CARBON FOOTPRINT ZERO MERCURY NO UV / INFRARED EMISSION LONG LIFE LED TECHNOLOGY



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	сст	RATED VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
CL8001	8*5W INTEGRATED LED	2700К	2200-2400	50HZ	40Ψ	40W	
CL18001	18*3.3W LED	4000K	2200-2400	50HZ	60Ш	60Ш	



DESIGN & FEATURES

 MATERIAL : MILD STEEL FRAME WITH CHROME FINISH

COLOR : BLOWN GLASS WITH COGNAC ELECTROPLATING


■ INSTALLATION : CEILING MOUNTED

 SIMPLISTIC MODERN DESIGN OFFERS A COMFORTABLE ENVIRONMENT IN A LIVING SPACE

ARTISTIC PIECE OF LIGHTING KEEPS THE SPACE DECORATED EVEN WHEN THE PRODUCT IS IN NON-LIT CONDITION

• A ROTARY DIMMER LETS YOU CONTROL THE INTENSITY OF LIGHT. (NOT PROVIDED WITH PRODUCT)

 A COMPLETE RANGE OF HARMONIZED DESIGNS, THAT WILL ADD SOPHISTICATION TO EVERY ROOM



ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
CG11001	40W G9 HALOGEN	11N	G9	220V-240V	50HZ	11*40W	440W	
CG16001	40W G9 HALOGEN	16N	G9	2200-2400	50HZ	16*40W	640W	








CALLIGO CG8001

DESIGN **₡** FEATURES

- MATERIAL : MILD STEEL FRAME WITH CHROME FINISH
- COLOR : BLOWN GLASS WITH COGNAC ELECTROPLATING
- INSTALLATION : CEILING MOUNTED
- SIMPLISTIC MODERN DESIGN OFFERS A COMFORTABLE ENVIRONMENT IN A LIVING SPACE
 ARTISTIC PIECE OF LIGHTING KEEPS THE SPACE DECORATED EVEN
- ARTISTIC PIECE OF LIGHTING KEEPS THE SPACE DECORATED EVEN WHEN THE PRODUCT IS IN NON-LIT CONDITION
- A ROTARY DITTIMER LETS YOU CONTROL THE INTENSITY OF LIGHT.


 (NOT PROVIDED WITH PRODUCT)
- A COMPLETE RANGE OF HARMONIZED DESIGNS, THAT WILL ADD SOPHISTICATION TO EVERY ROOM



CALLIGO CP5009

DESIGN & FEATURES

- MATERIAL : METAL HEADS WITH CHROME CANOPY
- COLOR : RICH CHROME FINISH
- INSTALLATION : CEILING MOUNTED
- PREMIUM HANGING CENTRE PIECE WITH RICH CHROME FINISH LIGHTING HEADS
- SPLASHY DESIGN WITH GLEATHING SPHERICAL FORTH FACTOR WHICH ACCENTUATES THE HOTTE ATTRIBUTE
- CHROME LIGHTING HEADS CREATE APPEASING GLOWING PATTERNS WITHIN THE ROOM






ARANCINO CP3007


DESIGN & FEATURES

- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : CHROME
- INSTALLATION : CEILING MOUNTED
- SLEEK MODERN DESIGN WITH RICH QUALITY GLASS
- HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS

COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE







CALLIGO CP3018

DESIGN & FEATURES

- MATERIAL : METALLIC INSTALLATION
- ARRANGEMENT WITH BLOWN GLASS
- COLOR : SHINY WHITE FINISH WITH CHROME
 AS CENTRE PIECE
- INSTALLATION : TO BE MOUNTED ON FLAT CEILING
- SWANKY DESIGN FLUSH MOUNTED CENTRE PIECE WITH FISH
- SCALE PATTERNS ENGENDERS ELEGANCE WITHIN THE ROOM

 SHINY WHITE BLOWN GLASS MATERIAL PROVIDES EXCELLENT
- CRACK RESISTANCE TO THE PRODUCT

 THE FROSTED GLASS PROVIDES A GLAREFREE LIGHT WITHIN THE ROOM WHICH IS PLEASANT FOR EYES
- PENDANT & CEILING RANGE OF HARMONIZED DESIGNS



40.0 CM

SPECIFICATIONS:

ITEM CODE	TYPE OF LA	amp	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
CG8001	40W G9 HALOGEN		8N	G9	2200-2400	50HZ	8*40W	320W	
ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
CP3007	40W GL5	3N	E514	2200-2400	198V-264V	50HZ	3*40W	120W	

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
CP5009	40W GL5	5N	ES27	2200-2400	198V-264V	50HZ	5*40W	200W	
CP3018	7W CFL/40W GLS	3N	E527	2200-2400	198V-264V	50HZ	3*40W	21M/150M	







CALLIGO CP6002

DESIGN **₡** FEATURES

• MATERIAL : METALLIC BODY WITH GLASS HEADS


• COLOR : RICH CHROME FINISH

■ INSTALLATION : CEILING MOUNTED

 SWANKY DESIGN HANGING CENTRE PIECE WHICH KINDLES ELEGANCE WITHIN THE ROOM

 PREMIUM DIFFUSED GLASS WITH RICH CHROME FINISH BRACKET

 DESIGN FERTURES 6 DIFFUSER HEADS WHICH PROVIDE WARM ILLUMINATION



CALLIGO CP9001

DESIGN ₡ FEATURES

• MATERIAL : METALLIC CANOPY WITH GLASS SHADES


■ COLOR : OPAL WHITE

■ INSTALLATION : TO BE MOUNTED ON FLAT CEILING

 SUMPTUOUS WING SHAPED CHANDELIER CREATES AN ALLURING AURA WITH SOOTHING WARM LIGHT EFFECTS

 THE GLASS EMITS A GLAREFREE SOFT LIGHT WHICH IS PLEASANT FOR EYES

■ RANGE OF HARMONIZED DESIGNS AVAILABLE IN 2 SIZES





CALLIGO CP6001

DESIGN **₡** FEATURES

• MATERIAL : METALLIC CANOPY WITH GLASS SHADES


• COLOR : OPAL WHITE

■ INSTALLATION : TO BE MOUNTED ON FLAT CEILING

 SUMPTUOUS WING SHAPED CHANDELIER CREATES AN ALLURING AURA WITH SOOTHING WARM LIGHT EFFECTS

 THE GLASS EMITS A GLAREFREE SOFT LIGHT WHICH IS PLEASANT FOR EYES

■ RANGE OF HARMONIZED DESIGNS AVAILABLE IN 2 SIZES





CALLIGO CP13001

DESIGN & FEATURES

• MATERIAL : METALLIC CANOPY WITH GLASS SHADES


■ COLOR : OPAL WHITE

■ INSTALLATION : TO BE MOUNTED ON FLAT CEILING

 SUMPTUOUS WING SHAPED CHANDELIER CREATES AN ALLURING AURA WITH SOOTHING WARM LIGHT EFFECTS

 THE GLASS EMITS A GLAREFREE SOFT LIGHT WHICH IS PLEASANT FOR EYES

RANGE OF HARMONIZED DESIGNS AVAILABLE IN 2 SIZES



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
CP6002	7W CFL/40W GLS	6N	E527	2200-2400	198V-264V	50HZ	6*40W	42W/240W	
CP6001	7W LED/11W CFL/40W GLS	6N	E527	2200-2400	1980-2640	50HZ	6*40W	42W/66W/240W	

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
CP9001	7W LED/11W CFL/40W GLS	9N	ES27	2200-2400	1980-2640	50HZ	9*40W	63W/99W/360W
CP13001	7W LED/11W CFL/40W GLS	13N	E527	2200-2400	198V-264V	50HZ	13*40W	91W/143W/520W







CALLIGO CG6001

DESIGN & FEATURES

BOROSILICATE GLASS BRANCHES WITH CHROME BASE MATERIAL

: TRANSLUCENT GLASS COLOR

■ INSTALLATION : TO BE MOUNTED ON FLAT SURFACE

AN EXCLUSIVE COLLECTION OF ORNAMENTAL LIGHTING PRODUCTS

DIMMABLE WITH CONVENTIONAL ROTARY DIMMER*

SUPERIOR QUALITY GLASS BRANCH DESIGN THAT PRODUCES A FASCINATING PRISITI EFFECT

A COMPLETE RANGE OF HARMONIZED DESIGNS, THAT WILL ADD SOPHISTICATION TO EVERY ROOM



CALLIGO SL5001

DESIGN ₡ FEATURES

 MATERIAL : METALLIC BODY WITH PMMA SHADES


COLOR : RICH CHROME FINISH

■ INSTALLATION : CEILING MOUNTED

 ALLURING DESIGN WITH LED LIGHTS AT THE END OF EACH ARM CREATES AN EXCITING LIGHT EFFECT

SWANKY COMBINATION OF ACRYLIC HEADS AND DIFFUSER INFUSES A CAPTIVATING MOOD WITHIN THE ROOM

MAINTAINANCE FREE LIFE WITH BUILT-IN DRIVER AND HIGH EFFICIENCY LEDS





CALLIGO CG5001

 MATERIAL BOROSILICATE GLASS

BRANCHES WITH CHROME BASE : TRANSLUCENT GLASS


COLOR INSTALLATION : TO BE MOUNTED ON FLAT SURFACE

AN EXCLUSIVE COLLECTION OF ORNAMENTAL

■ DIMMABLE WITH CONVENTIONAL ROTARY DIMMER*

 SUPERIOR QUALITY GLASS BRANCH DESIGN THAT PRODUCES A FASCINATING PRISM EFFECT

 A COMPLETE RANGE OF HARMONIZED DESIGNS, THAT WILL ADD SOPHISTICATION TO EVERY ROOM







FORMA BELLA CP3009

DESIGN & FEATURES

MATERIAL

: STEEL BODY & GLASS SHADE COLOR : ANODIZED TIN FINISH


■ INSTALLATION : CEILING MOUNTED

PREMIUM OFFERING OF HIGH QUALITY METAL AND DESIGNER GLASS

UNIQUE SURFACE MOUNTED DESIGN

• SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS

COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
CG6001	40W G9 HALOGEN	6N	G9	2200-2400	1980-2640	50HZ	6*40W	240W	
CG5001	40W G9 HALOGEN	5N	G9	2200-2400	198V-264V	50HZ	5*40W	200W	

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING D	OLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	сст
SL5001	5*4W LED	2200-2400	1980-264	4U	50HZ	4*5 ₩	20Ψ	3000 KELVIN
ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING	VOLTAGE FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
CP3009	13W CFL/40W GLS	3N	E514	2200-2400	1980-2	264U 50HZ	3*40W	39W/120W










FORMA BELLA

DESIGN & FEATURES

- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : ANODIZED TIN FINISH
- INSTALLATION : CEILING MOUNTED
- PREMIUM OFFERING OF HIGH QUALITY METAL AND DESIGNER GLASS
- UNIQUE SURFACE MOUNTED DESIGN
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



VISCARIA CP3005

DESIGN & FEATURES

- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : ANTIQUE BRASS
- INSTALLATION : CEILING MOUNTED
- ELEGANT DESIGN WITH ANTIQUE BRASS FINISH
- HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE






FORMA BELLA CP5004

DESIGN & FEATURES

- MATERIAL
 - : STEEL BODY & GLASS SHADE : ANODIZED TIN FINISH
- COLOR ■ INSTALLATION : CEILING MOUNTED
- PREMIUM OFFERING OF HIGH QUALITY METAL AND DESIGNER GLASS
- UNIQUE SURFACE MOUNTED DESIGN
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE







VISCARIA CP5002

DESIGN & FEATURES

- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : ANTIQUE BRASS
- INSTALLATION : CEILING MOUNTED
- ELEGANT DESIGN WITH ANTIQUE BRASS FINISH
- HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
CP4001	13W CFL/40W GLS	4N	ES14	2200-2400	1980-2640	50HZ	4*40W	52W/160W
CP5004	13W CFL/40W GLS	5N	E514	2200-2400	198И-264И	50HZ	5*40W	65W/200W

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
CP3005	11W CFL/40W GLS	3N	E527	2200-2400	198V-264V	50HZ	3*40W	33W/120W
CP5002	11W CFL/40W GLS	5N	E527	2200-2400	1980-2640	50HZ	5*40W	55W/200W







HESTER CP3006

DESIGN & FEATURES

■ MATERIAL : STEEL BODY & GLASS SHADE

• COLOR : CHROME


■ INSTALLATION : CEILING MOUNTED

SLEEK MODERN DESIGN WITH RICH QUALITY GLASS

HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION

SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS

• COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



ENCHANTE CP3010

DESIGN & FEATURES

■ MATERIAL : STEEL BODY & GLASS SHADE

■ COLOR : ANTIQUE BRASS


• INSTALLATION : CEILING MOUNTED

ELEGANT DESIGN WITH ANTIQUE BRASS FINISH

HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION

SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS

COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE





HESTER CP5003

DESIGN & FEATURES

■ MATERIAL : STEEL BODY & GLASS SHADE


■ COLOR : CHROME

• INSTALLATION : CEILING MOUNTED

SLEEK MODERN DESIGN WITH RICH QUALITY GLASS

HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION
 SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS

COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE





ENCHANTE CP5005

DESIGN & FEATURES

■ MATERIAL : STEEL BODY & GLASS SHADE


COLOR : ANTIQUE BRASS

INSTALLATION : CEILING MOUNTED


ELEGANT DESIGN WITH ANTIQUE BRASS FINISH
 HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION

• SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS

COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
CP3006	40W GLS	3N	E514	2200-2400	198V-264V	50HZ	3*40W	120Ш	
CP5003	40W GL5	5N	E514	2200-2400	1980-2640	50HZ	5*40W	200W	



ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
CP3010	13W CFL/40W GLS	3N	ES27	2200-2400	1981-2641	50HZ	3*40W	39W/120W
CP5005	13W CFL/40W GLS	5N	E527	2200-2400	1980-2640	50HZ	5*40W	65W/200W







COQUIN CP3012

DESIGN & FEATURES

 MATERIAL : STEEL BODY & GLASS SHADE COLOR : CHROME FINISH ■ INSTALLATION : CEILING MOUNTED

■ MODERN DESIGN WITH RICH CHROME FINISH

HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION OF LAMPS

SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS

• COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



FEYYO CP3013

DESIGN **₡** FEATURES

 MATERIAL : STEEL BODY & GLASS SHADE


COLOR : CHROME FINISH ■ INSTALLATION : CEILING MOUNTED

■ MODERN DESIGN WITH RICH CHROME FINISH

HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION

OF LAMPS SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS

■ COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE





COQUIN CP5007

DESIGN & FEATURES

 MATERIAL : STEEL BODY & GLASS SHADE

COLOR : CHROME FINISH

■ INSTALLATION : CEILING MOUNTED ■ MODERN DESIGN WITH RICH CHROME FINISH

HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION

SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS

COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE







FEYYO CP5008

DESIGN & FEATURES

 MATERIAL : STEEL BODY & GLASS SHADE

COLOR CHROME FINISH


■ INSTALLATION : CEILING MOUNTED

MODERN DESIGN WITH RICH CHROME FINISH


HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION OF LAMPS

• SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS

• COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
CP3012	13W CFL/40W GLS	3N	E527	2200-2400	1980-2640	50HZ	3*40W	39W/120W
CP5007	13W CFL/40W GLS	5N	E527	2200-2400	1981-2641	50HZ	5*40W	65W/200W



ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
CP3013	13W CFL/40W GLS	3N	ES27	2200-2400	198V-264V	50HZ	3*40W	39W/120W	
CP5008	13W CFL/40W GLS	5N	E527	2200-2400	1980-2640	50HZ	5*40W	65W/200W	







DESIGN & FEATURES

■ MATERIAL : STEEL BODY & GLASS SHADE ■ COLOR : ANTIQUE BRASS


■ COLOR : ANTIQUE BRASS ■ INSTALLATION : CEILING MOUNTED

ELEGANT DESIGN WITH ANTIQUE BRASS FINISH

 HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION OF LAMPS

SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS

■ COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



RETHMOS CP3008

DESIGN & FEATURES

■ MATERIAL : STEEL BODY & GLASS SHADE

■ COLOR : CHROME & ANTIQUE BLACK


■ INSTALLATION : CEILING MOUNTED


SLEEK MODERN DESIGN WITH RICH QUALITY GLASS

■ SUPERIOR QUALITY GLASS DIFFUSER TO MINIMIZE GLARE

SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS

COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE





DAPHNE CP5006

DESIGN ₡ FEATURES

■ MATERIAL : STEEL BODY & GLASS SHADE
 COLOR : ANTIQUE BRASS


• INSTALLATION : CEILING MOUNTED

ELEGANT DESIGN WITH ANTIQUE BRASS FINISH

HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION
OF LOTTER

SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS

COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE





SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
CP3011	13W CFL/40W GLS	3N	E527	2200-2400	1980-2640	50HZ	3*40W	39W/120W
CP5006	13W CFL/40W GLS	5N	E527	2200-2400	1981-2641	50HZ	5*40W	65W/200W

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
CP3008	11W CFL/40W GL5	3N	ES27	2200-2400	1980-2640	50HZ	3*40W	33W/120W	





WALL LIGHTS

WITH A COMBINATION OF UNIQUE DIFFERENTIATED DESIGNS ALONG WITH INNOVATIVE TECHNOLOGY IN LEDS, TISVA PRESENTS A WIDE RANGE OF WALL LIGHTS FOR THE INDIAN HOME. THE RANGE USES LATEST TECHNOLOGIES AND IS AVAILABLE AT ATTRACTIVE PRICE POINTS.

THE DESIGNER LED WALL LIGHTS CAN CRAFT DIFFERENT ELEGANT PATTERNS ON THE WALL THEREBY ENHANCING THE BEAUTY OF THE ENTIRE ROOM. THIS RANGE IS ALSO BEING OFFERED WITH AN OPTION OF INTENSITY CONTROL OF LIGHT VIA WALL HELD DIMMER.





VILTIS WG1001

DESIGN & FEATURES

■ MATERIAL : MILD STEEL BASE WITH ABS DISC & PMMA COVER

■ COLOR : CHROME WITH OPAL DIFFUSER


■ INSTALLATION : WALL MOUNTED

■ RICH CONTEMPORARY DESIGN WITH CHROME DISCS & PMMA COVER ACCENTUATES MODERN DÉCOR

 PRODUCES GLARE FREE DIFFUSED LIGHTING WHICH IS COMFORTABLE FOR THE EYES

DESIGNED FOR USE WITH ENERGY-SAVING LIGHT BULBS

 AVAILABLE AS A COMPLETE RANGE OF HARMONIZED DESIGNS WHICH WILL ADD SOPHISTICATION TO EVERY ROOM





VILTIS WP1031

DESIGN & FEATURES

MATERIAL : MILD STEEL FRAME WITH GOLDEN
FINISH ELECTROPLATING WITH AMB

FINISH ELECTROPLATING WITH AMBER BLOWN GLASS

• COLOR : AMBER FRAME

INSTALLATION : WALL MOUNTED


 SOPHISTICATION AND ELEGANCE EMANATE FROM THIS BEAUTIFUL WALL LIGHT DUE TO ITS REFINED CHIMNEY DESIGN THAT MAKES A UNIQUELY BEAUTIFUL STATEMENT

 PRODUCES GLARE FREE DIFFUSED LIGHTING WHICH IS COMFORTABLE FOR THE EYES

DESIGNED FOR USE WITH ENERGY-SAVING LIGHT BULBS

AVAILABLE AS A COMPLETE RANGE OF HARMONIZED DESIGNS,

THAT WILL ADD SOPHISTICATION TO EVERY ROOM





VILTIS WP2013

DESIGN & FEATURES

MATERIAL : MILD STEEL FRAME WITH GOLDEN
 FINISH ELECTROPLATING WITH AMBER

BLOWN GLASST


COLORINSTALLATIONWALL MOUNTED

 SOPHISTICATION AND ELEGANCE EMANATE FROM THIS BEAUTIFUL WALL LIGHT DUE TO ITS REFINED CHIMNEY DESIGN THAT MAKES A UNIQUELY BEAUTIFUL STATEMENT

 PRODUCES GLARE FREE DIFFUSED LIGHTING WHICH IS COMFORTABLE FOR THE EYES

DESIGNED FOR USE WITH ENERGY-SAVING LIGHT BULBS

 AVAILABLE AS A COMPLETE RANGE OF HARMONIZED DESIGNS, THAT WILL ADD SOPHISTICATION TO EVERY ROOM







VILTIS WP2012

DESIGN & FEATURES

■ MATERIAL : MILD

: MILD STEEL FRAME WITH WHITE FINISH ELECTROPLATING AND OPAL BLOWN GLASS

■ COLOR : WHITE


■ INSTALLATION : WALL MOUNTED

 CLEAN AND CLASSY COLLECTION BRIGHTENS ANY ROOM WITH ITS COOL WHITE FINISH AND OPAL GLASS

 PRODUCES GLARE FREE DIFFUSED LIGHTING WHICH IS COMFORTABLE FOR THE EYES

DESIGNED FOR USE WITH ENERGY-SAVING LIGHT BULBS


 AVAILABLE AS A COMPLETE RANGE OF HARMONIZED DESIGNS, THAT WILL ADD SOPHISTICATION TO EVERY ROOM



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
WG1001	40W HALOGEN	1N*	G9	2200-2400	50HZ	1*40Ш	40W
WP2013	40W GLS(CANDLE LAMP)	5N*	E514	2200-2400	50HZ	2*40Ш	80Ш

26



ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
WP1031	40W GLS(CANDLE LAMP)	1N*	E514	2200-2400	50HZ	1*40W	40Ψ
WP2012	40W GLS / 7W CFL	5N*	E514	2200-2400	50HZ	2*40W	80W

*NOT SUPPLIED WITH THE PRODUCT.







VILTIS WP1030

DESIGN ₡ FEATURES

 MATERIAL MILD STEEL FRAME WITH WHITE

FINISH ELECTROPLATING AND OPAL BLOWN GLASS

COLOR

■ INSTALLATION : WALL MOUNTED

 CLEAN AND CLASSY COLLECTION BRIGHTENS ANY ROOM WITH ITS COOL WHITE FINISH AND OPAL GLASS

PRODUCES GLARE FREE DIFFUSED LIGHTING WHICH IS COMFORTABLE FOR THE EYES

DESIGNED FOR USE WITH ENERGY-SAVING LIGHT BULBS

AVAILABLE AS A COMPLETE RANGE OF HARMONIZED DESIGNS, THAT WILL ADD SOPHISTICATION TO EVERY ROOM



EBNER **WP2011**

DESIGN **₡** FEATURES

 MATERIAL : MILD STEEL & GLASS

COLOR : OPAL GLASS WITH SATIN FINISH

SLEEK DESIGN WITH A COMBINATION OF MATT FINISH

■ INSTALLATION : WALL MOUNTED


METAL AND SATIN FINISH GLASS

SUPERIOR QUALITY GLASS DIFFUSER TO MINIMIZE GLARE

DESIGNED FOR USE WITH ENERGY SAVING LAMPS

COMPLIMENTS MODERN INTERIORS





VILTIS WL3001

DESIGN & FEATURES

 MATERIAL MILD STEEL FRAME WITH

GLASS & PMMA DIFFUSERS

: CHROME FINISH COLOR ■ INSTALLATION : WALL MOUNTED

■ SWANKY COMBINATION OF CLEAR PMMA DIFFUSER WITH RICH DIAMOND GLASS INFUSES A CAPTIVATING MOOD WITHIN THE ROOM

PERFECT PAIRING OF ELEGANCE & CUTTING EDGE TECHNOLOGY

MAINTAINANCE FREE LIFE WITH BUILT-IN DRIVER AND HIGH EFFICIENCY LEDS

RANGE OF HARMONIZED DESIGN AVAILABLE WITH MATCHING CHANDELIER

THE LED ADVANTAGE

LOW CARBON FOOTPRINT ZERO MERCURY NO UV / INFRARED EMISSION LONG LIFE LED TECHNOLOGY






SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
WP1030	40W GLS / 7W CFL	1N*	E514	2200-2400	50HZ	1*40W	40W
ITEM CODE	TYPE OF LAMP		сст	RATED VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
WL3001	3*3.3W LED	4	4000K	2200-2400	50HZ	10W	10W

28





VILTIS WL1023

 MATERIAL ALUMINIUM HOUSING WITH STEEL

BASE PLATE

COLOR : BLACK OUTER FINISH WITH BRASS BASE

■ INSTALLATION : WALL MOUNTED


 STATE-OF-THE-ART DESIGN WITH BUILT-IN LED GELS WITH THE DECOR OF THE CONTEMPORARY MODERN HOME

ARTISTIC OVAL DESIGN BEAUTIFIES THE AMBIENCE OF THE ROOM

MINIMALISTIC GLARE WITH CLEVERLY CONCEALED LEDS

THE LED ADVANTAGE

NO HARMFUL UU/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY



ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
WP2011	9W CFL/40W GLS	1N	E514	2200-2400	198V-264V	50HZ	40Ψ	9W/40W
ITEM CODE	TYPE OF LAMP	RATED VOLTAG	E I	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	сст
WL1023	LED	2200-2400		90V-264V	50HZ	10W	10Ш	3000 KELVIN





VILTIS WP1025

DESIGN **₡** FEATURES

 MATERIAL MOUTH BLOWN GLASS WITH CHROME BRACKET


COLOR RICH CHROME FINISH WITH FROSTED GLASS

■ INSTALLATION : WALL MOUNTED

STATE-OF-THE-ART DESIGN WHICH GELS WITH THE DÉCOR OF THE CONTEMPORARY MODERN HOMES

EMITS A GLAREFREE SOFT LIGHT WITHIN THE ROOM WHICH IS PLEASANT FOR THE EYES

• AN ELEGANT PRODUCT WITH RICH CRAFTED BLOWN GLASS ϕ premium chrome assembly for timeless elegance



VILTIS WL1026

DESIGN **₡** FEATURES

 MATERIAL BLOWN PRESSED GLASS WITH METALIC BRACKET

COLOR RICH CHROME FINISH WITH

FROSTED GLASS


INSTALLATION : WALL MOUNTED

STATE-OF-THE-ART DESIGN WHICH GELS WITH THE DÉCOR OF THE CONTEMPORARY MODERN HOMES

EMITS A GLAREFREE SOFT LIGHT WITHIN THE ROOM WHICH IS PLEASANT FOR THE EYES

THE LED ADVANTAGE

NO HARMFUL UV/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY





VILTIS WL1027

DESIGN **₡** FEATURES

 MATERIAL PRESSED GLASS WITH METALIC BRACKET

COLOR RICH CHROME FINISH WITH

FROSTED GLASS


 INSTALLATION : WALL MOUNTED

STATE-OF-THE-ART DESIGN WHICH GELS WITH THE DÉCOR OF THE CONTEMPORARY MODERN HOMES

■ EMITS A GLAREFREE SOFT LIGHT WITHIN THE ROOM WHICH IS PLEASANT FOR THE EYES AN ELEGANT PRODUCT WITH RICH CRAFTED BLOWN GLASS $oldsymbol{\phi}$ PREMIUM CHROME ASSEMBLY FOR TIMELESS ELEGANCE

THE LED ADVANTAGE

NO HARMFUL UU/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
WP1025	9W CFL/40W GLS	1N	E527	220V-240V	198V-264V	50HZ	40Ψ	40Ψ
ITEM CODE	TYPE OF LAMP	RATED VOL	TAGE C	DPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	сст
WL1027	LED	2200-240	OV	90V-264V	50HZ	6Ψ	6Ш	3000 KELVIN





VILTIS **WL1029**

DESIGN **₡** FEATURES

 MATERIAL MOUTH BLOWN GLASS WITH

METALLIC BRACKET

RICH CHROME FINISH WITH OPAL COLOR DIFFUSED GLASS

 INSTALLATION : WALL MOUNTED

STATE-OF-THE-ART DESIGN WHICH GELS WITH THE DÉCOR OF THE CONTEMPORARY MODERN HOMES


EMITS A GLAREFREE SOFT LIGHT WITHIN THE ROOM WHICH IS PLEASANT FOR THE EYES

AN ELEGANT PRODUCT WITH RICH CRAFTED BLOWN GLASS $\pmb{\phi}$ PREMIUM CHROME ASSEMBLY FOR TIMELESS ELEGANCE

THE LED ADVANTAGE

NO HARMFUL UV/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY

LONG LIFE LED TECHNOLOGY



ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	сст
Mr105e	LED	2200-2400	90V-264V	50HZ	6W	6W	3000 KELVIN
WL1029	LED	2200-2400	90V-264V	50HZ	6Ш	6W	3000 KELVIN







VILTIS WL1030

DESIGN & FEATURES

■ MATERIAL : MOUTH BLOWN GLASS WITH METALIC BRACKET

■ COLOR : RICH CHROME FINISH WITH

FROSTED GLASS

■ INSTALLATION : WALL MOUNTED


 STATE-OF-THE-ART DESIGN WHICH GELS WITH THE DÉCOR OF THE CONTEMPORARY MODERN HOMES

 EMITS A GLAREFREE SOFT LIGHT WITHIN THE ROOM WHICH IS PLEASANT FOR THE EYES

- AN ELEGANT PRODUCT WITH RICH CRAFTED BLOWN GLASS ϕ PREMIUM CHROME ASSEMBLY FOR TIMELESS ELEGANCE

THE LED ADVANTAGE

NO HARMFUL UV/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY



VILTIS WL1028

DESIGN & FEATURES

■ MATERIAL : MOUTH BLOWN GLASS WITH METALLIC BRACKET

■ COLOR : RICH CHROME FINISH WITH FROSTED GLASS

■ INSTALLATION : WALL MOUNTED

STATE-OF-THE-ART DESIGN WHICH GELS WITH THE DÉCOR OF


THE CONTEMPORARY MODERN HOMES

 EMITS A GLAREFREE SOFT LIGHT WITHIN THE ROOM WHICH IS PLEASANT FOR THE EYES

 AN ELEGANT PRODUCT WITH RICH CRAFTED BLOWN GLASS & PREMIUM CHROME ASSEMBLY FOR TIMELESS ELEGANCE

THE LED ADVANTAGE

NO HARMFUL UU/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY





VILTIS WL2003

DESIGN **₡** FEATURES

■ MATERIAL : MOUTH BLOWN GLASS WITH METALLIC BRACKET

 COLOR : RICH CHROME FINISH WITH OPAL DIFFUSED GLASS

■ INSTALLATION : WALL MOUNT


 STATE-OF-THE-ART DESIGN WHICH GELS WITH THE DÉCOR OF THE CONTEMPORARY MODERN HOMES

 EMITS A GLAREFREE SOFT LIGHT WITHIN THE ROOM WHICH IS PLEASANT FOR THE EYES

• AN ELEGANT PRODUCT WITH RICH CRAFTED BLOWN GLASS $oldsymbol{x}$ Premium Chrome assembly for timeless elegance

THE LED ADVANTAGE

NO HARMFUL UU/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY



33.0 CM

SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	сст
WL1030	LED	220V-240V	900-2640	50HZ	6Ш	6Ш	3000 KELVIN
WL2003	LED	2200-2400	90V-264V	50HZ	2×6W	12W	3000 KELVIN





DESIGN & FEATURES

■ MATERIAL : STEEL BODY & GLASS SHADE

■ COLOR : CHROME FINISH

INSTALLATION : WALL MOUNTED
 MODERN DESIGN WITH RICH CHROME FINISH

 HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION OF LAMPS

SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS

COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



ITEM CODE	TYPE OF LAMP	RATED VOL	LTAGE (DPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	сст
MT1058	LED	2200-24	÷0η	90V-264V	50HZ	6Ш	6Ш	3000 KELVIN
ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
WP1013	13W CFL/40W GL5	1N	ES27	2200-2400	1980-2640	50HZ	40Ψ	13W/40W







EL COQUIN **WP2008**

DESIGN **₡** FEATURES

 MATERIAL : STEEL BODY & GLASS SHADE


COLOR : CHROME FINISH

■ INSTALLATION : WALL MOUNTED

MODERN DESIGN WITH RICH CHROME FINISH

SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS

COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



VILTIS WL1025

DESIGN **₡** FEATURES

BLOWN GLASS WITH METALLIC MATERIAL BRACKET

RICH CHROME FINISH WITH COLOR

INSTALLATION : WALL MOUNTED

STATE-OF-THE-ART DESIGN WHICH GELS WITH THE DÉCOR OF THE CONTEMPORARY MODERN HOMES

EMITS A GLAREFREE SOFT LIGHT WITHIN THE ROOM WHICH IS PLEASANT FOR THE EYES

THE LED ADVANTAGE

NO HARMFUL UV/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY





VILTIS Mr5005

COLOR

DESIGN **₡** FEATURES

 MATERIAL BLOWN GLASS WITH METALIC

RICH CHROME FINISH WITH FROSTED GLASS

: WALL MOUNTED

INSTALLATION STATE-OF-THE-ART DESIGN WHICH GELS WITH THE DÉCOR OF THE CONTEMPORARY MODERN HOMES


EMITS A GLAREFREE SOFT LIGHT WITHIN THE ROOM WHICH

IS PLEASANT FOR THE EYES

• AN ELEGANT PRODUCT WITH RICH CRAFTED BLOWN GLASS $oldsymbol{x}$ Premium Chrome assembly for timeless elegance

THE LED ADVANTAGE


NO HARMFUL UU/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY



LONG LIFE LED TECHNOLOGY

SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
ШР2008	13W CFL/40W GL5	2N	ES27	220V-240V	198V-264V	50HZ	2*40W	26Ш/8ОШ
ITEM CODE	TYPE OF LAMP	RATED VOL	TAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	сст
MI5005	LED	2200-24	OΝ	90V-264V	50HZ	2*6Ш	12W	3000 KELVIN



LYNNEA Mb5010

DESIGN **₡** FEATURES

 MATERIAL : MILD STEEL & GLASS

: OPAL GLASS WITH SATIN FINISH


■ INSTALLATION : WALL MOUNTED

 LINEAR DESIGN WITH A FUSION OF MATT FINISH METAL AND SATIN FINISH GLASS

SUPERIOR QUALITY GLASS DIFFUSER TO MINIMIZE GLARE

DESIGNED FOR USE WITH ENERGY SAVING LAMPS

SINGLE-HEAD OPTION AVAILABLE



ITEM CODE	TYPE OF LAMP	RATED VOLTAGE		PERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	сст
WL1025	LED	2200-2400		90V-264V	50HZ	6Ш	6Ψ	3000 KELVIN
ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTE	AGE FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
WP2010	9W CFL/40W GLS	2N	E527	2200-2400	1980-2640	50HZ	2*40W	18W/80W








VILTIS WG2002

DESIGN **₡** FEATURES

■ MATERIAL : BOROSILICATE GLASS BRANCHES WITH CHROME BASE

COLOR : TRANSLUCENT GLASS
 INSTALLATION : WALL MOUNTED

- AN EXCLUSIVE COLLECTION OF ORNAMENTAL LIGHTING PRODUCTS
- DIMMABLE WITH CONVENTIONAL ROTARY DIMMER*
- SUPERIOR QUALITY GLASS BRANCH DESIGN THAT PRODUCES A FASCINATING PRISIT EFFECT
- A COMPLETE RANGE OF HARMONIZED DESIGNS, THAT WILL ADD SOPHISTICATION TO EVERY ROOM



CHIARO WP1016

DESIGN & FEATURES


■ MATERIAL : MILD STEEL & GLASS

■ COLOR : OPAL GLASS WITH SATIN FINISH

■ INSTALLATION : WALL MOUNTED

RICH DESIGN WITH A BLEND OF METAL AND SATIN FINISH GLASS

SUPERIOR QUALITY GLASS DIFFUSER TO MINIMIZE GLARE





VILTIS WG2001

DESIGN **₡** FEATURES

■ MATERIAL : BOROSILICATE GLASS BRANCHES WITH

CHROME BASE


COLOR : TRANSLUCENT GLASSINSTALLATION : WALL MOUNTED

AN EXCLUSIVE COLLECTION OF ORNAMENTAL LIGHTING PRODUCTS

■ DIMMABLE WITH CONVENTIONAL ROTARY DIMMER*

 SUPERIOR QUALITY GLASS BRANCH DESIGN THAT PRODUCES A FASCINATING PRISM EFFECT

A COMPLETE RANGE OF HARMONIZED DESIGNS, THAT WILL ADD SOPHISTICATION TO EVERY ROOM



CHIARO WP1015

DESIGN ₡ FEATURES


■ MATERIAL : MILD STEEL & GLASS

COLOR : OPAL GLASS WITH SATIN FINISH

■ INSTALLATION : WALL MOUNTED

• RICH DESIGN WITH A BLEND OF METAL AND SATIN FINISH GLASS

• SUPERIOR QUALITY GLASS DIFFUSER TO MINIMIZE GLARE



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
MC5005	2*40W G9 HALOGEN	2N	G9	2200-2400	198V-264V	50HZ	2*40W	80Ш	
MC5001	2*40W G9 HALOGEN	2N	G9	2200-2400	1980-2640	50HZ	2*40W	80W	

36

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
WP1016	40W GLS	1N	ES27	2200-2400	198V-264V	50HZ	40W	40Ψ	
WP1015	40W GLS	1N	ES27	2200-2400	198U-264U	50HZ	40Ψ	40Ψ	







ESTRELLA WL1003

DESIGN **₡** FEATURES

 MATERIAL : STEEL BASE WITH GOOSENECK &

: CHROME PLATED COLOR ■ INSTALLATION : WALL MOUNTED

MODERN AND ELEGANT SLIM DESIGN

• FLEXIBLE GOOSENECK DESIGN ALLOWS EASY DIRECTIONAL CONTROL

■ INBUILT ON/OFF SWITCH

■ EMANATES WHITE LIGHT

THE LED ADVANTAGE

NO HARMFUL UU/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY



LUCIAN WL1010

DESIGN & FEATURES

 MATERIAL : STEEL BODY WITH ALUMINIUM HEAT SINK ϕ STEEL REFLECTOR

: WHITE COLOR

■ INSTALLATION : WALL MOUNTED

• AVAILABLE WITH OPTION OF DIMMING CONTROL

■ SLIM DESIGN INSPIRED BY THE URBAN LIFESTYLE PROJECTS A UNIQUE HALO OF LIGHT ON THE


WALL/CEILING


■ EMANATES WARM YELLOW LIGHT

THE LED ADVANTAGE

NO HARMFUL UV/INFRARED EMISSION LOW CARBON FOOTPRINT

ZERO MERCURY LONG LIFE LED TECHNOLOGY





ESTRELLA WL1004

DESIGN **₡** FEATURES

 MATERIAL : STEEL BASE WITH GOOSENECK ₽

COLOR : CHROME PLATED

■ INSTALLATION : WALL MOUNTED

• ULTRA SLIM AND STYLISH FORM

■ FLEXIBLE GOOSENECK DESIGN ALLOWS EASY DIRECTIONAL CONTROL

■ INBUILT ON/OFF SWITCH

■ EMANATES WHITE LIGHT

THE LED ADVANTAGE

NO HARMFUL UV/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	сст
WL1003	LED	220V-240V	901-2641	50HZ	sm	ΣW	5000 KELVIN
WL1004	LED	220V-240V	90V-264V	50HZ	2Μ	5М	5000 KELVIN

38



AGALIA WL1007

DESIGN **₡** FEATURES

 MATERIAL : STEEL BODY WITH ALUMINIUM HEAT SINK & STEEL REFLECTOR

COLOR : WHITE

■ INSTALLATION : WALL MOUNTED

SLEEK DESIGN PROJECTS A WIDE BEATH ON THE WALL

 REDUCED GLARE WITH INTELLIGENTLY CONCEALED LEDS ■ EMANATES WARM YELLOW LIGHT

• COMPLIMENTS MODERN INTERIORS

THE LED ADVANTAGE

NO HARMFUL UV/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY



ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	сст
WL1010	LED	220V-240V	90V-264V	50HZ	11W	ш	3000 KELVIN
WL1007	LED	2200-2400	90V-264V	50HZ	7Ш	7Ψ	3000 KELVIN





ALLIUM WP1018

DESIGN & FEATURES

 MATERIAL : MILD STEEL & GLASS

COLOR : OPAL GLASS WITH SATIN FINISH


■ INSTALLATION : WALL MOUNTED

 SLEEK TORCH SHAPED DESIGN WITH MATT FINISH AND Satin Glass

SUPERIOR QUALITY GLASS DIFFUSER TO MINIMIZE GLARE

DESIGNED FOR USE WITH ENERGY-SAVING LIGHT LAMPS

■ AVAILABLE IN BOTH GLOSSY & MATT FINISH



TRANQUILO **WL1014**

DESIGN & FEATURES

 MATERIAL : ALUMINIUM HOUSING

COLOR : WHITE

■ INSTALLATION : RECESSED WALL MOUNTED STEP LIGHT

• ARTISTIC HOUSING SPECIALLY DESIGNED FOR LEDS


REDUCED GLARE WITH INTELLIGENTLY CONCEALED LEDS

■ EMANATES WARM YELLOW LIGHT

COMPLIMENTS MODERN INTERIORS

THE LED ADVANTAGE

NO HARMFUL UV/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY





ALLIUM WP1019

DESIGN **₡** FEATURES


 MATERIAL : MILD STEEL & GLASS

COLOR : CHROME FINISH WITH SATIN GLASS

■ INSTALLATION : WALL MOUNTED

• SUPERIOR QUALITY GLASS DIFFUSER TO MINIMIZE GLARE ■ DESIGNED FOR USE WITH ENERGY-SAVING LIGHT LAMPS

■ AVAILABLE IN BOTH GLOSSY & MATT FINISH



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
WP1018	13W CFL/40W GL5	1N	E527	2200-2400	1981/-2641/	50HZ	40W	13W/40W
WP1019	13W CFL/40W GLS	1N	E527	2200-2400	1980-2640	50HZ	40Ψ	13W/40W





ANGELICA MF1015

DESIGN & FEATURES

 MATERIAL STEEL BODY WITH ALUMINIUM HOUSING & HEAT SINK

COLOR : WHITE

■ INSTALLATION : WALL MOUNTED

■ HIGHLY SLEEK AND CONTEMPORARY DESIGN

 REDUCED GLARE WITH INTELLIGENTLY CONCEALED LEDS ■ EMANATES WARM YELLOW LIGHT

• COMPLIMENTS MODERN INTERIORS

THE LED ADVANTAGE

NO HARMFUL UV/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY



ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	сст
WL1014	LED	2200-2400	90V-264V	50HZ	ΣШ	sm	3000 KELVIN
WL1012	LED	2200-2400	90V-264V	50HZ	4Ш	4Ψ	3000 KELVIN







NEA WL1016

DESIGN & FEATURES

: STEEL BODY WITH ALUMINIUM HEAT SINK & PMMA SHADE MATERIAL

COLOR : CHROME ■ INSTALLATION : WALL MOUNTED

■ PREMIUM QUALITY AND HIGH LUMEN OUTPUT

 SOPHISTICATED AND LUXURIOUS DESIGN SPECIALLY MADE FOR LEDS

■ EMANATES WARM YELLOW LIGHT

• COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE

THE LED ADVANTAGE

NO HARMFUL UU/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY



MODA WP1021

DESIGN & FEATURES

 MATERIAL : PREMIUM STEEL


COLOR : MATT WHITE ■ INSTALLATION : WALL MOUNTED


■ MODERN DESIGN USING SUPERIOR QUALITY METAL

DIFFUSED LIGHTING WITH REDUCED GLARE

■ EVEN DISPERSION OF LIGHT

COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE





ALTHAEA WL1001

DESIGN & FEATURES

 MATERIAL : STEEL BODY WITH ALUMINIUM HOUSING & HEAT SINK

COLOR : WHITE

■ INSTALLATION : WALL MOUNTED

■ COOL AND TRENDY SLIT DESIGN

■ EVENLY DIFFUSED UP AND DOWN NARROW BEATT

■ EMANATES WARM YELLOW LIGHT COMPLIMENTS MODERN INTERIORS

THE LED ADVANTAGE NO HARMFUL UD/INFRARED EMISSION LOW CARBON FOOTPRINT

ZERO MERCURY LONG LIFE LED TECHNOLOGY



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	сст
WL1016	LED	220V-240V	198V-264V	50HZ	3Ψ	3W	3000 KELVIN
WL1001	LED	2200-2400	90V-264V	50HZ	2*4W	8Ψ	3000 KELVIN



MODA WP1020

DESIGN **₡** FEATURES

 MATERIAL : PREMIUM STEEL


COLOR : MATT BLACK

■ INSTALLATION : WALL MOUNTED ■ MODERN DESIGN USING SUPERIOR QUALITY METAL

DIFFUSED LIGHTING WITH REDUCED GLARE

■ EVEN DISPERSION OF LIGHT

COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
WP1021	10W LED/20W CFL/100W GLS	1N	E527	2200-2400	1980-2640	50HZ	100Ш	10W/20W/100W
WP1020	10W LED/20W CFL/100W GLS	1N	E527	2200-2400	198V-264V	50HZ	100Ш	10W/20W/100W







EVA SIDRA MT5001

DESIGN & FEATURES

 MATERIAL : STEEL BODY WITH ALUMINIUM HEAT SINK **₡** PMMA SHADE

: CHROME COLOR

■ INSTALLATION : WALL MOUNTED

■ PREMIUM QUALITY AND HIGH LUMEN OUTPUT

■ LUSTROUS CHROME FINISH DESIGNER FIXTURE SPECIALLY MADE FOR LEDS

■ EMANATES WARM YELLOW LIGHT

• COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE

THE LED ADVANTAGE

NO HARMFUL UV/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY



EL DIA NOCHE WL1005

DESIGN & FEATURES

 MATERIAL : ALUMINIUM HOUSING ₡ STEEL BASE

: METAL FRAME AVAILABLE IN RICH COLOR

WHITE FINISH WITH CHROME RING ■ INSTALLATION : WALL MOUNTED

FUTURISTIC BALL SHAPED DESIGN


HIGHLY VERSATILE AS AN UP OR DOWN LIGHTER

■ EMANATES WARM YELLOW LIGHT

■ COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE

THE LED ADVANTAGE

NO HARMFUL UU/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY





EVA SIDRA WL1015

DESIGN **₡** FEATURES

 MATERIAL : STEEL BODY WITH ALUMINIUM HEAT

SINK ₡ PMMA SHADE

COLOR : CHROME ■ INSTALLATION : WALL MOUNTED

• PREMIUM QUALITY AND HIGH LUMEN OUTPUT

• LUSTROUS CHROME FINISH DESIGNER FIXTURE SPECIALLY MADE FOR LEDS

■ EMANATES WARM YELLOW LIGHT

COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE

THE LED ADVANTAGE

NO HARMFUL UV/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY



EL DIA NOCHE WL1006

DESIGN & FEATURES

 MATERIAL : ALUMINIUM HOUSING ₡ STEEL BASE

COLOR METAL FRAME AVAILABLE IN RICH BLACK FINISH WITH CHROME RING

■ INSTALLATION : WALL MOUNTED

FUTURISTIC BALL SHAPED DESIGN


■ HIGHLY DERSATILE AS AN UP OR DOWN LIGHTER

■ EMANATES WARM YELLOW LIGHT

• COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE

THE LED ADVANTAGE

NO HARMFUL UV/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	сст
MT5001	LED	2200-2400	198V-264V	50HZ	2*4W	8Ψ	3000 KELVIN
WL1015	LED	2200-2400	198V-264V	50HZ	4Ψ	4Ψ	3000 KELVIN

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	сст
WL1005	LED	2200-2400	90V-264V	50HZ	7Ш	7Ш	3000 KELVIN
WL1006	LED	2200-2400	90V-264V	50HZ	7Ψ	7Ψ	3000 KELVIN







EVA HESTER WP1007

DESIGN & FEATURES

 MATERIAL : STEEL BODY & GLASS SHADE

COLOR : CHROME

■ INSTALLATION : WALL MOUNTED

SLEEK MODERN DESIGN WITH RICH QUALITY GLASS

HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION OF LAMPS

SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS

• COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



LE TULIPE WP1005

DESIGN & FEATURES

 MATERIAL : STEEL BODY & GLASS SHADE

COLOR : ANTIQUE BRASS

■ INSTALLATION : WALL MOUNTED

• ELEGANT DESIGN WITH ANTIQUE BRASS FINISH

SUPERIOR QUALITY GLASS DIFFUSER TO MINIMIZE GLARE

SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS

COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE





EVA HESTER Mb5005

DESIGN & FEATURES

 MATERIAL : STEEL BODY & GLASS SHADE


COLOR : CHROME

■ INSTALLATION : WALL MOUNTED

 SLEEK MODERN DESIGN WITH RICH QUALITY GLASS HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION

SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS

COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE





LE TULIPE WP2001

DESIGN **₡** FEATURES

 MATERIAL : STEEL BODY & GLASS SHADE

COLOR


: ANTIQUE BRASS ■ INSTALLATION : WALL MOUNTED

• ELEGANT DESIGN WITH ANTIQUE BRASS FINISH

• SUPERIOR QUALITY GLASS DIFFUSER TO MINIMIZE GLARE

SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS

COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
WP1007	40W GLS	1N	E514	2200-2400	1980-2640	50HZ	40W	40W	
WP2002	40W GLS	2N	E514	2200-2400	1981-2641	50HZ	2*40W	80W	

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
WP1005	13W CFL/40W GLS	1N	E514	2200-2400	198V-264V	50HZ	40W	13W/40W	
WP2001	13W CFL/40W GLS	2N	E514	2200-2400	1980-2640	50HZ	2*40W	26W/80W	







LYUETH

DESIGN ₡ FEATURES

■ MATERIAL : STEEL BODY WITH ALUMINIUM HOUSING & HEAT SINK


■ COLOR : WHITE

■ INSTALLATION : WALL MOUNTED

- SLEEK DESIGN REFLECTING SIMPLICITY AT ITS BEST
- EVENLY DIFFUSED UP AND DOWN NARROW BEAM
- EMANATES WARM YELLOW LIGHT
- COMPLIMENTS MODERN INTERIORS

THE LED ADVANTAGE

NO HARMFUL UV/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY



EVA ARANCINO WP1008

DESIGN & FEATURES


■ MATERIAL : STEEL BODY & GLASS SHADE

■ COLOR : CHROME

INSTALLATION : WALL MOUNTED

SLEEK MODERN DESIGN WITH RICH QUALITY GLASS

- HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION OF LAMPS
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE





EVA VISCARIA WP1006

DESIGN & FEATURES

■ MATERIAL : STEEL BODY & GLASS SHADE ■ COLOR : ANTIQUE BRASS

■ INSTALLATION : WALL MOUNTED

- ELEGANT DESIGN WITH ANTIQUE BRASS FINISH
 HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION OF LAMPS
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE





SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE		OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	сст
MT1005	LED	2200-24	ον	90V-264V	50HZ	6Ш	6Ш	3000 KELVIN
ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
WP1006	11W CFL/40W GLS	1N	E527	2200-2400	1981-2641	50HZ	40W	11W/40W



EVA ARANCINO WP2003

DESIGN & FEATURES

■ MATERIAL : STEEL BODY & GLASS SHADE

■ COLOR : CHROME

INSTALLATION : WALL MOUNTED

- SLEEK MODERN DESIGN WITH RICH QUALITY GLASS
- HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION OF LAMPS
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
WP1008	40W GL5	1N	E514	2200-2400	1980-2640	50HZ	40Ψ	40W	
WP2003	40W GLS	2N	E514	2200-2400	198V-264V	50HZ	2*40W	вош	








EVA RETHMOS WP1009

DESIGN & FEATURES


- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : CHROME ₡ ANTIQUE BLACK
- INSTALLATION : WALL MOUNTED
- SLEEK MODERN DESIGN WITH RICH QUALITY GLASS
- SUPERIOR QUALITY GLASS DIFFUSER TO MINIMIZE GLARE
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



EVA BELLA WP1010

DESIGN & FEATURES

- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : ANODIZED TIN FINISH
- INSTALLATION : WALL MOUNTED
- PREMIUM OFFERING OF HIGH QUALITY METAL AND DESIGNER GLASS
- UNIQUE SURFACE MOUNTED DESIGN
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE






EVA RETHMOS UP2004

DESIGN **₡** FEATURES

- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : CHROME & ANTIQUE BLACK
- INSTALLATION : WALL MOUNTED
- SLEEK MODERN DESIGN WITH RICH QUALITY GLASS
- SUPERIOR QUALITY GLASS DIFFUSER TO MINIMIZE GLARE
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE






EVA BELLA WP2005

DESIGN & FEATURES

- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : ANODIZED TIN FINISH
- INSTALLATION : WALL MOUNTED
- PREMIUM OFFERING OF HIGH QUALITY METAL AND DESIGNER GLASS
- UNIQUE SURFACE MOUNTED DESIGN
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
WP1009	11W CFL/40W GLS	1N	E527	2200-2400	1980-2640	50HZ	40Ψ	11W/40W
WP2004	11W CFL/40W GL5	2N	E527	2200-2400	1980-2640	50HZ	2*40W	55M\80M

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
WP1010	13W CFL/40W GL5	1N	E514	220V-240V	198V-264V	50HZ	40W	13W/40W	
WP2005	13W CFL/40W GLS	2N	E514	2200-2400	1980-2640	50HZ	2*40W	26W/80W	







LA ENCHANTE WP1011

DESIGN **₡** FEATURES

 MATERIAL : STEEL BODY & GLASS SHADE

COLOR : ANTIQUE BRASS


■ INSTALLATION : WALL MOUNTED

ELEGANT DESIGN WITH ANTIQUE BRASS FINISH

HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION OF LATTPS

SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS

■ COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



EVA DAPHNE WP1012

DESIGN & FEATURES

 MATERIAL : STEEL BODY & GLASS SHADE

COLOR : ANTIQUE BRASS


■ INSTALLATION : WALL MOUNTED

• ELEGANT DESIGN WITH ANTIQUE BRASS FINISH

 HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION OF LAMPS

SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS

COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE





LA ENCHANTE WP2006

DESIGN & FEATURES

 MATERIAL : STEEL BODY & GLASS SHADE


COLOR : ANTIQUE BRASS

■ INSTALLATION : WALL MOUNTED

■ ELEGANT DESIGN WITH ANTIQUE BRASS FINISH ■ HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION

• SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS

COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE







EVA DAPHNE WP2007

DESIGN & FEATURES

 MATERIAL : STEEL BODY & GLASS SHADE


COLOR : ANTIQUE BRASS

■ INSTALLATION : WALL MOUNTED • ELEGANT DESIGN WITH ANTIQUE BRASS FINISH

HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION

SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS

COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
WP1011	13W CFL/40W GLS	1N	E527	2200-2400	1980-2640	50HZ	40Ψ	13W/40W
WP2006	13W CFL/40W GLS	2N	E527	2200-2400	1980-2640	50HZ	2x40W	26W/80W

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
WP1012	13W CFL/40W GLS	1N	E527	2200-2400	1980-2640	50HZ	40Ш	13W/40W	
WP2007	13W CFL/40W GLS	2N	E527	2200-2400	198V-264V	50HZ	2*40W	26W/80W	








VILTIS WP1022

DESIGN **₡** FEATURES

- MATERIAL : ETCHED GLASS WITH WOODEN BASE
- COLOR : RICH WOODGRAIN FINISH
- INSTALLATION : WALL MOUNTED
- Cutting edge design with a combination of Rubber wood bracket $\boldsymbol{\varPhi}$ etched glass
- EMITS A GLAREFREE SOFT LIGHT WITHIN THE ROOM WHICH IS PLEASANT FOR THE EYES



EVA FEYYO WP1014

DESIGN & FEATURES

- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : CHROME FINISH
- INSTALLATION : WALL MOUNTED
- MODERN DESIGN WITH RICH CHROME FINISH
- HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION OF LAMPS
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE






VILTIS WP1023

DESIGN ₽ FEATURES

- MATERIAL : ETCHED GLASS WITH METAL BASE
- COLOR : MATT CHROME FINISH
- INSTALLATION : WALL MOUNTED
- PRODUCT WITH UNIQUE USER FRIENDLY ROTATIONAL GLASS ARRANGEMENT FOR DIRECTING LIGHT AS REQUIRED
- EMITS A GLAREFREE SOFT LIGHT WITHIN THE ROOM WHICH IS PLEASANT FOR THE EYES
- AN ELEGANT PRODUCT WITH RICH CRAFTED OPAL GLASS FOR SIMPLISTIC DESIGN TAST






EVA FEYYO WP2009

DESIGN & FEATURES

- INATERIAL : STEEL BODY & GLASS SHADE
- COLOR : CHROME FINISH
- INSTALLATION : WALL MOUNTED
- MODERN DESIGN WITH RICH CHROME FINISH
- HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION OF LAMPS
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE




SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
WP1022	7W LED/11W CFL/40W GLS	1N	E527	2200-2400	198V-264V	50HZ	40Ψ	7W/11W/40W	
WP1023	9W CFL/40W GLS	1N	E527	2200-2400	1980-2640	50HZ	40W	9W/40W	

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
WP1014	13W CFL/40W GLS	1N	E527	2200-2400	198У-264У	50HZ	40W	13W/40W	
WP2009	13W CFL/40W GL5	2N	E527	2200-2400	198V-264V	50HZ	2*40W	26W/80W	







PENDANTS

APPLICATION OF LIGHTS CAN CREATE A DIFFERENT AMBIENCE IN A HOME AND PENDANTS CAN TRULY ACHIEVE THIS TRANSITION. ANY DULL AND GLOOMY ROOM CAN BE TRANSFORMED TO A VIBRANT AND PROSPEROUS AREA ONLY BY THE INSTALLATION OF PENDANTS. TISUA PRESENTS A WIDE RANGE OF PENDANTS WITH PREMIUM MATERIAL, RICH GLOSSY COLOURS AND FUTURISTIC DESIGNS IN CFL AS WELL AS LED VARIANTS.

THE LED VARIANTS OF THE PENDANTS ARE OFFERED WITH AN OPTION OF INTENSITY CONTROL AS WELL AS A WALL HELD ROTARY DIMMER.

THE PENDANT RANGE IS BEING OFFERED AS 1 HEAD, 2 HEAD & 3 HEAD VARIANTS. THE DESIGNER RANGE OF PENDANTS FROM TISVA SPEAKS ABOUT THE PREMIUM OFFERINGS INSPIRED FROM EUROPE AND SUBTLENESS INSPIRED FROM INDIA.





JUBILO SP1031

DESIGN & FEATURES

 MATERIAL MILD STEEL BASE WITH ABS DISC ₡

COLOR : CHROME WITH OPAL DIFFUSER

■ INSTALLATION : CEILING MOUNTED

RICH CONTEMPORARY DESIGN WITH CHROME DISCS ₡ PMMA COVER ACCENTUATES MODERN DÉCOR

• PRODUCES GLARE FREE DIFFUSED LIGHTING WHICH IS

COMFORTABLE FOR THE EYES DESIGNED FOR USE WITH ENERGY-SAVING LIGHT BULBS

AUAILABLE AS A COMPLETE RANGE OF HARMONIZED DESIGNS WHICH WILL ADD SOPHISTICATION TO EVERY ROOM



JUBILO 5P1033A

DESIGN **₡** FEATURES

 MATERIAL MILD STEEL CANOPY WITH BLOWN

BLACK MOUNTING UNIT WITH SAND COLOR

INSTALLATION : CEILING MOUNTED


 MINIMALISTIC DESIGN WITH UNIQUE HAND BLOWN-GLASS SHADE IS COMPATIBLE WITH BOTH RETRO AND CONTEMPORARY HOME DÉCOR

DESIGNED FOR USE WITH ENERGY-SAVING LIGHT BULBS

EASY HEIGHT ADJUSTMENT AT THE TIME OF INSTALLATION

AUAILABLE AS A RANGE OF HARMONIZED DESIGNED

NOTE: DUE TO THE NATURE OF HAND BLOWN GLASS, THE DIMENSIONS MAY WARY SLIGHTLY AND HAVE CHARACTERISTICS





JUBILO SP1032

- MATERIAL MILD STEEL CANOPY WITH BLOWN GLASS
- BLACK MOUNTING UNIT WITH BEIGE COLOR
- INSTALLATION : CEILING MOUNTED
- MINIMALISTIC DESIGN WITH UNIQUE HAND BLOWN-GLASS SHADE IS COMPATIBLE WITH BOTH RETRO AND CONTEMPORARY HOME DÉCOR
- DESIGNED FOR USE WITH ENERGY-SAVING LIGHT BULBS
- EASY HEIGHT ADJUSTMENT AT THE TIME OF INSTALLATION
- AVAILABLE AS A RANGE OF HARIMONIZED DESIGNED PENDANTS

NOTE: DUE TO THE NATURE OF HAND BLOWN GLASS, THE DIMENSIONS MAY UARY SLIGHTLY AND HAVE CHARACTERISTICS SUCH AS BUBBLES AND SPIN LINES



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SP1031	20W CFL	1N*	E27	2200-2400	50HZ	1*20W	50M
SP1032	40W GL5	IN*	E27	2200-2400	50HZ	2*20W	40W

60







JUBILO SP1034

- MATERIAL MILD STEEL CANOPY WITH BLOWN GLASS
- GOLDEN MOUNTING UNIT WITH BEIGE COLOR GLASS
- : CEILING MOUNTED INSTALLATION
- MINIMALISTIC DESIGN WITH UNIQUE HAND BLOWN-GLASS SHADE IS COMPATIBLE WITH BOTH RETRO AND CONTEMPORARY HOME DÉCOR
- DESIGNED FOR USE WITH ENERGY-SAVING LIGHT BULBS
- EASY HEIGHT ADJUSTMENT AT THE TIME OF INSTALLATION
- AVAILABLE AS A RANGE OF HARMONIZED DESIGNED PENDANTS

NOTE: DUE TO THE NATURE OF HAND BLOWN GLASS, THE DIMENSIONS MAY VARY SLIGHTLY AND HAVE CHARACTERISTICS SUCH AS BUBBLES AND SPIN LINES



ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SP1033A	40W GLS	1N*	E27	2200-2400	50HZ	1*40W	40W
5P1034	40W GLS	1N*	E27	2200-2400	50HZ	1*40W	40Ψ





JUBILO 5P1035

DESIGN ₡ FEATURES

- MATERIAL : MILD STEEL CANOPY WITH BLOWN
 - : GOLDEN MOUNTING UNIT WITH LIGHT BROWN GLASS
- INSTALLATION : CEILING MOUNTED
- MINIMALISTIC DESIGN WITH UNIQUE HAND BLOWN-GLASS SHADE IS COMPATIBLE WITH BOTH RETRO AND CONTEMPORARY HOME DÉCOR
- DESIGNED FOR USE WITH ENERGY-SAVING LIGHT BULBS
- EASY HEIGHT ADJUSTMENT AT THE TIME OF INSTALLATION
- AUAILABLE AS A RANGE OF HARMONIZED DESIGNED

PENDANTS

COLOR

NOTE: DUE TO THE NATURE OF HAND BLOWN GLASS, THE DIMENSIONS MAY VARY SLIGHTLY AND HAVE CHARACTERISTICS SUCH AS BUBBLES AND SPIN LINES



JUBILO SP1023

DESIGN **₡** FEATURES

- MATERIAL : CONCRETE HOUSING WITH ALUMINIUM REFLECTOR
- COLOR : CONCRETE GREY FINISHINSTALLATION : CEILING MOUNTED
- UNIQUE AND EHCEPTIONAL CONCRETE BASED DESIGN FOR ULTRA MODERN RUGGED INTERIORS
- ADDITIONAL ALUMINIUM REFLECTOR ON THE INSIDE ENSURES HIGH EFFICIENCY OF LIGHT WITH LESS LIGHT LOSS
- EASY HEIGHT ADJUSTMENT AT THE TIME OF INSTALLATION
- DESIGNED FOR USE WITH ENERGY-SAVING LIGHT BULBS






JUBILO SP1036

DESIGN & FEATURES

- MATERIAL : MILD STEEL CANOPY WITH GLASS SHADE
 COLOR : BLACK MOUNTING UNIT WITH COPPER
- COLOR : BLACK MOUNTING UNIT WITI FINISH GLASS
- INSTALLATION : CEILING MOUNTED
- ELEGANTLY DESIGNED MASTER PIECE FOR MODERN HOME DÉCIDA
- COPPER TINTED GLASS REDUCES THE GLARE AND EMITS PLEASANT COMFORTABLE LIGHT
- DESIGNED FOR USE WITH ENERGY-SAVING LIGHT BULBS
- EASY HEIGHT ADJUSTMENT AT THE TIME OF INSTALLATION



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SP1035	40W GL5	1N*	E27	2200-2400	50HZ	1*40W	40W
SP1036	60W GLS	1N*	E27	2200-2400	50HZ	1*60W	60W

62

*NOT SUPPLIED WITH THE PRODUCT.



JUBILO SP1025

DESIGN & FEATURES

- MATERIAL : CONCRETE HOUSING WITH ALUMINIUM REFLECTOR
- COLOR : CONCRETE GREY FINISH
- INSTALLATION : CEILING MOUNTED
- UNIQUE AND EXCEPTIONAL CONCRETE BASED DESIGN FOR ULTRA MODERN RUGGED INTERIORS
- ADDITIONAL ALUMINIUM REFLECTOR ON THE INSIDE ENSURES HIGH EFFICIENCY OF LIGHT WITH LESS LIGHT LOSS
- EASY HEIGHT ADJUSTMENT AT THE TIME OF INSTALLATION
- DESIGNED FOR USE WITH ENERGY-SAVING LIGHT BULBS



ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SP1023	100W GLS / 20W CFL	1N*	ES27	2200-2400	1980-2640	50HZ	1*100W	100W / 20W
SP1025	100W GL5 / 20W CFL	1N*	E527	2200-2400	1980-2640	50HZ	1*100W	100M \ 50M





JUBILO 5P1026

DESIGN ₡ FEATURES

MATERIAL : MILD STEEL WITH ALUMINIUM REFLECTOR

■ COLOR : COPPER FINISH


• INSTALLATION : CEILING MOUNTED

 UNIQUE ARCHITECTURAL APPEARANCE WITH RICH LUSTROUS COPPER FINISH FOR UPSCALE INTERIORS

 SIMPLISTIC MODERN HEMISPHERIC DESIGN OFFERS A COMFORTABLE ENVIRONMENT IN A LIVING SPACE

EASY HEIGHT ADJUSTMENT AT THE TIME OF INSTALLATION
 DESIGNED FOR USE WITH ENERGY COUNTY WAS A SAME OF THE PROPERTY OF

DESIGNED FOR USE WITH ENERGY-SAVING LIGHT BULBS



JUBILO 5P1030

DESIGN **₡** FEATURES

■ MATERIAL : ALUMINIUM

■ COLOR : POWDER COATED WHITE

INSTALLATION : CEILING MOUNTED

 EHPRESSIVE AND ELEGANT CONTEMPORARY DESIGN FORM WITH DURABLE METAL SHADE

DESIGNED FOR USE WITH ENERGY-SAVING LIGHT BULBS

EASY HEIGHT ADJUSTMENT AT THE TIME OF INSTALLATION

 CHEERFUL INTERIOR AND INTERIOR PRINTS A PICTURE OF BALANCE FOR AMBIENT LIGHTING





JUBILO SP1029

DESIGN & FEATURES

■ MATERIAL : ALUMINIUM

• COLOR : PAINTED BLACK WITH INSIDE WHITE

POWDER COATING


INSTALLATION: CEILING MOUNTED

 EHPRESSIVE AND ELEGANT CONTEMPORARY DESIGN FORM WITH DURABLE METAL SHADE

■ EASY HEIGHT ADJUSTMENT AT THE TIME OF INSTALLATION

DESIGNED FOR USE WITH ENERGY-SAVING LIGHT BULBS

CHEERFUL INTERIOR AND METALLIC EKTERIOR WITH A
 PREMIUM WOODEN FINISH NECK PAINTS A PICTURE OF
BALANCE FOR AMBIENT LIGHTING



JUBILO 5G6001

DESIGN & FEATURES

• MATERIAL : BOROSILICATE GLASS

BRANCHES WITH CHROME BASE

COLOR : TRANSLUCENT GLASS

■ INSTALLATION : TO BE MOUNTED ON FLAT SURFACE

AN EXCLUSIVE COLLECTION OF ORNAMENTAL LIGHTING

DIMMABLE WITH CONVENTIONAL ROTARY DIMMER*

SUPERIOR QUALITY GLASS BRANCH DESIGN THAT PRODUCES

A FASCINATING PRISM EFFECT

• A COMPLETE RANGE OF HARMONIZED DESIGNS, THAT WILL ADD SOPHISTICATION TO EVERY ROOM

THOO COM

SPECIFICATIONS:

ITEM	CODE TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
SPIC	26 100W GLS / 20W CFL	1N*	E527	2200-2400	198V-264V	50HZ	1*100W	100W / 20W	
SPIC	29 60W GLS / 11W CFL	IN*	E527	2200-2400	1980-2640	50HZ	1*60W	60W / 11W	

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
SP1030	60W GLS / 11W CFL	1N*	E527	2200-2400	1980-2640	50HZ	1*60W	60W / 11W	
SG6001	6*40W G9 HALOGEN	6N	G9	2200-2400	1981/-2641	50HZ	6*40W	240W	





JUBILO

DESIGN ₡ FEATURES

• MATERIAL : ALUMINIUM BASE PLATE WITH STEEL CANOPY &POLYCARBONATE SHADES

■ COLOR : PAINT WITH LACQUER

■ INSTALLATION : TO BE MOUNTED ON FLAT CEILING


 STATE OF THE ART PENDANT DESIGN WITH BUILT-IN LED SOURCE INTO ULTRA-THIN DISC

 DIMMABILITY FEATURE PROVIDES CONSUMER THE POWER TO CONTROL THE AMBIENCE

 EMITS A SOFT LIGHT WITHIN THE ROOM WHICH IS PLEASANT FOR THE EYES

THE LED ADVANTAGE

NO HARMFUL UV/INFARRED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY



JUBILO SL1009

DESIGN **₡** FEATURES

■ MATERIAL

: POLYCARBONATE SHADE WITH STEEL CANOPY & ALUMINIUM DRIJJER COMPARTMENT

• COLOR : SILUER FINISH POLYCARBONATE

SHADE WITH GLOSSY FINISH

• INSTALLATION : TO BE MOUNTED ON FLAT CEILING

■ ELEGANT ENERGY EFFICIENT PRODUCT SPECIALLY

DESIGNED FOR LEDS

SWANKY DESIGN WITH GLEAMING SPHERICAL FORM

FACTOR ACCENTUATES THE AMBIENCE

GLOSSY SILVER FINISH POLYCARBONATE SURFACE

THE LED ADVANTAGE

NO HARMFUL UV/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY





JUBILO SL1010

DESIGN & FEATURES

■ MATERIAL :

: POLYCARBONATE SHADE WITH STEEL CANOPY & ALUMINIUM DRIVER COMPARTMENT

COLOR

CLEAR TRANSPARENT POLYCARBONATE SURFACE

• INSTALLATION : TO BE MOUNTED ON FLAT CEILING


 ELEGANT ENERGY EFFICIENT PRODUCT SPECIALLY DESIGNED FOR LEDS

 SWANKY DESIGN WITH GLEARNING SPHERICAL FORM FACTOR ACCENTUATES THE AMBIENCE

 PERFECTLY SMOOTH AND CLEAR TRANSPARENT POLYCARBONATE SURFACE

THE LED ADVANTAGE

NO HARMFUL UV/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY





SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	сст
SL1010	1*18W INTEGRATED LED	2200-2400	198V-264V	50HZ	18W	18Ш	3000 KELVIN
SL1010	1*18W INTEGRATED LED	2200-2400	198V-264V	50HZ	18W	18Ψ	3000 KELVIN

66





DESIGN & FEATURES

MATERIAL : METALLIC CANOPY WITH FROSTED GLASS SHADES


■ COLOR : RICH CHROME FINISH

■ INSTALLATION : TO BE MOUNTED ON FLAT CEILING

 SWANKY DESIGN FEATURES 6 LIGHT HEADS WHICH HANG FROM THE TOP CANOPY

 FLEXIBILITY IN SUSPENTION LENGTHS CAN CREATE VARYING LEVELS OF LIGHT HEADS WHICH CAST A ROMANTIC FLAIR WITHIN THE ROOM

 THE GLASS EMITS A GLAREFREE SOFT LIGHT WHICH IS PLEASANT FOR EYES



ITEM CODE	TYPE OF LAMP	RATED VOLTAGI	E OF	PERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	сст
SL1009	1*9W INTEGRATED LED	2200-2400		198V-264V	50HZ	9Ψ	9Ψ	3000 KELVIN
ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SP6001	7W LED/11W CFL/40W GLS	6N	E527	2200-2400	198V-264V	50HZ	6*40W	42W/66W/240W





JUBILO SP1033


DESIGN ₽ FEATURES

MATERIAL : METALLIC INSTALLATION
 ARRANGEMENT WITH BLOWN GLASS

■ COLOR : SHINY WHITE FINISH WITH CHROME

AS CENTRE PIECE

- INSTALLATION : TO BE MOUNTED ON FLAT CEILING
- SWANKY DESIGN HANGING CENTRE PIECE WITH FISH SCALE PATTERNS ENGENDERS ELEGANCE WITHIN THE ROOM
- SHINY WHITE BLOWN GLASS MATERIAL PROVIDES ENCELLENT CRACK RESSISTANCE TO THE PRODUCT
- THE FROSTED GLASS PROVIDES A GLAREFREE LIGHT WITHIN THE ROOM WHICH IS PLEASANT FOR EYES
- PENDANT & CEILING RANGE OF HARMONIZED DESIGNS AVAILABLE



ANGELICO SP2002

DESIGN **₡** FEATURES

MATERIAL : PREMIUM STEEL AND HIGH
 QUALITY DIFFUSED GLASS

■ COLOR : MATT WHITE
■ INSTALLATION : CEILING MOUNTED

- INSTITUTE CELEING MOONTED
- ELEGANT PAIR OF SPHERICAL DIFFUSER GLASSES
- DIFFUSED LIGHTING WITH REDUCED GLARE
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS





ENCANTO 5L1004

DESIGN ₡ FEATURES

■ MATERIAL : STEEL & ALUMINIUM


■ COLOR : SHINY WHITE

INSTRLLATION : CEILING MOUNTED
 AVAILABLE WITH OPTION OF DIMMING CONTROL

- GRACEFUL AND ELEGANT SWAN NECK DESIGN
- MRINTENANCE FREE LIFE WITH BUILT-IN DRIVER AND HIGH QUALITY LEDS
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- PRODUCES WARM YELLOW LIGHT

THE LED ADVANTAGE

NO HARMFUL UV/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTA	IGE FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SP1033	7W LED/9W CFL/40W GLS	3N	E527	2200-2400	198V-264V	50HZ	3*40W	21W/27W/120W
ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING	VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	сст
SL1004	LED	2200-2400	90V-2	64V	50HZ	6*3Ш	18W	3000 KELVIN

68



ANGELICO SP3002

DESIGN & FEATURES

■ MATERIAL : PREMIUM STEEL AND HIGH

QUALITY DIFFUSED GLASS


■ COLOR : MATT WHITE

■ INSTALLATION : CEILING MOUNTED

THREE SPHERICAL DIFFUSER GLASSES IN PERFECT
HARMONY

DIFFUSED LIGHTING WITH REDUCED GLARE

EASY HEIGHT ADJUSTMENT DURING INSTALLATIONDESIGNED FOR USE WITH ENERGY SAVING LAMPS



ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
5P2002	7W LED/15W CFL/40W GLS	2N	E527	2200-2400	1980-2640	50HZ	2*40W	14W/30W/80W
5P3002	7W LED/15W CFL/40W GLS	3N	E527	2200-2400	198V-264V	50HZ	3*40W	21W/45W/120W





AUQELICO SP1001

DESIGN **₡** FEATURES

 MATERIAL PREMIUM STEEL AND HIGH QUALITY DIFFUSED GLASS

COLOR : MATT PURPLE

 INSTALLATION : CEILING MOUNTED

A TRENDY SPHERICAL DESIGN WITH PREMIUM DIFFUSER GLASS

DIFFUSED LIGHTING WITH REDUCED GLARE

EASY HEIGHT ADJUSTMENT DURING INSTALLATION

DESIGNED FOR USE WITH ENERGY SAVING LAMPS



AUQEFICO SP3001

DESIGN & FEATURES

PREMIUM STEEL AND HIGH QUALITY DIFFUSED GLASS MATERIAL

: MATT PURPLE COLOR


INSTALLATION : CEILING MOUNTED

THREE SPHERICAL DIFFUSER GLASSES IN PERFECT

DIFFUSED LIGHTING WITH REDUCED GLARE

■ EASY HEIGHT ADJUSTMENT DURING INSTALLATION

DESIGNED FOR USE WITH ENERGY SAVING LAMPS





AUGELICO SP2001

DESIGN & FEATURES

PREMIUM STEEL AND HIGH QUALITY DIFFUSED GLASS MATERIAL

COLOR MATT PURPLE

■ INSTALLATION : CEILING MOUNTED

 ELEGANT PAIR OF SPHERICAL DIFFUSER GLASSES DIFFUSED LIGHTING WITH REDUCED GLARE

■ EASY HEIGHT ADJUSTMENT DURING INSTALLATION

DESIGNED FOR USE WITH ENERGY SAVING LAMPS





PERLE SP1018

DESIGN & FEATURES

 MATERIAL PREMIUM STEEL AND HIGH QUALITY OPAL GLASS


COLOR SHINY WHITE

■ INSTALLATION : CEILING MOUNTED

HIGH QUALITY PAINTED GLASS CREATES A CHARMING AMBIENCE

DIFFUSED LIGHTING WITH REDUCED GLARE

■ EASY HEIGHT ADJUSTMENT DURING INSTALLATION DESIGNED FOR USE WITH ENERGY SAVING LAMPS



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SP1001	7W LED/15W CFL/40W GLS	1N	E527	2200-2400	198V-264V	50HZ	40W	7W/15W/40W
SP2001	7W LED/15W CFL/40W GLS	2N	ES27	2200-2400	198V-264V	50HZ	2*40W	14W/30W/80W

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SP3001	7W LED/15W CFL/40W GLS	3N	ES27	2200-2400	198V-264V	50HZ	3*40W	21W/45W/120W
SP1018	10M TED\50M CET\100M CT2	1N	E527	2200-2400	1980-2640	50HZ	100Ш	10W/20W/100W







TSINNIA SP1022

DESIGN **₡** FEATURES

STEEL SHADE & WHITE TRIPLES GLASS SHADE MATERIAL

MILKY WHITE GLASS **₡** CHROME PLATING COLOR

■ INSTALLATION : CEILING MOUNTED

SMOOTHNESS OF CHROME MIKED WITH THE FINESSE OF MOUTH BLOWN GLASS

DIFFUSED LIGHTING WITH REDUCED GLARE

EASY HEIGHT ADJUSTMENT DURING INSTALLATION

DESIGNED FOR USE WITH ENERGY SAVING LAMPS



ALTALUCE SP1004

DESIGN & FEATURES

PREMIUM STEEL AND HIGH QUALITY DIFFUSED GLASS MATERIAL

: CHROME FINISH COLOR

 INSTALLATION : CEILING MOUNTED

■ MODERN CONICAL DIFFUSER GLASS DESIGN

DIFFUSED LIGHTING WITH REDUCED GLARE

EASY HEIGHT ADJUSTMENT DURING INSTALLATION

■ DESIGNED FOR USE WITH ENERGY SAVING LAMPS





ALTALUCE SP1005

DESIGN & FEATURES

 MATERIAL PREMIUM STEEL AND HIGH QUALITY DIFFUSED GLASS

COLOR MATT RED

INSTALLATION : CEILING MOUNTED

MODERN CONICAL DIFFUSER GLASS DESIGN

DIFFUSED LIGHTING WITH REDUCED GLARE

■ EASY HEIGHT ADJUSTMENT DURING INSTALLATION DESIGNED FOR USE WITH ENERGY SAVING LAMPS



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SP1022	10M TED\50M CET\100M CT2	1N	E527	220V-240V	1980-2640	50HZ	100Ш	10M/50M/100M
SP1005	7W LED/15W CFL/40W GLS	1N	E527	2200-2400	1980-2640	50HZ	40Ψ	7W/15W/40W





DESIGN & FEATURES

MATERIAL

PREMIUM STEEL AND HIGH QUALITY DIFFUSED GLASS

COLOR MATT WHITE

■ INSTALLATION : CEILING MOUNTED

■ MODERN CONICAL DIFFUSER GLASS DESIGN

 DIFFUSED LIGHTING WITH REDUCED GLARE ■ EASY HEIGHT ADJUSTMENT DURING INSTALLATION

DESIGNED FOR USE WITH ENERGY SAVING LAMPS



ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SP1004	7W LED/15W CFL/40W GLS	1N	E527	220V-240V	1980-2640	50HZ	40W	7W/15W/40W
SP1003	7W LED/15W CFL/40W GLS	1N	E527	2200-2400	198V-264V	50HZ	40W	7W/15W/40W







ALTALUCE 5P2003

DESIGN & FEATURES

 MATERIAL PREMIUM STEEL AND HIGH QUALITY DIFFUSED GLASS

COLOR : MATT WHITE

■ INSTALLATION : CEILING MOUNTED

• A STYLISH DUO OF CONICAL DIFFUSER GLASSES

■ DIFFUSED LIGHTING WITH REDUCED GLARE

EASY HEIGHT ADJUSTMENT DURING INSTALLATION

DESIGNED FOR USE WITH ENERGY SAVING LAMPS



SIDRA SL3001

DESIGN & FEATURES

STEEL BODY WITH ALUMINIUM HEAT SINK AND PMMA HOUSING MATERIAL

COLOR : SHINY WHITE


■ INSTALLATION : CEILING MOUNTED


• AVAILABLE WITH OPTION OF DIMMING CONTROL ■ HIGH END CHROME FINISH & ULTRA MODERN

■ MAINTENANCE FREE LIFE WITH BUILT-IN DRIVER AND HIGH QUALITY LEDS

• EASY HEIGHT ADJUSTMENT DURING INSTALLATION

■ PRODUCES WARM YELLOW LIGHT





ALTALUCE SP3003

DESIGN & FEATURES

PREMIUM STEEL AND HIGH QUALITY DIFFUSED GLASS MATERIAL


COLOR : MATT WHITE

• INSTALLATION : CEILING MOUNTED A STYLISH TRIO OF CONICAL DIFFUSER GLASSES

DIFFUSED LIGHTING WITH REDUCED GLARE

• EASY HEIGHT ADJUSTMENT DURING INSTALLATION

DESIGNED FOR USE WITH ENERGY SAVING LAMPS





BRILLAR SP1012

DESIGN & FEATURES

MATERIAL


: STEEL COLOR : CHROME

■ INSTALLATION : CEILING MOUNTED

A SLEEK HEMISPHERIC DESIGN MADE OF PREMIUM STEEL

DESIGNED WITH A RICH CHROME FINISH

■ EASY HEIGHT ADJUSTMENT DURING INSTALLATION DESIGNED FOR USE WITH ENERGY SAVING LAMPS



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
SP2003	7W LED/15W CFL/40W GLS	2N	E527	2200-2400	198V-264V	50HZ	2*40W	14W/30W/80W	_
SP3003	7W LED/15W CFL/40W GLS	3N	E527	2200-2400	198V-264V	50HZ	3*40W	21W/45W/120W	

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE		FREQUENCY	FREQUENCY RATED WATTAGE		сст	
SL3001	LED	2200-2400	198V-264V		50HZ	3*4Ш	12W	3000 KELVIN	
ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING	VOLTAGE FREQUENCY	Y RATED WATTAGE	TOTAL WATTAGE	
SP1012	10W LED/20W CFL/100W GLS	1N	ES27	2200-2400	1980-2	264U 50HZ	100W	10M/50M/100M	








SILUETA SF1001

DESIGN **₡** FEATURES

 MATERIAL : STEEL

- COLOR : SHINY WHITE
- INSTALLATION : CEILING MOUNTED
- CRAFTED WITH SLEEK AND STYLISH ALUMINIUM FINS
- DIFFUSED LIGHTING WITH REDUCED GLARE
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS





VIVACE SP1009

DESIGN & FEATURES

 MATERIAL : STEEL

- COLOR : ORANGE
- INSTALLATION : CEILING MOUNTED
- A SLEEK HEMISPHERIC DESIGN MADE OF
- PREMIUM STEEL
- DESIGNED WITH A RICH AMBER FINISH
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS






VIVACE SP1007

DESIGN **₡** FEATURES

- MATERIAL : STEEL
- COLOR : BLACK
- INSTALLATION : CEILING MOUNTED
- A SLEEK HEMISPHERIC DESIGN MADE OF PREMIUM STEEL
- DESIGNED WITH A RICH BLACK FINISH EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS



SPECIFICATIONS:


ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
SF1001	14W T5	1N	G5	2200-2400	198V-264V	50HZ	14Ш	14Ш	
SP1007	10W LED/20W CFL/100W GLS	1N	E527	2200-2400	198V-264V	50HZ	100W	10W/20W/100W	



VIVACE 5P1010

DESIGN **₡** FEATURES

- MATERIAL : STEEL
- COLOR : YELLOW
- INSTALLATION : CEILING MOUNTED
- A SLEEK HEMISPHERIC DESIGN MADE OF PREMIUM STEEL
- DESIGNED WITH A RICH YELLOW FINISH ■ EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS



ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
SP1009	10W LED/20W CFL/100W GLS	1N	ES27	2200-2400	198V-264V	50HZ	100Ш	10M/50M/100M	
SP1010	10W LED/20W CFL/100W GLS	1N	ES27	2200-2400	198V-264V	50HZ	100Ш	10W/20W/100W	








VIVACE SP1011

DESIGN ₽ FEATURES

- MATERIAL : STEEL
- COLOR : BLUE
- INSTALLATION : CEILING MOUNTED A SLEEK HEMISPHERIC DESIGN MADE OF PREMIUM STEEL
- DESIGNED WITH A RICH BLUE FINISH
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS



BUONA LUCE SP1019

DESIGN ₡ FEATURES

- MATERIAL : PREMIUM STEEL, WOOD AND HIGH QUALITY OPAL GLASS
- COLOR : SHINY WHITE
- INSTALLATION : CEILING MOUNTED
- TASTEFUL COMBINATION OF PREMIUM WOOD AND OPAL GLASS
- DIFFUSED LIGHTING WITH REDUCED GLARE
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS






VIVACE SP1006

DESIGN & FEATURES

- MATERIAL : STEEL
- COLOR : WHITE
- INSTALLATION : CEILING MOUNTED
- A SLEEK HEMISPHERIC DESIGN MADE OF PREMIUM STEEL
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS
- DESIGNED WITH RICH WHITE FINISH






BUONA LUCE 5P3004

DESIGN & FEATURES

- MATERIAL PREMIUM STEEL, WOOD AND HIGH QUALITY GLASS
- COLOR : SHINY WHITE
- INSTALLATION : CEILING MOUNTED
- TASTEFUL COMBINATION OF PREMIUM WOOD AND
- DIFFUSED LIGHTING WITH REDUCED GLARE
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SP1011	10M TED\50M CET\100M CT2	1N	E527	220V-240V	1981/-2641/	50HZ	100Ш	10M/50M/100M
SP1006	10M TED\50M CET\100M CT2	1N	E527	2200-2400	1980-2640	50HZ	100Ш	10M/50M/100M

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SP1019	7W LED/15W CFL/100W GLS	1N	ES27	2200-2400	198V-264V	50HZ	100W	7W/15W/100W
Anneaz	7111 IED /15111 CEI /100111 GI S	3.0	F527	22011-24011	19811-26411	5047	3*100111	21111/45111/300111







ENCENDER

SP1020

DESIGN **₡** FEATURES

PREMIUM STEEL, WOOD AND HIGH QUALITY SERRATED GLASS MATERIAL

COLOR : WOODEN AND CLEAR


■ INSTALLATION : CEILING MOUNTED

■ Magnificent crafting of Serrated Glass and Premium wood

■ EVEN DISPERSION OF LIGHT

■ EASY HEIGHT ADJUSTMENT DURING INSTALLATION

DESIGNED FOR USE WITH ENERGY SAVING LAMPS



NEO MODA

5P4002

DESIGN & FEATURES

 MATERIAL : PREMIUM STEEL


COLOR : MATT WHITE


■ INSTALLATION : CEILING MOUNTED SLEEK DESIGN USING SUPERIOR QUALITY METAL

DIFFUSED LIGHTING WITH REDUCED GLARE

■ EASY HEIGHT ADJUSTMENT DURING INSTALLATION

DESIGNED FOR USE WITH ENERGY SAVING LAMPS





ENCENDER SP3005

DESIGN & FEATURES

 MATERIAL : PREMIUM STEEL, WOOD AND HIGH QUALITY GLASS

COLOR : WOODEN AND CLEAR


■ INSTALLATION : CEILING MOUNTED ■ MAGNIFICENT CRAFTING OF SERRATED GLASS AND

PREMIUM WOOD

■ EVEN DISPERSION OF LIGHT

■ EASY HEIGHT ADJUSTMENT DURING INSTALLATION

DESIGNED FOR USE WITH ENERGY SAVING LAMPS





NEO MODA SP4001

DESIGN & FEATURES

 MATERIAL : PREMIUM STEEL COLOR : MATT BLACK

■ INSTALLATION : CEILING MOUNTED

SLEEK DESIGN USING SUPERIOR QUALITY METAL

■ DIFFUSED LIGHTING WITH REDUCED GLARE

• EASY HEIGHT ADJUSTMENT DURING INSTALLATION DESIGNED FOR USE WITH ENERGY SAVING LAMPS

150.0 CM

88.0 CM

SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
SP1020	7W LED/15W CFL/60W GLS	1N	E527	2200-2400	198V-264V	50HZ	60Ш	7W/15W/60W	
5P3005	7W LED/15W CFL/60W GLS	3N	E527	2200-2400	1980-2640	50HZ	3*60W	21W/45W/180W	

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SP4002	10W LED/20W CFL/100W GLS	4N	ES27	2200-2400	1980-2640	50HZ	4*100W	40W/80W/400W
5P4001	10W LED/20W CFL/100W GLS	4N	E527	220V-240V	198V-264V	50HZ	4*100W	40W/80W/400W







LA PASSIONE

SP1013

DESIGN & FEATURES


- MATERIAL : STEEL
- COLOR : MATT BLACK & RED REFLECTOR
- INSTALLATION : CEILING MOUNTED
- A SLEEK HEMISPHERIC DESIGN MADE OF PREMIUM METAL
- EVEN DISPERSION OF LIGHT
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS



ARALIA SP1017

DESIGN & FEATURES

- MATERIAL : STEEL COLOR : SHINY WHITE
- INSTALLATION : CEILING MOUNTED
- ENGRAVED RING PATTERN EMBELLISHING A HEMISPHERIC
- STEEL DOME
- EVEN DISPERSION OF LIGHT
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS





ARALIA

DESIGN **₡** FEATURES

■ EVEN DISPERSION OF LIGHT

: MATT BLACK

ENGRAVED RING PATTERN EMBELLISHING A HEMISPHERIC STEEL DOME

■ EASY HEIGHT ADJUSTMENT DURING INSTALLATION

DESIGNED FOR USE WITH ENERGY SAVING LAMPS

■ INSTALLATION : CEILING MOUNTED

SP1016


MATERIAL

COLOR

LA PASSIONE SP1014

DESIGN & FEATURES

- MATERIAL
- COLOR : SHINY WHITE & SILVER REFLECTOR
- INSTALLATION : CEILING MOUNTED
- A SLEEK HEMISPHERIC DESIGN MADE OF PREMIUM METAL
- EVEN DISPERSION OF LIGHT
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS





SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
SP1017	7W LED/15W CFL/100W GLS	1N	E527	2200-2400	198V-264V	50HZ	100Ш	7W/15W/100W	
SP1016	7W LED/15W CFL/100W GLS	1N	E527	2200-2400	198V-264V	50HZ	100Ш	7W/15W/100W	

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
SP1013	7W LED/15W CFL/100W GLS	1N	E527	2200-2400	198V-264V	50HZ	100W	7W/15W/100W	
5P1014	7W LED/15W CFL/100W GLS	1N	E527	2200-2400	1980-2640	50HZ	100W	7W/15W/100W	







DIA NOCHE

SL1002

DESIGN **₡** FEATURES

 MATERIAL : STEEL

COLOR : WHITE HOUSING WITH CHROME RING

■ INSTALLATION : CEILING MOUNTED

SMART DESIGN INTELLIGENTLY CONCEALS LEDS

■ MAINTAINANCE FREE LIFE WITH BUILT-IN DRIVER AND HIGH QUALITY LEDS

■ PRODUCES WARM YELLOW LIGHT

EASY HEIGHT ADJUSTMENT DURING INSTALLATION

THE LED ADVANTAGE

NO HARMFUL UU/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY



EPOCHE NEA SL1003

DESIGN & FEATURES

 MATERIAL : STEEL BODY WITH ALUMINIUM HEAT SINK & PMMA HOUSING

: CHROME COLOR

■ INSTALLATION : CEILING MOUNTED

HIGHLY CHROME FINISH AND ULTRA MODERN

■ MAINTENANCE FREE LIFE WITH BUILT-IN DRIVER AND


■ PRODUCES WARM YELLOW LIGHT

■ EASY HEIGHT ADJUSTMENT DURING INSTALLATION

THE LED ADVANTAGE

NO HARMFUL UU/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY





DIA NOCHE SL1001

DESIGN & FEATURES

 MATERIAL : STEEL

COLOB : BLACK HOUSING WITH CHROME RING

■ INSTALLATION : CEILING MOUNTED

• SMART DESIGN INTELLIGENTLY CONCEALS LEDS

 MAINTAINANCE FREE LIFE WITH BUILT-IN DRIVER AND HIGH QUALITY LEDS

■ PRODUCES WARM YELLOW LIGHT

EASY HEIGHT ADJUSTMENT DURING INSTALLATION

THE LED ADVANTAGE

NO HARMFUL UU/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	сст	
SL1002	LED	2200-2400	900-2640	50HZ	7Ш	7Ψ	3000 KELVIN	
SL1001	LED	2200-2400	90V-264V	50HZ	7Ψ	7Ш	3000 KELVIN	



EPOCHE NEA SL3002

DESIGN & FEATURES

 MATERIAL STEEL BODY WITH ALUMINIUM HEAT SINK ₡ PMMA HOUSING

COLOR

CHROME

■ INSTALLATION : CEILING MOUNTED

■ HIGHLY CHROME FINISH AND ULTRA MODERN ■ MAINTENANCE FREE LIFE WITH BUILT-IN DRIVER AND

HIGH QUALITY LEDS

■ PRODUCES WARM YELLOW LIGHT • EASY HEIGHT ADJUSTMENT DURING INSTALLATION

THE LED ADVANTAGE

NO HARMFUL UU/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY

LONG LIFE LED TECHNOLOGY



ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	сст
SL1003	LED	2200-2400	198V-264V	50HZ	3Ψ	3Ш	3000 KELVIN
SL3002	LED	2200-2400	198V-264V	50HZ	3×3W	9Ψ	3000 KELVIN







ANESE SP1015

DESIGN ₽ FEATURES

 MATERIAL : PREMIUM STEEL & OPAL GLASS

COLOR : OPAL WHITE

■ INSTALLATION : CEILING MOUNTED

SHARPNESS OF STEEL MIKED WITH THE FINESSE OF MOUTH BLOWN GLASS

- UNIQUE TRI CLAW SUSPENSION FOR QUICK INSTALLATION
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS





ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
SP1015	7W LED/15W CFL/100W GLS	1N	E527	2200-2400	1980-2640	50HZ	100W	7W/15W/100W	



HID'S RANGE

KID'S RANGE BY TISUA HAS BEEN SPECIALLY DESIGNED KEEPING THE DESIRES OF CHILDREN IN MIND. THE AIM IS TO TRANSFORM THE KID'S ROOM TO A PLAY AREA JUST BY SWITCHING ON THE PRODUCTS. THE SAFETY OF THE KID'S HAS BEEN THE FOREMOST CONCERN WHILE CONCEPTUALIZING THE RANGE AND HENCE THE PRODUCTS FULLY COMPLY WITH THE INTERNATIONAL CHILD SAFETY NORMS.

THE RANGE PROVIDES OPTIONS FOR GIRLS AS WELL AS BOYS AND INCLUDES CHANDELIERS WITH MATCHING WALL LIGHTS AND TABLE LAMPS AND PENDANTS. TISUA RANGE OF LIGHTING FOR KIDS HAVE BEEN DEVISED WITH AN IDEA TO PROVIDE OPTIONS TO KIDS FOR DECORATING THEIR HOME WITH THEIR FAVOURITE CARTOON CHARACTERS.





DOLL-LIGHTFUL LAMP FP1016P

DESIGN **₡** FEATURES

 MATERIAL : STEEL, PLASTIC, WOOD & FABRIC

COLOR : PINK BASE WITH BARBIE PATTERNS

■ DIMENSIONS : Ф260*H410 MM ■ INSTALLATION : TABLE MOUNTED

PREMIUM FABRIC LUMINAIRE WITH BARBIE DESIGN FOR YOUR KIDS ROOM

EASY TO CLEAN

■ MADE FROM NON-TOKIC MATERIAL

ELECTRICAL FIXTURE, NOT A TOY

DOLL-LIGHTFUL LAMP WP1027P

DESIGN & FEATURES

 MATERIAL : STEEL, PLASTIC & FABRIC

COLOR : PINK BASE WITH BARBIE PATTERNS

■ DIMENSIONS : 245*150*300 MM ■ INSTALLATION : WALL MOUNTED

CREATIVE AND FUN LUMINAIRE MADE USING PREMIUM FABRIC WITH BARBIE DESIGNS FOR YOUR KIDS ROOM

EASY TO CLEAN

■ MADE FROM NON-TOXIC MATERIAL

ELECTRICAL FIXTURE, NOT A TOY



DOLL-LIGHTFUL LAMP FP1017P

DESIGN & FEATURES

 MATERIAL : STEEL, PLASTIC, WOOD & FABRIC

COLOR : WHITE BASE WITH BARBIE PATTERNS

■ DIMENSIONS : Ф260*H410 MM ■ INSTALLATION : WALL MOUNTED

PREMIUM FABRIC LUMINAIRE WITH BARBIE DESIGN FOR

YOUR KIDS ROOM EASY TO CLEAN

■ MADE FROM NON-TOXIC MATERIAL

■ ELECTRICAL FIXTURE, NOT A TOY



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO OF LAMP	FITTING/CAP	RATED VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
FP1016P	9W CFL/40W GLS	1N	E527	2200-2400	50HZ	40Ψ	9Ш/40Ш	
FP1017P	9W CFL/40W GLS	1N	E527	220V-240V	50HZ	40Ψ	9W/40W	



DOLL-LIGHTFUL LAMP WP1028P

DESIGN & FEATURES

MATERIAL

STEEL, PLASTIC & FABRIC WHITE BASE WITH PINK BARBIE PATTERNS COLOR

 DIMENSIONS : 245*150*300 MM

■ INSTALLATION : WALL MOUNTED

CREATIVE AND FUN LUMINAIRE MADE USING PREMIUM FABRIC WITH BARBIE DESIGNS FOR YOUR KIDS ROOM

EASY TO CLEAN

■ MADE FROM NON-TOXIC MATERIAL

■ ELECTRICAL FIXTURE, NOT A TOY

cc	-		-	ודנ	ΠN	
50			L, t		ΠN	ς.
	ᆫᆫ	ГΙ	-		UII	J .

ITEM CODE	TYPE OF LAMP	NO OF LAMP	FITTING/CAP	RATED VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
WP1027P	7W CFL/40W GLS	1N	ES14	2200-2400	50HZ	40W	7W/40W	
WP1028P	7W CFL/40W GLS	1N	E514	2200-2400	50HZ	40₩	7W/40W	







DOLL-LIGHTFUL LAMP CP3015P

DESIGN **₡** FEATURES

 MATERIAL : STEEL, PLASTIC & FABRIC

: PINK BASE WITH BARBIE PATTERNS COLOR

■ DIMENSIONS : Ф470*H450 MM ■ INSTALLATION : CEILING MOUNTED

PREMIUM FABRIC LUMINAIRE WITH BARBIE DESIGN FOR YOUR KIDS ROOM

EASY TO CLEAN

■ EASY HEIGHT ADJUSTMENT DURING INSTALLATION

MADE FROM NON-TOKIC MATERIAL

• ELECTRICAL FIXTURE, NOT A TOY

vroom CP3017P

DESIGN & FEATURES

 MATERIAL : STEEL, PLASTIC & FABRIC

COLOR : BLACK BASE WITH HOTWHEEL PATTERNS

 DIMENSIONS : Ф470*H480 MM

■ INSTALLATION : CEILING MOUNTED

PREMIUM FABRIC LUMINAIRE WITH HOTWHEEL

DESIGN FOR YOUR KIDS ROOM

EASY TO CLEAN

■ MADE FROM NON-TOKIC MATERIAL

■ ELECTRICAL FIXTURE, NOT A TOY



DOLL-LIGHTFUL LAMP CP3016P

DESIGN & FEATURES

 MATERIAL : STEEL, PLASTIC & FABRIC

: WHITE BASE WITH PINK BARBIE PATTERNS COLOR

■ DIMENSIONS : Ф470*H450 mm

■ INSTALLATION : CEILING MOUNTED PREMIUM FABRIC LUMINAIRE WITH BARBIE DESIGN FOR

YOUR KIDS ROOM

EASY TO CLEAN

■ EASY HEIGHT ADJUSTMENT DURING INSTALLATION

■ MADE FROM NON-TOXIC MATERIAL ■ ELECTRICAL FIXTURE, NOT A TOY



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO OF LAMP	FITTING/CAP	RATED VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
CP3015P	7W CFL/40W GLS	3N	E514	2200-2400	50HZ	3*40W	21W/120W	
CP3016P	7W CFL/40W GLS	3N	E514	2200-2400	50HZ	3*40W	51M\150M	



vroom WP1029P

DESIGN & FEATURES

 MATERIAL : STEEL, PLASTIC & FABRIC

COLOR BLACK BASE WITH HOTWHEEL PATTERNS

: 245*150*300 MM DIMENSIONS

■ INSTALLATION : WALL MOUNTED

• CREATIVE AND FUN LUMINAIRE MADE USING PREMIUM FABRIC WITH HOTWHEEL DESIGNS FOR YOUR KIDS ROOM

EASY TO CLEAN

■ MADE FROM NON-TOXIC MATERIAL ■ ELECTRICAL FIXTURE, NOT A TOY

ITEM CODE	TYPE OF LAMP	NO OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
CP3017P	7W CFL/40W GLS	3N	E514	2200-2400	198V-264V	50HZ	3*40W	21W/120W	
WP1029P	7W CFL/40W GLS	1N	E514	2200-2400	1980-2640	50HZ	40W	7W/40W	







VROOM FP1018P

DESIGN **₡** FEATURES

■ MATERIAL : STEEL, PLASTIC & FABRIC

■ COLOR : BLACK BASE WITH

HOTWHEEL PATTERNS

■ DIMENSIONS : Ф260*400 MM

INSTALLATION : TABLE MOUNTED
 PREMIUM FABRIC LUMINAIRE WITH HOTWHEEL

DESIGN FOR YOUR KIDS ROOM

■ EASY TO CLEAN

■ MADE FROM NON-TOXIC MATERIAL

■ ELECTRICAL FIXTURE, NOT A TOY

FLUTTERBY WP1001P

DESIGN & FEATURES

■ MATERIAL : STEEL, PLASTIC & FABRIC

■ COLOR : PINK

■ DIMENSIONS : 160*240*285 MM ■ INSTALLATION : WALL MOUNTED

FLOWERY LUMINAIRE WITH A PRETTY BUTTERFLY
 MADE WITH PREMIUM FABRIC FOR YOUR KID'S ROOM

EASY TO CLEAN

ELECTRICAL FIXTURE, NOT A TOY

PREMIUM DIFFUSER FOR REDUCED GLARE

■ MADE FROM NON-TOXIC MATERIAL



FLUTTERBY CP300IP

DESIGN & FEATURES

■ MATERIAL : STEEL, PLASTIC & FABRIC

■ COLOR : MULTI COLOR

■ DIMENSIONS : Ф480*H800 mm

• INSTALLATION : CEILING MOUNTED

PREMIUM FABRIC LUMINAIRE FOR YOUR KID'S ROOM
 EASY TO CLEAN

■ ELECTRICAL FIXTURE, NOT A TOY

EASY HEIGHT ADJUSTMENT DURING INSTALLATION

■ MADE FROM NON-TOKIC MATERIAL





FLUTTERBY

DESIGN & FEATURES

■ MATERIAL : STEEL, PLASTIC & FABRIC

■ COLOR : MULTI COLOR

■ DIMENSIONS : Ф260*410 MM

■ INSTALLATION : TABLE MOUNTED

 CUTE BUTTERFLY DESIGN ON PREMIUM FABRIC TO MAKE YOUR KID'S ROOM A LOT MORE FUN

■ EASY TO CLEAN

■ ELECTRICAL FIXTURE, NOT A TOY

• PREMIUM DIFFUSER FOR REDUCED GLARE

• MADE FROM NON-TOXIC MATERIAL

ITEM CODE	TYPE OF LAMP	NO OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
FP1018P	7W CFL/40W GLS	1N	E527	2200-2400	198V-264V	50HZ	40Ψ	7W/40W	
CP3001P	7W CFL/40W GLS	3N	E514	2200-2400	198V-264V	50HZ	3*40W	51M\150M	



ITEM CODE	TYPE OF LAMP	NO OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
WP1001P	7W CFL/40W GLS	1N	E514	2200-2400	198V-264V	50HZ	40Ψ	7W/40W	
FP1001P	7W CFL/40W GLS	1N	E527	2200-2400	1980-2640	50HZ	40W	7W/40W	







AIRPLAY CP3002P

DESIGN ₽ FEATURES

 MATERIAL : STEEL, PLASTIC & FABRIC

COLOR : MULTI COLOR

■ DIMENSIONS : Ф480*H800 MM ■ INSTALLATION : CEILING MOUNTED

AIRPLANE DESIGN LUMINAIRE MADE WITH PREMIUM FABRIC FOR YOUR KID'S ROOM

EASY TO CLEAN

ELECTRICAL FIXTURE, NOT A TOY

PREMIUM DIFFUSER FOR REDUCED GLARE

■ MADE FROM NON-TOXIC MATERIAL

AIRPLAY FP1002P

DESIGN & FEATURES

 MATERIAL : STEEL, PLASTIC & FABRIC

COLOR : BLUE

■ DIMENSIONS : Ф260*400 MM

■ INSTALLATION : TABLE MOUNTED

AIRPLANE DESIGN LUMINAIRE MADE WITH PREMIUM FABRIC FOR YOUR KID'S ROOM

EASY TO CLEAN

■ ELECTRICAL FIXTURE, NOT A TOY

PREMIUM DIFFUSER FOR REDUCED GLARE

■ MADE FROM NON-TOXIC MATERIAL



AIRPLAY Mb1005b

DESIGN & FEATURES

 MATERIAL : STEEL, PLASTIC & FABRIC

COLOR : BLUE

 DIMENSIONS : 200*285*240 MM

■ INSTALLATION : WALL MOUNTED

■ PREMIUM FABRIC LUMINAIRE FOR YOUR KID'S ROOM ■ EASY TO CLEAN

■ ELECTRICAL FIXTURE, NOT A TOY

■ PREMIUM DIFFUSER FOR REDUCED GLARE

■ MADE FROM NON-TOXIC MATERIAL



ROCK & ROLL CP3003P

DESIGN & FEATURES

 MATERIAL : STEEL, PLASTIC & FABRIC

COLOR : MULTI COLOR

■ DIMENSIONS : Ф480*H800 MM

■ INSTALLATION : CEILING MOUNTED

A CUTE LUMINAIRE MADE USING PREMIUM FABRIC FOR YOUR KID'S ROOM

EASY TO CLEAN

■ ELECTRICAL FIXTURE, NOT A TOY

• EASY HEIGHT ADJUSTMENT DURING INSTALLATION

■ MADE FROM NON-TOKIC MATERIAL

SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
CP3002P	7W CFL/40W GLS	3N	E514	2200-2400	198V-264V	50HZ	3*40W	21W/120W	
WP1002P	7W CFL/40W GLS	1N	ES14	2200-2400	198V-264V	50HZ	40W	7W/40W	

96

ITEM CODE	TYPE OF LAMP	NO OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
FP1002P	7W CFL/40W GLS	1N	E527	2200-2400	1980-2640	50HZ	40Ψ	7W/40W
CP3003P	7W CFL/40W GLS	3N	E514	2200-2400	1980-2640	50HZ	3*40W	5M\150M







ROCK & ROLL WP1003P

DESIGN ₽ FEATURES

 MATERIAL : STEEL, PLASTIC & FABRIC

COLOR : PINK COLOR

■ DIMENSIONS : 140*200*270 mm

■ INSTALLATION : WALL MOUNTED

A CUTE LUMINAIRE MADE USING PREMIUM FABRIC FOR YOUR KID'S ROOM

EASY TO CLEAN

■ ELECTRICAL FIXTURE, NOT A TOY

PREMIUM DIFFUSER FOR REDUCED GLARE

■ MADE FROM NON-TOXIC MATERIAL

LIL PIRATE CP3004P

DESIGN & FEATURES

 MATERIAL : STEEL, PLASTIC & FABRIC

COLOR : MULTI COLOR

■ DIMENSIONS : Ф570*H800 MM ■ INSTALLATION : CEILING MOUNTED

PREMIUM FABRIC WITH SAILOR DESIGNS FOR YOUR

KID'S ROOM

EASY TO CLEAN

■ ELECTRICAL FIXTURE, NOT A TOY

EASY HEIGHT ADJUSTMENT DURING INSTALLATION

■ MADE FROM NON-TOXIC MATERIAL



LIL PIRATE

DESIGN & FEATURES

: STEEL, PLASTIC & FABRIC

: BLUE

■ DIMENSIONS : 140*220*260 MM

■ INSTALLATION : WALL MOUNTED

■ ELECTRICAL FIXTURE, NOT A TOY ■ PREMIUM DIFFUSER FOR REDUCED GLARE

■ MADE FROM NON-TOXIC MATERIAL

CREATIVE AND FUN LUMINAIRE MADE USING PREMIUM FABRIC FOR YOUR KID'S ROOM

WP1004P

MATERIAL

EASY TO CLEAN

COLOR

ROCK & ROLL FP1003P

DESIGN & FEATURES

 MATERIAL : STEEL, PLASTIC & FABRIC

COLOR : PINK COLOR

■ DIMENSIONS : Ф250*410 MM ■ INSTALLATION : TABLE MOUNTED

A CUTE LUMINAIRE MADE USING PREMIUM FABRIC FOR YOUR KID'S ROOM

EASY TO CLEAN

■ ELECTRICAL FIXTURE, NOT A TOY

• PREMIUM DIFFUSER FOR REDUCED GLARE

■ MADE FROM NON-TOXIC MATERIAL



SPECIFICATIONS:



99

ITEM CODE	TYPE OF LAMP	NO OF LAMP	FITTING/CAP	BATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
Trem cost	111 2 01 2	110 01 211111	· · · · · · · · · · · · · · · · · · ·		O. C.III.	· inconcer		101111 WIII 111111	
CP3004P	7W CFL/40W GLS	3N	E514	2200-2400	198V-264V	50HZ	3*40W	51M\150M	
WP1004P	7W CEF/40W GL5	1N	E514	2200-2400	198V-264V	50HZ	40Ψ	7W/40W	

ITEM CODE	TYPE OF LAMP	NO OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
WP1003P	7W CFL∕40W GLS	1N	ES14	2200-2400	198V-264V	50HZ	40Ш	7W/40W	
FP1003P	15W CFL/60W GLS	1N	E527	2200-2400	198V-264V	50HZ	60Ш	15W/60W	









LIL PIRATE FP1004P

DESIGN ₽ FEATURES

 MATERIAL : STEEL, PLASTIC & FABRIC

COLOR : BLUE

■ DIMENSIONS : Ф210*400 mm ■ INSTALLATION : TABLE MOUNTED

PREMIUM FABRIC WITH SAILOR DESIGNS FOR YOUR KID'S ROOM

EASY TO CLEAN

■ ELECTRICAL FIXTURE, NOT A TOY

PREMIUM DIFFUSER FOR REDUCED GLARE

■ MADE FROM NON-TOXIC MATERIAL

GLOWORM CQ3001P

DESIGN & FEATURES

 MATERIAL : STEEL & PLASTIC

COLOR : MULTI COLOR


■ DIMENSIONS : Ф650*H800 mm ■ INSTALLATION : CEILING MOUNTED

FRIENDLY BEE SHAPED PENDANT SPECIALLY MADE FOR KIDS

■ ELECTRICAL FIXTURE, NOT A TOY

 LIGHT WEIGHT DESIGN MADE FROM PREMIUM QUALITY WOOD AND HIGH GRADE PLASTIC

MADE FROM NON-TOXIC MATERIAL



GLOWORM ШО1001Р

DESIGN **₡** FEATURES


 MATERIAL : STEEL & PLASTIC COLOR : MULTI COLOR ■ DIMENSIONS : Ф210*320*380 MM ■ INSTALLATION : WALL MOUNTED

CUTE BEE SHAPED DESIGN WALL LIGHT SPECIALLY MADE FOR KIDS

■ ELECTRICAL FIXTURE, NOT A TOY

 LIGHT WEIGHT DESIGN MADE FROM PREMIUM QUALITY WOOD AND HIGH GRADE PLASTIC

• MADE FROM NON-TOXIC MATERIAL



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
FP1004P	7W CEF/40W GLS	1N	E527	2200-2400	198V-264V	50HZ	40Ψ	7W/40W	
шо1001Р	40W GL5	1N	E514	2200-2400	1980-2640	50HZ	40W	40Ψ	



BZBEE 5Q1001P

DESIGN **₡** FEATURES

 MATERIAL : STEEL & PLASTIC

COLOR : PINK

 DIMENSIONS : 330*275*800 MM

■ INSTALLATION : CEILING MOUNTED

■ EXTRA FUN WITH A LOVABLE BEE SHAPE • EASY HEIGHT ADJUSTMENT DURING INSTALLATION

■ ELECTRICAL FIXTURE, NOT A TOY

■ LIGHT WEIGHT DESIGN MADE FROM PREMIUM QUALITY WOOD AND HIGH GRADE PLASTIC

■ MADE FROM NON-TOXIC MATERIAL

ITEM CODE	TYPE OF LAMP	NO OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
CQ3001P	40W GLS	3N	ES14	2200-2400	198V-264V	50HZ	3*40W	120W	
SQ1001P	40W GL5	1N	E527	2200-2400	1980-2640	50HZ	40W	40Ψ	







BZBEE FQ1001P

DESIGN **₡** FEATURES

 MATERIAL : STEEL & PLASTIC

COLOR : PINK

■ DIMENSIONS : 280*280*400 MM

■ INSTALLATION : TABLE MOUNTED

BUGSY TABLE LAMP A CUTE AND INNOVATIVE DESIGN

■ ELECTRICAL FIXTURE, NOT A TOY

 LIGHT WEIGHT DESIGN MADE FROM PREMIUM QUALITY WOOD AND HIGH GRADE PLASTIC

MADE FROM NON-TOXIC MATERIAL

BZBEE FQ1002P

DESIGN & FEATURES

 MATERIAL : STEEL & PLASTIC

COLOR : BLUE

■ DIMENSIONS : 280*280*480 MM ■ INSTALLATION : TABLE MOUNTED

BUGSY TABLE LAMP A CUTE AND INNOVATIVE DESIGN

■ ELECTRICAL FIXTURE, NOT A TOY

LIGHT WEIGHT DESIGN MADE FROM PREMIUM QUALITY WOOD AND HIGH GRADE PLASTIC

MADE FROM NON-TOKIC MATERIAL



: STEEL, PLASTIC & GLASS

: BROWN

• COMBINATION OF HIGH QUALITY METAL AND GLASS

• EASY HEIGHT ADJUSTMENT DURING INSTALLATION

■ DIMENSIONS : 440*500*800 mm

■ INSTALLATION : CEILING MOUNTED

■ DESIGNED FOR FUTURE AVIATIONS

■ ELECTRICAL FIXTURE, NOT A TOY

■ MADE FROM NON-TOXIC MATERIAL

WRIGHT

DESIGN **₡** FEATURES

SP1021P

MATERIAL

COLOR

BZBEE 5Q1002P

DESIGN **₡** FEATURES

 MATERIAL : STEEL & PLASTIC

COLOR : BLUE

 DIMENSIONS : 330*275*800 MM

■ INSTALLATION : CEILING MOUNTED


■ EXTRA FUN WITH A LOVABLE BEE SHAPE


EASY HEIGHT ADJUSTMENT DURING INSTALLATION

■ ELECTRICAL FIXTURE, NOT A TOY

 LIGHT WEIGHT DESIGN MADE FROM PREMIUM QUALITY WOOD AND HIGH GRADE PLASTIC

■ MADE FROM NON-TOXIC MATERIAL





SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
FQ1002P	40W GL5	1N	E527	2200-2400	198V-264V	50HZ	40W	40Ψ	
SP1021P	9W CFL/40W GLS	1N	E527	2200-2400	198V-264V	50HZ	40W	9W/40W	

ITEM CODE	TYPE OF LAMP	NO OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
FQ1002P	40W GL5	1N	E527	2200-2400	198V-264V	50HZ	40W	40Ψ	
SP1021P	9W CFL/40W GLS	1N	E527	2200-2400	1980-2640	50HZ	40W	9W/40W	

ITEM CODE	TYPE OF LAMP	NO OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	
FQ1001P	40W GL5	1N	E527	2200-2400	198V-264V	50HZ	40W	40W	
5Q1002P	40W GL5	1N	E527	2200-2400	198V-264V	50HZ	40W	40Ψ	









CHOPPER 5Q1003P

DESIGN ₽ FEATURES

 MATERIAL : STEEL, PLASTIC & GLASS

COLOR : BROWN

■ DIMENSIONS : 550*170*800 mm ■ INSTALLATION : CEILING MOUNTED

COOL AND UNIQUE BIKE DESIGN FOR THE TOUGH RIDERS

COMBINATION OF HIGH QUALITY METAL AND GLASS

ELECTRICAL FIXTURE, NOT A TOY

■ EASY HEIGHT ADJUSTMENT DURING INSTALLATION

■ MADE FROM NON-TOXIC MATERIAL

vroom 5Q1004P

DESIGN & FEATURES

 MATERIAL : STEEL, PLASTIC & GLASS

COLOR : SILVER FINISH

■ DIMENSIONS : 675*240*800 mm ■ INSTALLATION : CEILING MOUNTED

EXCITING F1 CAR SHAPED PENDANT

COMBINATION OF HIGH QUALITY METAL AND GLASS

ELECTRICAL FIXTURE, NOT A TOY

■ EASY HEIGHT ADJUSTMENT DURING INSTALLATION

■ MADE FROM NON-TOXIC MATERIAL



HALF TIME FL1001P

DESIGN & FEATURES

 MATERIAL : STEEL & PLASTIC COLOR : Black & White ■ DIMENSIONS : 160*230*400 MM ■ INSTALLATION : TABLE MOUNTED

 HIGH OUTPUT TABLE LAMP DESIGNED FOR THE SOCCER FANS

• PREMIUM DIFFUSER FOR REDUSED GLARE

■ ELECTRICAL FIXTURE, NOT A TOY

 EASY TO CLEAN ■ MADE FROM NON-TOKIC MATERIAL

THE LED ADVANTAGE

NO HARMFUL UV/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SQ1003P	40W GLS ₡ 35W HALOGEN	2*40W & 1*35W	ES14 & GU10	2200-2400	198V-264V	50HZ	2*40W # 35W	115W
ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL U	DATTAGE CCT	T CRI
FL1001P	5W LED	2200-2400	100V-240V	50HZ	5ω	51	iШ 2700	ок 80

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
501004P	40W GLS	1N	ES14	2200-2400	1980-2640	50HZ	40Ψ	40Ψ






LED SPOTS

ART DÉCOR & SCULPTURES ARE THE BASIC TRADITIONAL ELEMENTS OF AN INDIAN HOME AND TO INTENSIFY AND MAINTAIN THE BEAUTY OF THE ARTEFACTS IN THE HOME, TISUA PRESENTS A COMPLETE RANGE OF LOW POWER CONSUMING LED SPOTS.

THE LED SPOTS ARE AVAILABLE IN THE VARIANTS OF 1 HEAD, 2 HEAD, 3 HEAD & 4 HEAD THUS PROVIDING A CUSTOMER A CHOICE TO USE THE APPROPRIATE ILLUMINATION FOR THE ART.





EL PINTURA HL1003

DESIGN ₡ FEATURES

- MATERIAL : MS BODY & ALUMINUM
- COLOR : NICKEL BRUSH, ANODIZE ₽ PAINTING SILVER
- INSTALLATION : CEILING/WALL MOUNTED
- ULTRA MODERN AND ARTISTIC DESIGN ■ EMANATES A WARM YELLOW LIGHT
- CONVENIENT DIRECTION CONTROL WITH UNIQUE SWIVEL MOUNT
- MULTI-HEAD OPTIONS AVAILABLE

THE LED ADVANTAGE

NO HARMFUL UV/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY

7.0 CM


EL PINTURA HL3003

DESIGN & FEATURES

- MATERIAL : MS BODY & ALUMINUM
- : NICKEL BRUSH, ANODIZE ₽ COLOR PAINTING SILVER
- INSTALLATION : CEILING/WALL MOUNTED
- ULTRA MODERN AND ARTISTIC DESIGN
- EMANATES A WARM YELLOW LIGHT
- CONVENIENT DIRECTION CONTROL WITH UNIQUE SWIVEL MOUNT
- MULTI-HEAD OPTIONS AVAILABLE

THE LED ADVANTAGE

NO HARMFUL UU/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY






EL PINTURA HL2003


DESIGN & FEATURES

- MATERIAL : MS BODY ₡ ALUMINUM
- COLOR NICKEL BRUSH, ANODIZE ₽ PAINTING SILVER
- : CEILING/WALL MOUNTED INSTALLATION
- ULTRA MODERN AND ARTISTIC DESIGN
- EMANATES A WARM YELLOW LIGHT
- CONVENIENT DIRECTION CONTROL WITH UNIQUE SWIVEL MOUNT
- MULTI-HEAD OPTIONS AVAILABLE

THE LED ADVANTAGE


LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY





SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	сст
HL1003	LED	2200-2400	1981-2641	50HZ	3Ψ	3Ψ	3000 KELVIN
HL2003	LED	2200-2400	198V-264V	50HZ	2×3W	6Ш	3000 KELVIN



EL PINTURA HL4003


DESIGN & FEATURES

- MATERIAL : MS BODY & ALUMINUM
- COLOR NICKEL BRUSH, ANODIZE &
- PAINTING SILVER
- INSTALLATION : CEILING/WALL MOUNTED
- ULTRA MODERN AND ARTISTIC DESIGN
- EMANATES A WARM YELLOW LIGHT • CONVENIENT DIRECTION CONTROL WITH UNIQUE SWIVEL MOUNT
- MULTI-HEAD OPTIONS AVAILABLE

THE LED ADVANTAGE

LONG LIFE LED TECHNOLOGY

LOW CARBON FOOTPRINT ZERO MERCURY



ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	сст
HL3003	LED	2200-2400	1980-2640	50HZ	3*3Ш	9Ψ	3000 KELUIN
HL4003	LED	2200-2400	198V-264V	50HZ	4*3W	12W	3000 KELVIN







EL ESPECTACULO


HL1001

DESIGN & FEATURES

- MATERIAL : MS BODY & GLASS
- COLOR : NICKEL BRUSH & CHROME
- INSTALLATION : CEILING/WALL MOUNTED
- ULTRA MODERN AND ARTISTIC DESIGN
- EMANATES A WARM YELLOW LIGHT
- CONVENIENT DIRECTION CONTROL WITH UNIQUE SWIVEL MOUNT
- MULTI-HEAD OPTIONS AVAILABLE

THE LED ADVANTAGE

LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY




EL ESPECTACULO HL4001

DESIGN **₡** FEATURES

- MATERIAL : MS BODY & GLASS
- COLOR : NICKEL BRUSH & CHROME
- INSTALLATION : CEILING/WALL MOUNTED ULTRA MODERN AND ARTISTIC DESIGN
- EMANATES A WARM YELLOW LIGHT
- CONVENIENT DIRECTION CONTROL WITH UNIQUE SWIVEL MOUNT
- MULTI-HEAD OPTIONS AVAILABLE

THE LED ADVANTAGE

LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY





EL STUDIO

DESIGN & FEATURES

: CHROME FINISH WITH WHITE POWDER

• INSTALLATION : CEILING/WALL MOUNTED

• CONVENIENT DIRECTION CONTROL WITH UNIQUE SWIVEL MOUNT

■ ULTRA MODERN AND ARTISTIC DESIGN

■ EMANATES A WARM YELLOW LIGHT

■ MULTI-HEAD OPTIONS AVAILABLE

THE LED ADVANTAGE

LONG LIFE LED TECHNOLOGY

NO HARMFUL UV/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY

HL1002

 MATERIAL COLOR

EL ESPECTACULO HL3001

- MATERIAL : MS BODY & GLASS
- COLOR : NICKEL BRUSH & CHROME
- INSTALLATION : CEILING/WALL MOUNTED
- ULTRA MODERN AND ARTISTIC DESIGN
- EMANATES A WARM YELLOW LIGHT
- CONVENIENT DIRECTION CONTROL WITH UNIQUE SWIVEL MOUNT
- MULTI-HEAD OPTIONS AVAILABLE

THE LED ADVANTAGE

NO HARMFUL UU/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY





SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	сст
HL1001	LED	2200-2400	1980-2640	50HZ	3Ш	3Ш	3000 KELVIN
HL3001	LED	2200-2400	1980-2640	50HZ	3*3Ш	9₩	3000 KELVIN



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	сст
HL4001	LED	2200-2400	198V-264V	50HZ	4*3 Ψ	12W	3000 KELNIN
HL1002	LED	2200-2400	1980-2640	50HZ	3Ш	3W	3000 KELVIN





110





EL STUDIO

HL2002

DESIGN & FEATURES

■ MATERIAL : MS BODY

■ COLOR : CHROME FINISH WITH WHITE POWDER

■ INSTALLATION : CEILING/WALL MOUNTED

ULTRA MODERN AND ARTISTIC DESIGN


■ EMANATES A WARM YELLOW LIGHT

 CONVENIENT DIRECTION CONTROL WITH UNIQUE SWIVEL MOUNT

■ MULTI-HEAD OPTIONS AVAILABLE

THE LED ADVANTAGE

NO HARMFUL UV/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY



EL STUDIO

DESIGN **₡** FEATURES

■ MATERIAL : MS BODY

■ COLOR : CHROME FINISH WITH WHITE POWDER

• INSTALLATION : CEILING/WALL MOUNTED

ULTRA MODERN AND ARTISTIC DESIGN


EMANATES A WARM YELLOW LIGHT

 CONVENIENT DIRECTION CONTROL WITH UNIQUE SWIVEL MOUNT

MULTI-HEAD OPTIONS AVAILABLE

THE LED ADVANTAGE

NO HARMFUL UU/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	сст
HF5005	LED	2200-2400	1980-2640	50HZ	2*3Ш	6Ш	3000 KELUIN
HL3002	LED	2200-2400	198V-264V	50HZ	3*3W	9Ψ	3000 KELVIN

EL STUDIO

DESIGN & FEATURES

■ MATERIAL : MS BODY

• COLOR : CHROME FINISH WITH WHITE POWDER

INSTALLATION : CEILING/WALL MOUNTED

ULTRA MODERN AND ARTISTIC DESIGN

■ EMANATES A WARM YELLOW LIGHT

 CONVENIENT DIRECTION CONTROL WITH UNIQUE SWIVEL MOUNT

MULTI-HEAD OPTIONS AVAILABLE

THE LED ADVANTAGE

NO HARMFUL UU/INFRARED EMISSION LOW CARBON FOOTPAINT ZERO MERCURY LONG LIFE LED TECHNOLOGY






ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	сст
HL4002	LED	2200-2400	198リ-264リ	50HZ	4*3W	12W	3000 KELVIN





TABLE LAMPS

A WORK STATION AT HOME IS THE SIGN OF A DEDICATED PERSON. AND THIS KIND OF COMMITMENT DESERVES A SOURCE OF LIGHT THAT CAN INSPIRE AND LITERALLY SHOW THE WAY. OUR RANGE OF TABLE LAMPS HAS BEEN CREATED KEEPING FUNCTIONALITY IN MIND WITH A FINE AESTHETIC SENSE. COMPATIBLE WITH LED AND CFL BULBS THEY GIVE YOU JUST THE LIGHT YOU WANT.





J.UIM.E TP1001

DESIGN & FEATURES

- MATERIAL : ASHWOOD WITH FABRIC SHADE
- COLOR : NATURE WOOD WITH WHITE SHADE
- INSTALLATION : TABLE MOUNTED
- TABLE MOUNTED LAMP WITH PREMIUM WHITE FABRIC WHICH GELS PERFECTLY WITH MODERN HOME DÉCOR
- DESIGNED FOR USE WITH ENERGY-SAVING LIGHT BULBS
- SMOOTH SURFACE FINISH FOR EASY CLEANING
- SOFT & GLARE FREE LIGHTING WHICH IS AN EASE FOR THE EYE
- AVAILABLE AS A RANGE OF TABLE & FLOOR LAMP




J.UIM.E TL1008

DESIGN **₡** FEATURES

- MATERIAL : ABS BASE AND MILD STEEL STEM WITH SILICON SLEEVE
- COLOR : GOLDEN ■ INSTALLATION : TABLE MOUNTED
- ELEGANT FOLDABLE LIGHT WEIGHT DESIGN
- SMOOTH SURFACE FINISH FOR EASY CLEANING
- SOFT & GLARE FREE LIGHTING WHICH IS AN EASE FOR THE EYE
- 3 LEVEL TOUCH DIMMING FUNCTION
- FLEXIBLE NECK MAKES THE LAMP ADJUST AT ANY ANGLE OF CHOICE
- IDEAL FOR ANY WORK OR READING TABLE FOR AN ADULT OR CHILD

THE LED ADVANTAGE

LOW CARBON FOOTPRINT ZERO MERCURY
NO UU / INFRARED EMISSION
LONG LIFE LED TECHNOLOGY






JAIME TL1009

DESIGN & FEATURES

- MATERIAL : ABS Base with Mild Steel Stem
- COLOR : GREY
- INSTALLATION : TABLE MOUNTED
- SOFT ¢ GLARE FREE LIGHTING WHICH IS AN EASE FOR THE EYE
- Smooth surface finish for easy cleaning
- Flexible LED head makes the lamp adjust at any angle of choice
- IDEAL FOR ANY WORK OR READING TABLE FOR AN ADULT OR CHILD

THE LED ADVANTAGE


LOW CARBON FOOTPRINT ZERO MERCURY NO UV / INFRARED EMISSION LONG LIFE LED TECHNOLOGY





DESIGN **₡** FEATURES

- MATERIAL : ASHWOOD WITH FABRIC SHADE
- COLOR : NATURE WOOD WITH WHITE SHADE
- INSTALLATION : TABLE MOUNTED
- TABLE MOUNTED LAMP WITH PREMIUM WHITE FABRIC WHICH GELS PERFECTLY WITH MODERN HOME DÉCOR
- DESIGNED FOR USE WITH ENERGY-SAVING LIGHT BULBS
- SMOOTH SURFACE FINISH FOR EASY CLEANING
- SOFT ¢ GLARE FREE LIGHTING WHICH IS AN EASE FOR THE EYE





SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO OF LAMPS	FITTING/CAP	RATED VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
TP1001	60W GLS	1N*	E527	2200-2400	50HZ	1*60Ш	60W
TP1002	60W GLS	IN*	E527	2200-2400	50HZ	1*60Ш	60Ш

ITEM CODE	TYPE OF LAMP	сст	RATED VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
TL1008	5W INTEGRATED LED	3000K	220V-240V	50HZ	7Ψ	7Ш
TL1009	8W INTEGRATED LED	6500K	2200-2400	50HZ	9Ψ	9W







J'AIME TL1007T

DESIGN ₽ FEATURES

: ABS PLASTIC FRAME WITH FROSTED POLYCARBONATE DIFFUSER MATERIAL

COLOR : WHITE

- ELEGANT FOLDABLE LIGHT WEIGHT DESIGN
- SOFT ¢ GLARE FREE LIGHTING WHICH IS AN EASE FOR THE EYE
- 5 LEVEL TOUCH DIMMING FUNCTION
- AS PER NEED
- IDEAL FOR ANY WORK OR READING TABLE FOR AN ADULT OR CHILD
- BUILT IN USB PORT FOR CHARGING SMARTFONE OR TABLET

THE LED ADVANTAGE

LOW CARBON FOOTPRINT ZERO MERCURY NO UV / INFRARED EMISSION LONG LIFE LED TECHNOLOGY

J'AIME TL1005T

DESIGN ₽ FEATURES

 MATERIAL : ABS PLASTIC FRAME WITH FROSTED POLYCARBONATE DIFFUSER

COLOR : BLACK

■ INSTALLATION : TABLE MOUNTED

- ELEGANT FOLDABLE LIGHT WEIGHT DESIGN
- SOFT ¢ GLARE FREE LIGHTING WHICH IS AN EASE FOR THE EYE
- 5 LEVEL TOUCH DIMMING FUNCTION
- CHOICE OF LIGHT COLOR SELECTION BETWEEN YELLOW AND WHITE
- FLEXIBLE NECK MAKES THE LAMP ADJUST AT ANY ANGLE OF CHOICE
- IDEAL FOR ANY WORK OR READING TABLE FOR AN ADULT OR CHILD
- BUILT IN USB PORT FOR CHARGING SMARTFONE OR TABLET

THE LED ADVANTAGE

LOW CARBON FOOTPRINT ZERO MERCURY NO UV / INFRARED EMISSION LONG LIFE LED TECHNOLOGY





JAIME TL1006T

 MATERIAL : ABS PLASTIC FRAME WITH

COLOR : WHITE

■ INSTALLATION : TABLE MOUNTED

 ELEGANT FOLDABLE LIGHT WEIGHT DESIGN ■ SOFT & GLARE FREE LIGHTING WHICH IS AN EASE FOR

THE EYE

■ 5 LEVEL TOUCH DIMMING FUNCTION

CHOICE OF LIGHT COLOR SELECTION BETWEEN YELLOW


 FLEXIBLE NECK MAKES THE LAMP ADJUST AT ANY ANGLE OF CHOICE

 IDEAL FOR ANY WORK OR READING TABLE FOR AN ADULT OR CHILD

BUILT IN USB PORT FOR CHARGING SMARTFONE OR TABLET

THE LED ADVANTAGE

LOW CARBON FOOTPRINT ZERO MERCURY NO UV / INFRARED EMISSION LONG LIFE LED TECHNOLOGY



■ INSTALLATION : TABLE MOUNTED

CHOICE OF LIGHT COLOR SELECTION BETWEEN YELLOW AND WHITE

• FLEHIBLE NECK MAKES THE LAMP ADJUST AT ANY ANGLE OF CHOICE



JAIME TL1004

DESIGN ₽ FEATURES

 MATERIAL ABS PLASTIC FRAME WITH FLEXIBLE SILICON BASED STEM

COLOR : BLACK

■ INSTALLATION : TABLE MOUNTED


■ COMPACT & LIGHT WEIGHT DESIGN

■ FLEXIBLE GOOSENECK ARM TO ENABLE EASY FOCUSING

■ IDEAL FOR ANY WORK OR READING TABLE FOR AN ADULT OR CHILD

THE LED ADVANTAGE

LOW CARBON FOOTPRINT ZERO MERCURY NO UV / INFRARED EMISSION LONG LIFE LED TECHNOLOGY



ITEM CODE	TYPE OF LAMP	сст	RATED VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
TL1007T	6W INTEGRATED LED	4000K-6500K	2200-2400	50HZ	6Ш	6Ш
TL1006T	6W INTEGRATED LED	4000K-4500K	2200-2400	50HZ	6Ψ	6Ш



ITEM CODE	TYPE OF LAMP	сст	RATED VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
TL1005T	6W INTEGRATED LED	4000K-4500K	2200-2400	50HZ	6Ш	6Ш
TL1004	3.2W INTEGRATED LED	3000К	220V-240V	50HZ	3.5Ш	3.5W







J'AIME TL1003

DESIGN **₡** FEATURES

: ABS PLASTIC FRAME WITH FROSTED POLYCARBONATE DIFFUSER MATERIAL

COLOR : BLUE

■ INSTALLATION : TABLE MOUNTED

- SOFT & GLARE FREE LIGHTING WHICH IS AN EASE FOR THE EYE
- 3 LEVEL TOUCH DIMMING FUNCTION
- ADJUSTABLE LED LIGHT SOURCE CAN BE ADJUSTED AT ANY ANGLE OF CHOICE
- IDEAL FOR ANY WORK OR READING TABLE FOR AN ADULT OR CHILD

THE LED ADVANTAGE

ZERO MERCURY NO UV / INFRARED EMISSION LONG LIFE LED TECHNOLOGY



FP1013 DESIGN ₽ FEATURES MATERIAL

J'AIME


OAK WOOD BRACKET, SOLID METALLIC BASE AND STEEL SUPPORT ROD WITH FABRIC HEAD

: BLACK HEAD & BLACK WIRE

COLOR

: TABLE MOUNTED

- TABLE MOUNTED LAMP WITH PREMIUM BLACK PLEATED FABRIC WHICH GELS PERFECTLY WITH MODERN HOME DECOR
- UNIQUE FISHING ROD DESIGN WITH SOLID METALLIC BASE AND OAK-WOOD BRACKET WITH STEEL ROD FOR FABRIC HEAD
- INNOVATIVE DESIGN WITH 3 STEP TILT ARRANGEMENT AT THE BASE CONTROLLED BY FISH-HOOK STEEL WIRE COUPLED WITH MAIN ROD
- DIFFUSED LIGHTING WITH REDUCED GLARE
- EASE OF SAFE CONTROL FOR THE CONSUMER VIA IN-LINE HAND SWITCH
- AVAILABLE IN FLOOR & TABLE LAMP RANGE





JAIME FL1005

 MATERIAL ALUMINUM DIE CAST BODY WITH

COLOR : WHITE FINISH WITH RED TEXTILE WIRE

■ INSTALLATION : TABLE MOUNTED

- ELEGANT SWAN NECK DESIGN ALONGWITH INNOVATIVE STEEL BASE PLATE ACCENTUATES THE DECOR OF THE MODERN HOMES
- PROVIDES GOOD CONCENTRATED LIGHT FOR ANY APPLICATION
- EASE OF SAFE CONTROL FOR THE CONSUMER VIA PUSH SWITCH ON THE PRODUCT
- AVAILABLE IN PENDANT & TABLE LAMP VARIANTS

THE LED ADVANTAGE

NO HARMFUL UU/INFRARED EMISSION LOW CARBON FOOTPRINT LONG LIFE LED TECHNOLOGY



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	сст	RATED VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
TL1003	5W INTEGRATED LED	5000K	2200-2400	50HZ	4Ψ	4Ψ
ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	сст
FL1005	3*3W INTEGRATED LED	2200-2400	90V-244V	50HZ	9Ψ	3000 KELVIN



JAIME FP1008

DESIGN & FEATURES


 MATERIAL : PREMIUM CHROME FINISH HEAD

SOLID METALLIC BASE

COLOR : CHROME HEAD WITH BLACK WIRE

■ INSTALLATION : TABLE MOUNTED

- PROVIDES GOOD CONCENTRATED LIGHT FOR ANY APPLICATION SPLASHY DESIGN WITH GLEAMING SPHERICAL FORM FACTOR WHICH ACCENTUATES THE AMBIENCE
- SOLID METALLIC BASE WITH METALLIC ARM AND
- ADJUSTABLE METALLIC HEAD EASE OF SAFE CONTROL FOR THE CONSUMER VIA IN-LINE
- HAND SWITCH AVAILABLE IN TABLE & FLOOR LAMP VARIANTS



ITEM CODE	TYPE OF LAMP	NO OF LAMPS	FITTING/CAP	RATED VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
FP1013	7W LED/11W CFL/60W GLS	1N	E527	2200-2400	50HZ	60Ш	7W/11W/60W
FP1008	7W LED/9W CFL/60W GLS	1N	ES27	2200-2400	50HZ	60Ш	7W/9W/60W







J'AIME FL1004

DESIGN & FEATURES

■ MATERIAL : ALUMINUM BODY

COLOR : BRUSHED ALUMINUM FINISH
 WITH BLACK WIRE

■ INSTALLATION : TABLE MOUNTED


 CONTEMPORARY ARC SHAPED DESIGN WHICH ALLURES THE AITIBLENCE

 ERSE OF CONTROL VIA TOUCH DIMMING SWITCH ON THE BASE PLATE PROVIDES THE CONSUMER THE POWER TO CONTROL

 PROUIDES GOOD CONCENTRATED LIGHT FOR ANY APPLICATION

THE LED ADVANTAGE

NO HARMFUL UU/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY



ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	сст
FL1004	1*5W INTEGRATED LED	2200-2400	90V-244V	50HZ	5Ψ	3000 KELVIN



FLOOR LAMPS

GET FLOORED! BY THESE DESIGNS, THE FUNCTIONALITY AND BY THE WAY OUR NEW RANGE OF FLOOR LAMPS CREATE SPACE AND MAGIC IN YOUR HOME. LOOK AT THE DESIGN AND YOU WILL SEE THE WAY EVERY DETAIL HAS BEEN LOOKED INTO. FROM THE THROW OF LIGHT, THEIR REACH AND THE USE OF SPACE, EVERYTHING HAS BEEN OPTIMISED. SO FIND A GOOD BOOK AND SETTLE DOWN IN YOUR LAZYBOY, EVENINGS CAN'T GET BETTER NOW.





J'AIME FP1023

DESIGN & FEATURES

- MATERIAL : ASHWOOD WITH FABRIC SHADE
- COLOR : NATURE WOOD SHADE WITH WHITE SHADE
- INSTALLATION : FLOOR MOUNTED
- FLOOR MOUNTED LAMP WITH PREMIUM WHITE FABRIC WHICH GELS PERFECTLY WITH MODERN HOME DÉCOR
- DESIGNED FOR USE WITH ENERGY-SAVING LIGHT BULBS
- SMOOTH SURFACE FINISH FOR EASY CLEANING
- SOFT & GLARE FREE LIGHTING WHICH IS AN EASE FOR THE EYE
- AVAILABLE AS A RANGE OF TABLE & FLOOR LAMP




SCINTILLER FP1020

DESIGN **₡** FEATURES

- MATERIAL : MILD STEEL FRAME
- COLOR : POWDER COATED MATT WHITE
- INSTALLATION : FLOOR MOUNTED
- TORCHIERE-STYLE FLOOR LAMP FEATURES A MATT FINISH WITH SLEEK CONTEMPORARY LOOK
- PERFECT DESIGN FOR GENERAL ROOM ILLUMINATION
- BLENDS FUNCTIONALITY WITH STYLE THUS CREATING AN
- EASE OF SAFE CONTROL FOR THE CONSUMER VIA IN-LINE FOOT SUITCH





SCINTILLER FP1021

DESIGN ₡ FEATURES


■ MATERIAL : MILD STEEL STEM WITH MARBLE BASE

■ COLOR : OPAL PMMA SHADE

■ INSTALLATION : FLOOR MOUNTED

- FISH ROD DESIGN PROVIDES GOOD GENERAL ILLUMINATION FOR ANY AREA
 DECORATIVE WEIGHTY MARBLE BASE PROVIDES STABILITY
- AS WELL AS CLASSICAL DESIGN APPEAL

 EASE OF SAFE CONTROL FOR THE CONSUMER VIA IN-LINE FOOT SWITCH
- DIFFUSED LIGHTING WITH REDUCED GLARE



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO OF LAMPS	FITTING/CAP	RATED VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
FP1023	60W GLS	1N	E27	2200-2400	50HZ	60Ш	60W
FP1021	7W LED/13W CFL (SP)/60W GLS	1N	ES27	2200-2400	50HZ	60W	60W



DESIGN & FEATURES

■ MATERIAL : MILD STEEL FRAME

■ COLOR : POWDER COATED MATT BLACK

■ INSTALLATION : FLOOR MOUNTED

- TORCHIERE-STYLE FLOOR LAMP FEATURES A MATT FINISH WITH SLEEK CONTEMPORARY LOOK
- PERFECT DESIGN FOR GENERAL ROOM ILLUMINATION
- BLENDS FUNCTIONALITY WITH STYLE THUS CREATING AN EMOTIVE SPACE
- EASE OF SAFE CONTROL FOR THE CONSUMER VIA IN-LINE FOOT SWITCH



ITEM CODE	TYPE OF LAMP	NO OF LAMPS	FITTING/CAP	RATED VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
FP1020	10W LED/20W CFL (SP)/100W GLS	1N	E527	2200-2400	50HZ	100W	100W
FP1019	10W LED/20W CFL (SP)/100W GLS	1N	E527	2200-2400	50HZ	100W	100Ш







SCINTILLER FG2001

DESIGN & FEATURES

 MATERIAL MILD STEEL FRAME COLOR : SATIN BRASS

• INSTALLATION : FLOOR MOUNTED

- TORCHIERE-STYLE FLOOR LAMP PROVIDES VERSATILE LIGHTING WITH ADJUSTABLE GOOSE NECK READING LIGHT
- SEPARATE DIMMER SWITCH FOR TORCHIER AND READING LIGHT PROVIDES AN EASE OF OPERATION TO THE USER
- PERFECT DESIGN FOR GENERAL ROOM ILLUMINATION
- EASE OF SAFE CONTROL FOR THE CONSUMER VIA IN-LINE FOOT SWITCH

25.4 cm

SCINTILLER FL1003

DESIGN **₡** FEATURES

 MATERIAL : CARBON FIBER STEM WITH STEEL BASE

COLOR : BLACK HEAD WITH BLACK TEXTILE WIRE


■ INSTALLATION : FLOOR MOUNTED

- PROVIDES GOOD CONCENTRATED LIGHT FOR READING AND GENERAL LIGHTING FOR SMALLER AREAS
- UNIQUE CARBON FIBER ROD BASED LED FLOOR LAMP WITH SWIVEL HEAD AND SOLID METALLIC BASE
- EASY TO USE CLAMP ARRANGEMENT FOR CONTROLLING ANGLE OF LIGHT AS PER REQUIREMENT
- EASE OF SAFE CONTROL FOR THE CONSUMER VIA IN-LINE FOOT SWITCH

THE LED ADVANTAGE

LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY





SCINTILLER FL2001

 MATERIAL : MILD STEEL FRAME

: SATIN NICKEL ELECTROPLATING COLOR

■ INSTALLATION : FLOOR MOUNTED

- TORCHIERE-STYLE FLOOR LAMP PROVIDES VERSATILE LIGHTING WITH ADJUSTABLE GOOSE NECK READING LIGHT
- SEPARATE DIMMER SWITCH FOR TORCHIER AND READING LIGHT PROVIDES AN EASE OF OPERATION TO THE USER
- PERFECT DESIGN FOR GENERAL ROOM ILLUMINATION Ease of Safe Control for the Consumer via in-line foot switch


THE LED ADVANTAGE

LOW CARBON FOOTPRINT ZERO MERCURY NO UV / INFRARED EMISSION LONG LIFE LED TECHNOLOGY



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO OF LAMPS	FITTING/CAP	RATED VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
FG2001	230W FOR TORCHIER # 33W FOR ADJUSTABLE ARM	2N	R75 ¢ G9	2200-2400	50HZ	230W & 33W	263Ш
ITEM CODE	TYPE OF LAMP	NO OF LAMPS	RATED VOLTAGE	FREQUENCY	RATED WATTAGE	сст	TOTAL WATTAGE
FL2001	18W INTEGRATED LED FOR TORCHIER SW INTEGRATED LED FOR ADJUSTABLE ARM	2N	2200-2400	50HZ	23W	3000 KELVIN	23Ш






 MATERIAL METALLIC BODY WITH FABRIC HEAD

COLOR RICH WOODGRAIN FINISH WITH

FLASH SILVER BASE

■ INSTALLATION : FLOOR MOUNTED

- STURDY TOUCH SWITCH ON THE METALLIC BRANCH FOR SWITCHING CONTROL
- ELEGANT CURVED DESIGN WITH METALLIC BRANCH IN RICH WOODGRAIN FINISH
- PREMIUM DIFFUSER FOR GLARE FREE LIGHTING AND UNIFORM DISTRIBUTION
- SOLID BASE WITH FLASHY ALUMINIUM FINISH PROVIDES SUPERB BALAN CE TO THE FLOOR LAMP



ITEM CODE	TYPE OF LAMP RATED VOLTAGE		RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	сст
FL1003	3°3W INTEGRATED LED 220V-240V		90V-264V	50HZ	9Ш	3000 KELVIN	
ITEM CODE	TYPE OF LAMP	NO OF LAMPS	FITTING/CAP	RATED VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
FP1014	60W GLS	1N	E527	2200-2400	50HZ	60W	60W








SCINTILLER FP1012

DESIGN & FEATURES


- : OAK WOOD BRACKET, SOLID METALLIC BASE AND STEEL SUPPORT ROD WITH MATERIAL
- COLOR : BLACK HEAD & BLACK WIRE
- INSTALLATION : FLOOR MOUNTED
- FLOOR MOUNTED LAMP WITH PREMIUM BLACK PLEATED FABRIC WHICH GELS PERFECTLY WITH MODERN HOME DECOR
- UNIQUE FISHING ROD DESIGN WITH SOLID METALLIC BASE AND OAK-WOOD BRACKET WITH STEEL ROD FOR FABRIC HEAD
- INNOVATIVE DESIGN WITH 4 STEP TILT ARRANGEMENT AT THE BASE CONTROLLED BY FISH-HOOK STEEL WIRE COUPLED WITH MAIN ROD
- DIFFUSED LIGHTING WITH REDUCED GLARE
- EASE OF SAFE CONTROL FOR THE CONSUMER VIA IN-LINE FOOT SWITCH
- AVAILABLE IN FLOOR & TABLE LAMP RANGE



SCINTILLER FP1009

DESIGN & FEATURES

- MATERIAL
 - : PREMIUM CHROME FINISH HEAD WITH CONNECTING ARM AND SOLID METALLIC BASE
- COLOR : CHROME HEAD WITH BLACK WIRE ■ INSTALLATION : FLOOR MOUNTED
- PROVIDES GOOD CONCENTRATED LIGHT FOR ANY
- APPLICATION AND GOOD GENERAL LIGHTING FOR SMALLER AREAS
- SPLASHY DESIGN WITH GLEAMING SPHERICAL FORM FACTOR WHICH ACCENTUATES THE AMBIENCE
- SOLID METALLIC BASE WITH METALLIC ARM AND ADJUSTABLE METALLIC HEAD
- EASE OF SAFE CONTROL FOR THE CONSUMER VIA IN-LINE
- AVAILABLE IN TABLE & FLOOR LAMP VARIANTS





ITEM CODE	TYPE OF LAMP	NO OF LAMPS	FITTING/CAP	RATED VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
FP1012	10W LED/20W CFL/100W GLS	1N	ES27	2200-2400	50HZ	100Ш	10M/50M/100M
FP1009	7W LED/11W CFL/60W GLS	1N	E527	2200-2400	50HZ	60Ш	7W/11W/60W



AMBIENT LIGHTING

THIS LIMITED RANGE FROM TISUA PROVIDES A CUSTOMER AN ABILITY TO CONTROL THE LIGHT COLOURS AND LIGHT INTENSITY WITHIN THE HOME. THE TUNABLE WHITE OFFERING FROM TISUA PRESENTS THE INNOVATIVE 'SUN IN HOME 'CONCEPT WITH THE POSSIBILITY OF MAINTAINING THE COLOUR OF THE LIGHTS WITHIN THE HOME MATCHED TO THE COLOUR OF SUN LIGHT OUTSIDE AT ANY POINT OF TIME DURING THE DAY. THE RANGE PRESENTLY INCLUDES MULTI COLOUR TOUCH BASED LED STRIPS, TUNABLE WHITE LED STRIPS AND TUNABLE WHITE CEILING LIGHT.





*Available with remote control

LUCE L520R1415*

DESIGN ₡ FEATURES

■ MATERIAL : SOFT PCB & LED

■ COLOR : RI

■ INSTALLATION : WITH 3M TAPE

■ DIMENSIONS : 5000*10*2.35 mm

■ DIMMABLE VIA EASY TO USE REMOTE

 QUICK AND EASY INSTALLATION WITH 3M TAPE WITH PLUG AND PLAY DRIVER

HIGHLY DURABLE

HIGHLY FLEXIBLE AND DERSATILE

ENERGY SAVING

■ LOOSE PACKS OF 3M & 5M STRIPS ARE ALSO AVAILABLE

 DRIVER SUITABLE FOR UPTO 10M STRIPS (LS20R1415 SUITABLE FOR 5M STRIP)

THE LED ADVANTAGE

NO HARMFUL UV/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY

LUCE L520G1415*

DESIGN & FEATURES

■ MATERIAL : SOFT PCB & LED

COLOR : GREEN

INSTALLATION : WITH 3M TAPE
 DIMENSIONS : 5000*10*2.35 Mm

■ DIMMABLE VIA EASY TO USE REMOTE

 QUICK AND EASY INSTALLATION WITH 3M TAPE WITH PLUG AND PLAY DRIVER

PLUG AND PLAY DRIVER

HIGHLY DURABLE

■ HIGHLY FLEXIBLE AND DERSATILE

ENERGY SAVING

■ LOOSE PACKS OF 3M & 5M STRIPS ARE ALSO AVAILABLE

 DRIVER SUITABLE FOR UPTO 10M STRIPS (LS20G1415 SUITABLE FOR 5M STRIP)

THE LED ADVANTAGE

NO HARMFUL UU/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY





*Auailable with remote control

LUCE L520B1415*

DESIGN **₡** FEATURES

■ MATERIAL : SOFT PCB & LED

COLORINSTALLATION

: BLUE : WITH 3M TAPE

■ DIMENSIONS : 5000*10*2.35 mm

■ DIMMABLE VIA EASY TO USE REMOTE

 QUICK AND EASY INSTALLATION WITH 3M TAPE WITH PLUG AND PLAY DRIVER

HIGHLY DURABLE

■ HIGHLY FLEXIBLE AND VERSATILE

ENERGY SAVING

■ LOOSE PACKS OF 3M & 5M STRIPS ARE ALSO AVAILABLE

 DRIVER SUITABLE FOR UPTO 10M STRIPS (LS20B1415 SUITABLE FOR 5M STRIP)

THE LED ADVANTAGE

NO HARMFUL UJ/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY



*Available with remote control





LL LS2

*Auailable with remote control

LUCE L520W1415*

DESIGN & FEATURES

■ MATERIAL : SOFT PCB & LED

• COLOR : WHITE

■ INSTALLATION : WITH 3ITN TAPE

■ DIMENSIONS : 5000*10*2.35 MM

■ DIMMABLE VIA EASY TO USE REMOTE

• QUICK AND EASY INSTALLATION WITH 3M TAPE WITH PLUG AND PLAY DRIVER

HIGHLY DURABLE

HIGHLY FLEXIBLE AND DERSATILE

ENERGY SAVING

■ LOOSE PACKS OF 3M ¢ 5M STRIPS ARE ALSO AVAILABLE

 DRIVER SUITABLE FOR UPTO 10M STRIPS (LS20W1415 SUITABLE FOR 5M STRIP)

THE LED ADVANTAGE

NO HARMFUL UV/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY

SPECIFICATIONS:

ITEM CODE	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	NO OF LEDS	WATTAGE	DIMMING
LS20R1415	220-240V AC	90-264N AC	50 HZ	300	72 W	DIMMABLE
L520B1415	220-240V AC	90-264V AC	50 HZ	300	72 W	DIMMABLE

ITEM CODE	RATED VOLTAGE	AATED VOLTAGE OPERATING VOLTAGE		NO OF LEDS	WATTAGE	DIMMING
L520G1415	220-240V AC	90-264V AC	50 HZ	300	72 W	DIMMABLE
L520W1415	220-240V AC	90-264N AC	50 HZ	300	72 W	DIMMABLE







LUCE L520Y1415*

DESIGN ₡ FEATURES

 MATERIAL : SOFT PCB & LED : WARM YELLOW ■ INSTALLATION : WITH 3TN TAPE

: 5000*10*2.35 MM DIMENSIONS

■ DIMMABLE VIA EASY TO USE REMOTE

• QUICK AND EASY INSTALLATION WITH 3M TAPE WITH . Plug and play driver

HIGHLY DURABLE

HIGHLY FLEXIBLE AND VERSATILE

ENERGY SAVING

■ LOOSE PACKS OF 3M & 5M STRIPS ARE ALSO AVAILABLE

DRIVER SUITABLE FOR UPTO 10M STRIPS (LS20Y1415 SUITABLE FOR 5TT STRIP)

THE LED ADVANTAGE

LOW CARBON FOOTPRINT
ZERO MERCURY
LONG LIFE LED TECHNOLOGY

LUCE L520M1415*

DESIGN **₡** FEATURES

 MATERIAL : SOFT PCB & LED

: RGB COLOR CHANGING ■ INSTALLATION : WITH 3M TAPE

: 5000*10*2.35 MM DIMENSIONS

RANGE OF 16 COLORS FOR SELECTION

■ AUTOMATIC COLOR CHANGING MODE

■ INTENSITY & COLOR CONTROL VIA REMOTE

■ QUICK & EASY INSTALLATION WITH 3M TAPE

■ ENERGY SAVING

■ LOOSE PACKS OF 3M ¢ 5M STRIPS ARE ALSO AVAILABLE

 DRIVER SUITABLE FOR UPTO 10M STRIPS (LS20M1415 SUITABLE FOR 5M STRIP)

THE LED ADVANTAGE

NO HARMFUL UU/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY



*Available with remote control





LUCE L520T0915*

DESIGN & FEATURES

 MATERIAL : SOFT PCB BOARD & LED COLOR : TUNABLE WHITE

■ INSTALLATION : WITH 3M TAPE : 5000*10*2.35 MM DIMENSIONS

 A VARIETY O FCONTINUOUS COLOR SELECTION RANGING FROM WARM YELLOW TO COOL DAYLIGHT LIGHT INTENCITY & COLOR CONTROL OF LIGHT VIA TOUCH

BASED RF REMOTE CONTROL HIGHLY FELXIBLE AND VERSATILE

THE LED ADVANTAGE

NO HARMFUL UU/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY



*Available with remote control





LUCE L5X20T0915

DESIGN & FEATURES

 MATERIAL : SOFT PCB BOARD & LED

COLOR TUNABLE WHITE ■ INSTALLATION : WITH 3M TAPE

 DIMENSIONS : 5000*10*2.35 MM

• A DARIETY O FCONTINUOUS COLOR SELECTION RANGING FROM WARM YELLOW TO COOL DAYLIGHT

■ LIGHT INTENCITY & COLOR CONTROL OF LIGHT VIA TOUCH BASED RF REMOTE CONTROL

HIGHLY FELXIBLE AND VERSATILE

THE LED ADVANTAGE

LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY

SPECIFICATIONS:

ITEM CODE	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	NO OF LEDS	WATTAGE	DIMMING
LS20Y1415	220-240V AC	90-264V AC	50 HZ	300	72 W	DIMMABLE
L5X20T0915	15N DC	15N DC	2000 K-6300 K	300	25-50 W	DIMMABLE

ITEM CODE	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	NO OF LEDS	WATTAGE	DIMMING
L520M1415	220-240V AC	90-264V AC	50 HZ	300	72 W	DIMMABLE
LS20T0915	220 - 240 U AC	90- 264 V AC	2000 K-6300 K	300	25-50 W	DIMMABLE







LUME SERIES

LED LOOSE STRIPS

DESIGN **₡** FEATURES

 MATERIAL : SOFT PCB & LED

COLOR : 3000K/4000K/6500K

■ DIMENSIONS : 5000*8*1.9 mm ■ INSTALLATION : WITH 3TN TAPE

■ QUICK & EASY INSTALLATION WITH 3M TAPE

HIGHLY DURABLE

■ HIGHLY FLEXIBLE & VERSATILE

ENERGY SAVING

THE LED ADVANTAGE

NO HARMFUL UV/INFRARED EMISSION LOW CARBON FOOTPRINT ZERO MERCURY LONG LIFE LED TECHNOLOGY

DESIGN & FEATURES

ELYSIAN

MUL001

 MATERIAL : FINE ACRYLIC

COLOR : WHITE

■ INSTALLATION : CEILING MOUNTED


■ UNIQUE PRODUCT CREATING SUN IN HOME BY THE CHOICE OF CONTINUOUS COLOR SELECTION
FROM WARM WHITE TO COOL DAYLIGHT

 ADJUSTMENT OF LIGHT INTENSITY BY USING REMOTE CONTROL


DIFFUSED LIGHT EFFECT

FLEXIBILITY AS PER USAGE

EASY INSTALLATION







JUBILO UL4001

DESIGN & FEATURES


ALUMINIUM BASE PLATE WITH STEEL CANOPY & POLYCARBONATE SHADES MATERIAL

: PAINT WITH LACQUER COLOR

INSTALLATION : TO BE MOUNTED ON FLAT CEILING

 STATE OF THE ART PENDANT DESIGN WITH BUILT-IN LED SOURCE INTO ULTRA-THIN DISC DIMMABILITY FEATURE PROVIDES CONSUMER THE POWER TO CONTROL THE AMBIENCE

EMITS A SOFT LIGHT WITHIN THE ROOM WHICH IS PLEASANT FOR THE EYES



SPECIFICATIONS (LED DRIVER):

ITEM CODE	RATED VOLTAGE	OPERATING VOLTAGE (Input)	OPERATING VOLTAGE (Output)	FREQUENCY	NO OF LEDS	WATTAGE	COLOR	сст
MUL001	2200-2400	2200-2400	54U/0.8A	50HZ	145PC5	51Ψ	TUNABLE WHITE	2700 K-6500 K

SPECIFICATIONS (LED MODULE):

ITEM CODE	LED CHIP (2700K)	LED CHIP (6500K)	OPERATING VOLTAGE (@LED CHIP)	TOTAL WATTAGE		
MUL001	0.3Ψ	0.3Ψ	3U/0.1A	43.5W		
SPECIFICATIONS:						
ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQ	UENCY RATED WATTAGE	сст
UL4001	4X5W LED	2200-2400	1980-2640	50	DHZ 20W	3000 KELVIN



ITEM CODE	RATED VOLTAGE	COLOUR TEMPERATURE	NO OF LEDS	WATTAGE	DIMMING
L5X20Y0505D	15N DC	3000 К	300	25 Ш	NON-DIMMABLE
LSX20WD0505D	15N DC	4000 K	300	25 Ψ	NON-DIMMABLE
L5X20W0505D	15N DC	6500 K	300	25 Ψ	NON-DIMMABLE






DOWNLIGHTERS

LIGHT PLAYS A MAJOR ROLE TO ENHANCE THE INTERIORS OF ANY HOME. IT HAS A MAGICAL QUALITY THAT CAN TRANSFORM ANY ENVIRONMENT. OUR RANGE OF DOWNLIGHTERS HAVE BEEN DESIGNED TO THROW AN EVENLY DIFFUSED WIDE BEAM OF LIGHT. YOU CAN ADD DRAMA TO A CORRIDOR, STYLE TO A PORCH OR CHANGE THE WAY A ROOM FEELS BY JUST USING THESE INNOVATIVE DESIGNS CREATIVELY.

TISUA HAS TAKEN THIS COLLECTION OF DESIGNER DOWNLIGHTERS A STEP FORWARD. NOW WITH ADDED DIMMERS AND DIMMABLE DRIVERS YOU HAVE COMPLETE CONTROL OVER THE INTENSITY LIGHT TO CREATE THE RIGHT MOOD AND AMBIENCE. SO GET CREATIVE AND PLAY WITH THE AMBIENCE OF A ROOM.

THESE DIMMERS AND DRIVERS CAN ALSO BE INCORPORATED WITH ANY TISVA LED LUMINAIRE. JUST ADD THEM ON AND SEE HOW MAGIC HAPPENS WITH THE TURN OF A KNOB. FOR FURTHER INFORMATION PLEASE ASK OUR STORE MANAGER OR CALL TISVA CARE @ 180010332222






HECTOR PRIME LED RECESSED PANELS


DESIGN & FEATURES

: DIE CAST ALUMINIUM HOUSING WITH CONCAVE DIFFUSER DESIGN MATERIAL


COLOR : POWDER COATED WHITE ■ LOW POWER CONSUMPTION PRODUCT WITH MINIMUM

- MAINTENANCE
- HIGH TRANSMITTANCE DIFFUSER EMITS A GLARE FREE NATURAL SOFT LIGHT WHICH IS PLEASANT FOR THE EYES
- READY TO USE INTEGRATED PACK WITH DRIVER





ITEM CODE	WATTAGE	RATED VOLTAGE	FREQUENCY	сст	LUMINOUS FLUX	DIMENSIONS
DLP081701	ROUND 8W	220V-240V	50 HZ	3000K	550 LUMEN	A-Ø11.3CM
DLP083701	ROUND 8W	220V-240V	50 HZ	4000K	550 LUMEN	B-Ø10.6CM
DLP086701	ROUND 8W	220V-240V	50 HZ	6500K	550 LUMEN	C-2.3CM
DLP081801	SQUARE 8W	220V-240V	50 HZ	3000K	550 LUMEN	A-11.13 x 11.13CM
DLP083801	SQUARE 8W	220V-240V	50 HZ	4000K	550 LUMEN	B-10.4 x 10.4CM
DLP086801	SQUARE 8W	220V-240V	50 HZ	6500K	550 LUMEN	C-2.2CM
DLP121703	ROUND 12W	220V-240V	50 HZ	3000K	850 LUMEN	A-Ø16.7CM
DLP123703	ROUND 12W	220V-240V	50 HZ	4000K	850 LUMEN	B-Ø15.4CM
DLP126703	ROUND 12W	220V-240V	50 HZ	6500K	850 LUMEN	C-2.25CM
DLP121801	SQUARE 12W	220V-240V	50 HZ	3000K	850 LUMEN	A-16.5 x 16.5CM
DLP123801	SQUARE 12W	220V-240V	50 HZ	4000K	850 LUMEN	B-15.3 x 15.3CM
DLP126801	SQUARE 12W	220V-240V	50 HZ	6500K	850 LUMEN	C-2.25CM
DLP151701	ROUND 15W	220V-240V	50 HZ	3000K	1100 LUMEN	A-Ø18.2CM
DLP153701	ROUND 15W	220V-240V	50 HZ	4000K	1100 LUMEN	B-Ø16.9CM
DLP156701	ROUND 15W	220V-240V	50 HZ	6500K	1100 LUMEN	C-2.4CM
DLP151801	SQUARE 15W	220V-240V	50 HZ	3000K	1100 LUMEN	A-17.7 x 17.7CM
DLP153801	SQUARE 15W	220V-240V	50 HZ	4000K	1100 LUMEN	B-16.6 x 16.6CM
DLP156801	SQUARE 15W	2200-2400	50 HZ	6500K	1100 LUMEN	C-2.35CM



HECTOR PRIME LED SURFACE MOUNTED PANELS

DESIGN & FEATURES

 MATERIAL DIE CAST ALUMINIUM HOUSING WITH CONCAVE DIFFUSER DESIGN


: POWDER COATED WHITE COLOR

■ LOW POWER CONSUMPTION PRODUCT WITH MINIMUM MAINTENANCE

HIGH TRANSMITTANCE DIFFUSER EMITS A GLARE FREE NATURAL SOFT LIGHT WHICH IS PLEASANT FOR THE EYES

READY TO USE INTEGRATED PACK WITH DRIVER

ITEM CODE	WATTAGE	RATED VOLTAGE	FREQUENCY	сст	LUMINOUS FLUX	DIMENSIONS
DLP081702	ROUND 8W	2200-2400	50 HZ	3000K	550 LUMEN	
DLP083702	ROUND 8W	2200-2400	50 HZ	4000K	550 LUMEN	A-Ø11.4CM B-3.4CM
DLP086702	ROUND 8W	2200-2400	50 HZ	6500K	550 LUMEN	
DLP081802	SQUARE 8W	2200-2400	50 HZ	3000K	550 LUMEN	
DLP083802	SQUARE 8W	2200-2400	50 HZ	4000K	550 LUMEN	A-11.45 x 11.45CM B-3.5CM
DLP086802	SQUARE 8W	2200-2400	50 HZ	6500K	550 LUMEN	<i>3.3</i> cm
DLP121702	ROUND 12W	2200-2400	50 HZ	3000K	850 LUMEN	
DLP123702	ROUND 12W	2200-2400	50 HZ	4000K	850 LUMEN	A-Ø17.1CM B-3.5CM
DLP126702	ROUND 12W	2200-2400	50 HZ	6500K	850 LUMEN	
DLP121802	SQUARE 12W	2200-2400	50 HZ	3000K	850 LUMEN	
DLP123802	SQUARE 12W	2200-2400	50 HZ	4000K	850 LUMEN	A-17.2 x 17.2CM B-3.6CM
DLP126802	SQUARE 12W	2200-2400	50 HZ	6500K	850 LUMEN	





PALETTE SURFACE MOUNTED PANEL

DESIGN ₽ FEATURES

 MATERIAL : DIE CAST ALUMINIUM

COLOR : WHITE POWDER COATED

■ EVENLY DIFFUSED SLENDER & LIGHT WEIGHT WIDE BEAM SURFACE MOUNTED LED PANEL

■ NON YELLOWING SUPERIOR ANTI GLARE DIFFUSER

READY TO USE PACK WITH DRIVER

LOW POWER CONSUMPTION PRODUCT WITH MINIMUM MAINTENANCE

2 YEARS WARRANTEE

ITEM CODE	WATTAGE	RATED VOLTAGE	FREQUENCY	сст	LUMINOUS FLUX	DIMENSIONS
DLP0864014	SQUARE 8W	220V-240V	50 HZ	6500K	520 LUMEN	A-12.0*12.0CM B-3.8CM
DLP1264015	SQUARE 12W	2201/2401	50 HZ	6500K	780 LUMEN	A-17.0*17.0CM B-3.8CM








HECTOR ONE LED PC PANELS

DESIGN **₡** FEATURES

- COLOR : POWDER COATED WHITE
- LOW POWER CONSUMPTION PRODUCT WITH MINIMUM MAINTENANCE
 HIGH TRANSMITTANCE DIFFUSER EMITS A GLARE FREE
- HIGH TRANSMITTANCE DIFFUSER EMITS A GLARE FREE NATURAL SOFT LIGHT WHICH IS PLEASANT FOR THE EYES
- READY TO USE INTEGRATED PACK WITH DRIVER



ITEM CODE	WATTAGE	RATED VOLTAGE	FREQUENCY	ССТ	LUMINOUS FLUX	DIMENSIONS
DLP1212008	ROUND 12W	220V-240V	50 HZ	3000K	800 LUMEN	A-Ø16.0CM
DLP1232009	ROUND 12W	220V-240V	50 HZ	4000K	800 LUMEN	B-Ø15.0CM
DLP1262010	ROUND 12W	220V-240V	50 HZ	6500K	800 LUMEN	C-3.0CM
DLP1211011	SQUARE 12W	220V-240V	50 HZ	3000K	800 LUMEN	A-16.5 x 16.5CM
DLP1234012	SQUARE 12W	220V-240V	50 HZ	4000K	800 LUMEN	B-15.0 x 15.0CM
DLP1264013	SQUARE 12W	220V-240V	50 HZ	6500K	800 LUMEN	C-3.0CM
DLP1512001	ROUND 15W	220V-240V	50 HZ	3000K	900 LUMEN	A-Ø16.0CM
DLP1532001	ROUND 15W	220V-240V	50 HZ	4000K	900 LUMEN	B-Ø15.0CM
DLP1562001	ROUND 15W	220V-240V	50 HZ	6500K	900 LUMEN	C-3.0CM
DLP1514001	SQUARE 15W	220V-240V	50 HZ	3000K	900 LUMEN	A-16.5 x 16.5CM
DLP1534001	SQUARE 15W	220V-240V	50 HZ	4000K	900 LUMEN	B-15.0 x 15.0CM
DLP1564001	SQUARE 15W	220V-240V	50 HZ	6500K	900 LUMEN	C-3.0CM
DLP1832001	ROUND 18W	220V-240V	50 HZ	3000K	1500 LUMEN	A-Ø22.0CM
DLP1862001	ROUND 18W	220V-240V	50 HZ	4000K	1500 LUMEN	B-Ø22.0CM C-3.0CM
DLP1834001	SQUARE 18W	220V-240V	50 HZ	4000K	1500 LUMEN	A-21.5 x 21.5CM
DLP1864001	SQUARE 18W	220V-240V	50 HZ	6500K	1500 LUMEN	B-20.0 x 20.0CM C-3.0CM





DESIGN **₡** FEATURES

TRATERIAL : DIE CAST ALUMINIUM HOUSING
 WITH CONCAUE DIFFUSER DESIGN

- COLOR : POWDER COATED WHITE
- LOW POWER CONSUMPTION PRODUCT WITH MINIMUM MAINTENANCE
- HIGH TRANSMITTANCE DIFFUSER EMITS A GLARE FREE NATURAL SOFT LIGHT WHICH IS PLEASANT FOR THE EYES
- READY TO USE INTEGRATED PACK WITH DRIVER








ITEM CODE	WATTAGE	RATED VOLTAGE	FREQUENCY	сст	LUMINOUS FLUX	DIMENSIONS
DL0431007	ROUND 3.5W	220V-240V	50 HZ	4000K	210 LUMEN	A-Ø9.5CM B-Ø8.0CM C-7.5CM
DL0461008	ROUND 3.5W	2200-2400	50 HZ	6500K	225 LUMEN	A-Ø9.5CM B-Ø8.0CM C-7.5CM
DL0531005	ROUND 5W	2201-2401	50 HZ	4000K	310 LUMEN	A-Ø10.5CM B-Ø9.0CM C-8.0CM
DL0561006	ROUND 5W	220V-240V	50 HZ	6500K	350 LUMEN	A-Ø10.5CM B-Ø9.0CM C-8.0CM
DL0831003	ROUND 7W	220V-240V	50 HZ	4000K	490 LUMEN	A-Ø11.5CM B-Ø10.0CM C-9.0CM
DL0861004	ROUND 7W	2200-2400	50 HZ	6500K	525 LUMEN	A-Ø11.5CM B-Ø10.0CM C-9.0CM
DL1031001	ROUND 9W	220V-240V	50 HZ	4000K	700 LUMEN	A-Ø14.0CM B-Ø11.5CM C-9.0CM
DL1061005	ROUND 9W	220V-240V	50 HZ	6500K	750 LUMEN	A-Ø14.0CM B-Ø11.5CM C-9.0CM









PALETTE LED COB DOWNLIGHTER

DESIGN **₡** FEATURES

 MATERIAL : DIE CAST ALUMINIUM

COLOR

WHITE POWDER COATED RIM WITH ANODIZED PATTERNED REFLECTOR

C-7.4CM

C-5.6CM

COB BASED DESIGN EMITS SHARP BEAM FOR ACCENTUATING ELEMENTS WITHIN THE ROOM


 OPTIMIZED HEAT SINK DESIGN FOR ENSURING EXCELLENT HEAT DISSIPATION SYSTEM

READY TO USE INTEGRATED PACK WITH DRIVER

LOW POWER CONSUMPTION PRODUCT WITH MINIMUM

				IIIAINIEN	INCL	
ITEM CODE	WATTAGE	RATED VOLTAGE	FREQUENCY	сст	LUMINOUS FLUX	DIMENSIONS
DL0711009	ROUND 6.5W	220V-240V	50 HZ	2700K	520 LUMEN	A-Ø8.4CM B-Ø7.6CM C-7.4CM
DL0731010	ROUND 6.5W	2200-2400	50 HZ	4000K	580 LUMEN	A-Ø8.4CM B-Ø7.6CM C-7.4CM
DL0761011	ROUND 6.5W	220V-240V	50 HZ	6500K	650 LUMEN	A-Ø8.4CM B-Ø7.6CM





PALETTE DOWNLIGHTER

DESIGN & FEATURES

 MATERIAL : DIE CAST ALUMINIUM

COLOR : WHITE

COB BASED DESIGN EMITS SHARP BEAM FOR ACCENTUATING ELEMENTS WITHIN THE ROOM

OPTIMIZED HEAT SINK

■ DESIGN FOR ENSURING EXCELLENT HEAT DISSIPATION

READY TO USE INTEGRATED PACK WITH DRIVER

■ LOW POWER CONSUMPTION PRODUCT WITH MINIMUM

ITEM CODE	WATTAGE	RATED VOLTAGE	FREQUENCY	ССТ	LUMINOUS FLUX	DIMENSIONS
DL0713001	ROUND GLASS WITH SQUARE RIM 6.5W	2201/2401	50 HZ	2700K	500 LUMEN	A-7.5*7.5CM B-Ø7.0CM C-5.8CM
DL0733002	ROUND GLASS WITH SQUARE RIM 6.5W	220V-240V	50 HZ	4000K	580 LUMEN	A-7.5*7.5CM B-Ø7.0CM C-5.8CM
DL0763003	ROUND GLASS WITH SQUARE RIM 6.5W	220V-240V	50 HZ	6500K	650 LUMEN	A-7.5*7.5CM B-Ø7.0CM C-5.8CM



PALETTE DOWNLIGHTER

DESIGN & FEATURES

 MATERIAL : DIE CAST ALUMINIUM

: WHITE POWDER COATED RIM WITH ANODIZED PATTERNED REFLECTOR COLOR

COB BASED DESIGN EMITS SHARP BEAM FOR ACCENTUATING ELEMENTS WITHIN THE ROOM.

SWIVEL DESIGN PROVIDES FLEXIBILITY OF DIRECTING LIGHT

AS DESIRED


 OPTIMIZED HEAT SINK DESIGN FOR ENSURING EXCELLENT HEAT DISSIPATION SYSTEM

READY TO USE INTEGRATED PACK WITH DRIVER

■ LOW POWER CONSUMPTION PRODUCT WITH MINIMUM

ITEM CODE	WATTAGE	RATED VOLTAGE	FREQUENCY	сст	LUMINOUS FLUX	DIMENSIONS
DL0711012	ROUND SWIVEL 6.5W	220V-240V	50 HZ	2700K	520 LUMEN	A-Ø9.4CM B-Ø8.2CM C-5.6CM
DL0731013	ROUND SWIVEL 6.5W	220V-240V	50 HZ	4000K	600 LUMEN	A-Ø9.4CM B-Ø8.2CM C-5.6CM
DL0761014	ROUND SWIVEL	220V-240V	50 HZ	6500K	650 LUMEN	A-Ø9.4CM B-Ø8.2CM





PALETTE DOWNLIGHTER

DESIGN & FEATURES

 MATERIAL : DIE CAST ALUMINIUM

COLOR : WHITE

• COB BASED DESIGN EMITS SHARP BEAM FOR

ACCENTUATING ELEMENTS WITHIN THE ROOM

OPTIMIZED HEAT SINK DESIGN FOR ENSURING EKCELLENT HEAT DISSIPATION SYSTEM

• READY TO USE INTEGRATED PACK WITH DRIVER

• READY TO USE INTEGRATED PACK WITH DRIVER

■ LOW POWER CONSUMPTION PRODUCT WITH MINIMUM

ITEM CODE	WATTAGE	RATED VOLTAGE	FREQUENCY	ССТ	LUMINOUS FLUX	DIMENSIONS
DL0713004	SQUARE 6.5W	2201/2401	50 HZ	2700K	500 LUMEN	A-8.0*8.0CM B-7.2*7.2CM C-6.2CM
DL0733005	SQUARE 6.5W	220V-240V	50 HZ	4000K	550 LUMEN	A-8.0*8.0CM B-7.2*7.2CM C-6.2CM
DL0763006	SQUARE 6.5W	2201-2401	50 HZ	6500K	650 LUMEN	A-8.0*8.0CM B-7.2*7.2CM C-6.2CM







Location Sales Offices:

Ahmedabad: B-1003, 10th Floor, Commerce House – V, Near Vodafone House, Corporate Road, Prahaladnagar, Ahmedabad - 380051. Tel.: 079-26583999, 9909905005.

Bangalore: Survey No. 112/5, Pantharapalya, Nayandahalli, Mysore Road, Bangalore - 560039. Tel.: 080-28606434, 28606435.

Chennai: 185, Anna Salai, Near TUS Bus Stop, Chennai - 600006. Tel.: 044-22521749, 22520132.

Cuttack: Telengapentha, Off.: NH – 5, Via – Phulnakhara, Cuttack - 754001. Tel.: 0671-2586023, 2586911, 2586015, 2586115. Fax: 2586026.

Ernakulam: IK/418/A1, Logistic Park, Thengode P.O., Edachira, Kakkanad, Ernakulam - 682030. Tel.: 0484-2421724/725/726/727. Fax: 2421723.

Ghaziabad: A 201 - 206, 2nd Floor, Pacific Business Park, Sahibabad Industrial Area Site -IV, Ghaziabad - 201010. Tel.: 0120-4550200.

Gurgaon: Plot No. 3, Institutional Area, Sector-32, Gurgaon - 122001. Tel.: 0124-4767100.

Guwahati: Chakradhar Villa, 3rd Floor, Chandmari U-Turn, Opposite All India Radio Office, P.O.: Silpukhuri, Guwahati - 781003, Assam.

Hyderabad: P.O. Balanagar Township, Balanagar, Hyderabad - 500037. Tel.: 040-23078900.

Indore: 602 & 603A, 6th Floor, NRK Business Park, Vijay Nagar Squere PU-4, Scheme-54, Indore - 452010, Madhya Pradesh. Tel.: 0731-4700140/141.

Jaipur: 2nd Floor, Dainik Nau Jyoti Buidling, Amrapali Circle, Vaishali Nagar, Jaipur. Tel.: 0141-4011616, 4021616.

Jalandhar: Lally Niwas, G.T. Road, Jalandhar City - 144001. Tel.: 0181-4351700.

Kolkata: 5th Floor, 9, Elgin Road, "North Wing", Kolkata - 700020. Tel.: 033-40120800, Fax: 22905310.

Lucknow: 1st Floor, 163, Shahnajaf Road, Lucknow - 226001. Tel.: 0522-2612507, 2612508, 2612509. Fax: 2627536.

Mumbai: 5th Floor, South Side, Oberoi Commerz Building, International Business Park, Off Western Express Highway, Goregaon (E), Mumbai - 400063. Tel.: 022-41560000. Fax: 41560001.

Patna: 1st Floor, Shahi Bhawan, Exhibition Road, Patna - 800001. Tel.: 0612-2222175, 3260695. Fax: 2501128.

Brand Stores:

New Delhi: Aventia Lights, Khasra No. 842, Metro Pillar No. 118, M. G. Road, Ghitorni, New Delhi, Delhi - 110030. M.: +91 9810502025.

New Delhi: Kathuria Electrical, A- 31 A, Ring Road, Rajouri Garden, New Delhi - 110027. Ph.: 011 - 25417948.

Gurgaon: Alpha Radio Co., C/O Kapoor Electricals, Old Railway Road, Opp. HDFC Bank, Near Kabir Bhawan, Gurgaon - 122001.
Ph.: 0124 - 4265741.

Chandigarh: Elante Mall Store, Shop No.246, II Floor, Elante Mall, (CSJ Infrastructure Put. Ltd), 178-178A, Industrial & Business Park Phase 1, Chandigarh - 160002. Ph.: 0172 - 4669466.

Chandigarh: Kasturi Lights, SCO 17, Sector - 7, Madhya Marg, Chandigarh - 160007. Ph.: 0172 - 5085999.

Pune: Blue Rays (BLEU RAYONS), 115, MG Road, Camp, Pune - 411001. Ph.: 020 - 39874542.

Mumbai: TISUA, The Lighting Studio, G-1, 444 Corporate Lounge, Opp. Sahib Khatwara Darbar, Rd. No. 7, Khar - Bandra Linking Road, Near Citibank, Khar (W), Mumbai - 400052. Ph.: 022 - 61274455/6.

Noida: Dinesh Industrial Corparation, C - 33, Sector - 9, Noida - 201301. Ph.: 0120 - 4351668.

Ludhiana: Ram kumar Ajay Kumar, LG shoppe. Malhar Road, Sarabha Nagar, Near Welcome Palace, Ludhiana - 141001. M.: +91 9417023237.

Chennai: Aksara Trading Company, Hamid Building, 190 Anna Salai, Chennai - 600006.

Ph.: 044 - 42172666, M.: +91 8122299111.

Jaipur: Fantasy Lifestyle Interiors Put. Ltd. 71, Shree Gopal Nagar, Gopalpura bypass, Tonk Road, Jaipur - 302018. Ph.: 0141 - 2982715/34, M.: +91 7727801111

Bengaluru: Just Connect, #14, 'Vinayaka Arcade', 32nd Cross, 7th Block, Jayanagar, Near Bangalore International Academy, Bengaluru - 560082, Ph.: 080-26644119, M.: 8277354119.

Jalandhar: State Electric Agencies, EJ/138,139,140 Chahar Bagh Near Milap Chowk, Opp. Milap Paper, Jalandhar - 144001. Ph.: 0181 - 4644005, M.: +91 8725082192.

Vadodara: Atlantis K10 Mall, Shop No. 130, 135 and 136, Sara Bhai Road, Vadodara - 390007. M.: +91 9898099036.

Terms **&** conditions:

- a. All purchases are subject to company's general terms and conditions of business.
- b. All product and installation images are indicative only. The colour shade of the product shown may differ from the actual colour.
- c. Disputes, if any, are subject to Delhi jurisdiction only.
- d. Due to continuous efforts in developing and improving products we reserve the right to make changes in the design and data and withdraw the product without any prior notice.
- e. Every effort has been made to ensure accuracy in compilation of technical / commercial detail within this publication. However, customer is advised to check exact product details with the company before buying the product.